POPULAR SCIENCE FOUNDED MONTHLY 1872


FEBRUARY 15 CENTS







NEW INVENTIONS MECHANICS HOME WORKSHOP MONEY MAKING IDEAS 350 PICTURES


WHY HE WAS A BACHELOR















DOZENS - SINCE I STARTED USING LIFEBUOY



SEEK no farther for the ideal complexion soap. You have it in Lifebuoy! Its bland, creamy lather is so mild, so gentle and kind to the skin. Yet it cleanses deeply, thoroughly—ridding pores of clogged impurities that cloud the skin, coaxing back fresh, healthy radiance to dull, lifeless complexions.


"B.O." this weather? CERTAINLY!

Even on coldest days we still perspire. Our pores give off a

quart of odorous waste daily.

Play safe with "B.O." (body odor)—bathe regularly with Lifebuoy. Lathers freely in hot, cold, hard or soft water — purifies pores—stops "B.O." Its pleasant, hygienic, quickly-vanishing scent tells you Lifebuoy protects!

Approved by Good Housekeeping Bureau




TAKING THE OFFICE "BLUEBEARD" FOR A RIDE ...



ANNOUNCING AMAZING TYPEWRITER BARGAIN

BRAND NEW MODEL No. 5

REMINGTON PORTABLE



FREE EASY HOME TYPING COURSE

MONEY BACK GUARANTEE

 Positively the greatest portable typewriter bargain ever offered! Now for the first time Remington, world-famous manufacturer, offers a NEW purchase plan...only 10¢ a day buys this latest model machine! Not a used or rebuilt typewriter. Not an incomplete machine. A beautiful brand new regulation Remington Portable. Stand-

ard 4-row keyboard; Standard width carriage; margin release on keyboard; back spacer; automatic ribbon reverse; every essential feature found in standard typewriters!

Money making opportunities always open

Hundreds of jobs are waiting for people who can type. A typewriter helps put your ideas on paper in logical, impressive form...helps you write clear, understandable sales reports, letters, articles, or stories. A Remington Portable has started many a young





A Gift for Every Member of the Family

If you want a gift for birthday, Christmas, or graduation... one that Father, Mother, Sister or Brother will use and appreciate for years to come... give a Remington Fortable. It's the one gift that can be used with both pleasure and profit by every member of the family.

ACT...WHILE LOW PRICE HOLDS GOOD!

New wage scales in our own factories, and in the factories of the companies which make our materials, point definitely to higher prices. Stocks of machines on hand make possible the present unbelievably low cash price on this machine. Everything points to higher prices. We cannot possibly guarantee this low price in the face of constantly rising costs in every one of our departments. So we say . . . "Act fast!"

10 DAY FREE TRIAL OFFER

You can try this machine for 10 days without risking one penny of your money. Not even shipping charges. Send for complete details on this most liberal offer. Get attractive new catalogue illustrating and describing the many Remington models available on unusually low terms. Clip coupon today!

EVERY ESSENTIAL FEATURE found in Standard Machines

Buying a typewriter isn't like buying a suit of clothes. Many Remington portables, seeing 10 years of hard service are still in active use. When you buy...buy a machine with every standard feature. The Remington No. 5 ature. The Remington No. is the most compact and durable portable ever built...includes all essential standard typewriter features. This beautiful machine

represents the height of economy ... unequalled economy in first cost . . . unequalled economy in

It is today the best value ever offered in typewriter history ... and that statement comes from the company that has constantly made typewriter history. Buy now. It is a real bargain offer.

Specifications...

The Model 5 includes every essential feature found in standard type-writers. It has standard 4-row key-board, Complete visibility. Standard width carriage for long envelopes. Carriage return lever of exception-al design for easy and rapid opera-

tion. Margin release on the key-board. Automatic ribbon reverse. Backspacer. Two color ribbon shift. Variable line spacer. Adjustable margin stops. Auto set Paragraph Key (one of the most useful features found on any typewriter). Weight Il lbs. Il oz. Furnished with Pica or Elite type.

TYPING COURSE

When you get your new Remington No. 5, you will get with it... ABSOLUTELY FREE... a 19-page course in typing. It teaches the Touch System, speeds up work. It is simply written and well illustrated. Instructions are easy as A.B.C. Even a child can understand this method. A little study and the average person, child or grown-up, becomes fascinated. Follow this course during the 19-DAY FREE TRIAL OFFER that we give you on your typewriter. At the end of that time, you should be able to dash off letters faster than with pen and ink.

CARRYING CASE

With every Remington No. 5, a FREE carrying case sturdi-ly built of 3-ply wood. Covered with heavy DuPont fab-ric. Top is removed in one motion, leaving machine firmly attached to base. Can be used anywhere... on knees, in chairs, on trains.

State

Remington Rand Inc., Dept. 153-2, Buffalo, N. Y.

Please tell me how I can buy a new Remington Portable typewriter for only 10¢ a day. Also enclose your new catalog.

Address_

REMINGTON RAND INC., DEPT. 153-2, BUFFALO, N. Y.

RAYMOND J. BROWN, Editor ARTHUR WAKELING, Home Workshop Editor ALDEN P. ARMAGNAC, Associate Editor SYDNEY OXBERRY, Art Editor

POPULAR

VOLUME 126 · NUMBER 2 15 Cents a Copy · \$1.50 a Year Published Monthly by Popular Science Publishing Co., Inc., 381 Fourth Ave., New York

TABLE OF CONTENTS for FEBRUARY, 1935

Can Science Raise the Dead?	٠	٠	٠	11
Clever Detectives Solve Secrets Hidden in Wood How ingenious foresters aid in ferreting out crime, told by K. Y. SANBORN		٠	٠	14
American Devil's Island Holds Toughest Prisoners An astonishing trip with Andrew R. Boone to Uncle Sam's escape-proof jail	•	•	•	20
World's Biggest Bridge Rests on Sunken Skyscrapers . Perils of sinking gigantic piers overcome by resourcefulness of engineers	٠	٠	•	22
How Radio Stars Hear Themselves	•		•	24
Fleet of Antique Cars is Big Money Maker	٠		•	32
Triumphs of Science Make Ice Hockey Big Business . EDWIN TEALE pays an exciting visit behind the scenes of winter's fastest sport	•	•	•	49
New Kind of Planet Finder You Can Make at Home .	٠	٠	•	54

February, 1935. Vol. 126. No. 2
Popular Science Monthly is published monthly at 381 Fourth Avenue, New York, N. Y., by the Popular Science Publishing Co., Inc. A. L. Cole, President and Treasurer; R. C. Wilson, Vice President; John Nichols, Vice President; John Nichols, Vice President; F. W. Briggs, Sec'y, Entered as second-class matter Dec. 28, 1918, at the Post Office at New York under the act of March 3, 1879; additional entry as second-class matter at Dayton, Obio, Entered as second-class matter at the Post Office Department, Canada, Printed in U. S. A. Copyright, 1935, by the Popular Science Publishing Co., Inc. Single copy, 15 cents (29 cents in Canada), Yearly subscriptions to United States and its possessions, \$1.30; foreign countries, including Canada, \$2. Subscribers must notify us of change of address four weeks in advance of the next publication date. Be sure to give both cld and new address. The contents of this magazine must not be reprinted without permission. The editors are not responsible for unsolicited contributions, and cannot guarantee the return of such material or insure against its loss. Contributions not accompanied by sufficient postage will not be returned. In presenting numerous stories of new products of applied science, Popular Science Monthly does not underwrite the business methods of the individuals or concerns producing them. The use of Popular Science Monthly articles for stock-selling schemes is never authorized.

FEATURES AND DEPARTMENTS

Cutting Your Fuel Bills	6
Our Readers Say	8
The Man With the Net	29
Microscope Shows Plant Feeding	38
Weird Stunts with Chemicals .	44
Home Tests of Science Problems	53
Band-Spread Radio Receiver	56
Kinks for Radio Fans	58
	59
Does Your Car Need Piston Rings?	60
The Home Workshop	61
The Month's Best Auto Ideas .	77
Editing Your Movie Films	78

Cover design by EDGAR F. WITTMACK

AUTOMOBILES	
Amphibian Automobile	16
Accessory Prevents Cold Feet .	16
"Auto" Runs on Two Wheels	18
Blanket Stops Auto Fires	31
New Pump Serves Motor Oil	34
Runs Fifty Miles on Gallon	40
Auto Key Can't Be Forgotten	41
Robot Warms Up Engine	41
Lights Show Speed of Auto	47
Trailer Has One Wheel	48
Hides Radio Under Floor	57
AVIATION	
Hybrid Balloon Aids Traffic Study	16
Three-Wheeled Amphibian	27
D. C. MC. L. C. MI	-

Three-Wheeled Amphibian .	27		
Rainproof Window for Planes			35

4900 Chemical Formulae



In This One Indispensable Book

In this one big book you have at your fingertips practical com-mercial formulae for making thousands of useful products for your own use and for profitable manufacture. Brand new, en-cyclopedic in scope, arranged for quick reference, it is exactly the book that every commercial chemist, large or small, has long wanted. 600 Meaty Pages of formulae including many patented, scarce and little known processes, many published for the first time. Collected by over 60 outstanding industrial chemists and technicians—every formists and technicians—every form-ula proved successful by actual test and experience.

Covers Hundreds of Industries

Thousands of Products

You will find, in The Chemical Formulary, methods for making or using: Matches Metallic Printing Matrix, Rubber Mirrors Nickel Plating Oil Sun-Tan Ointments Paints

Abrasives
Adhesives
Air Conditioning
Alloys
Anti-rusts
Aromatics
Asphalt
Bronze Lacquers
Candias Candles Candy Glaze Carbonizing Catalysts Celluloid Cement
Cream, Cold
Croffee Substitutes
Colors for Oils
Decolorizing

Hair Setting Liquids Hair Tonics ncense Inks Preparations
Dental Cement
Depilatories
Disinfectants Dental Cement Kalsomme
Depilatories Lacquers
Disinfectants Latex Paint
Dyes Leather Polishes
Electrotyping Liniment
Etching Compounds Liquors
Explosives Lubricants

Fertilizer
Fireproofing
Fireworks
Fluxes
Fly Killer
Food Specialties
Gems, Artificial
Glass Polish
Glues
Gold, Plating
Grease. Grease, Lubricating Insulation Jams and Jellies Kalsomine

Preservatives
Printing
Refrigerants
Rubber, Synthetic
Safety Glass Shaving Cream Soaps Solvents Steneils Tooth Paste Waterproofing Zinc Etching Zinc Plating

Paints
Patent Leather
Photographic
Specialties
Polish, Auto
Porcelain

and thousands more.

ONE FORMULA ALONE MAY BE WORTH HUNDREDS OF DOLLARS TO YOU

Every formula in this book is of practical, commercial value. The volume is not merely a collection of "household stunts" or experiments for the amateur, but a mine of money-making ideas for everyone con-cerned with commercial chemistry. In addition, you will find it a quick-reference book for a vast amount of information that you need in your daily work. Send for your copy today.


EXAMINE IT FREE

Send No Money, Mail This Coupon

	N NOSTRAN		
5 days af owe nothin payment a 2 months—	ter I receive it, I ng. If I keep it I want ind I will pay \$2.	emical Formulary. With can return it to you a will send you \$2.00 as fit 00 monthly thereafter f 6 discount for cash. San 35)	nd rst for
Name			
Address			
City		State	****
Reference			****
Address			****

THIS COMPLETE, SIMPLE, PRACTICAL COURSE FOR SELF-INSTRUCTION WILL QUICKLY GIVE YOU

A Complete Mastery of MATHEMATICS



An Expert Gives You These

need in your daily work.

Prepare now to advance yourself to an important job by Mathematics Training. Mathematics is the foundation of all mechanical and scientific work, and of all business or industry based on science. Without this essential knowledge even the most capable man is left behind while others forge ahead to better jobs, bigger contracts, more money.

You need mathematics to solve technical problems, and to improve, speed up and check on your work and the work of others. Such basic training is quickly recognized and gladly paid for. It singles you out from the crowd and gives you an advantage whether it is a matter of a job, a promotion, or a contract for

Now you can learn mathematics by an easy, inexpensive and time-saving method. A very simple and extremely interesting course in book form has been prepared for you by an expert who has devoted a lifetime to teaching practical men the fundamentals of this important subject,

Mathematics For Self Study

By J. E. Thompson, B.S. in E.E., A.M., Dept. of Mathematics, Pratt Institute, Brooklyn

These books start right from the beginning with a review These books start right from the beginning with a review of arithmetic that gives you all special short-cuts and trick problems that save countless hours of your time and make you more valuable to yourself and your job. Then they go right into higher mathematics and show you how simple it is when an expert explains it for you. Don't let appearances fool you, mathematics is easy. You can get these books on approval and see for yourself how much enjoyment you can have while getting this valuable training and solving interesting practical problems that puzzle your friends and felesting practical problems that puzzle your friends and fel-low-workers. In no time at all you will be tackling with ease the most difficult question on this subject.

A Complete Course and Reference Library in 5 Volumes

ARITHMETIC-Starting with a quick review of principles, it presents all the special calculation methods used in business and industry which every practical

used in business and industry which every practical man should know.

ALGEBRA—Starting with simple practical problems, this book shows you, step by step, how to apply algebraic methods to the most complex problems.

GEOMETRY—States clearly all needed facts about plane figures, circles, polygons, etc.

TRIGONOMETRY—This volume makes easy the principles of angles and triangles, shows you how to use tables that explain their functions.

tables that explain their functions.

CALCULUS—You will enjoy mastering calculus in this interesting new way and you will find it will enable you to solve problems that can be solved in

1598 Pages-Illustrated

Send No Money

Examine These Books For 10 Days Free

The coupon below brings you the five books for 10 days' free trial. After 10 days return the books to us without obligation or send us the small down payment of \$2.95, balance in three monthly payments (5% discount for cash).

Mail This Coupon

Simplified Methods	D. Van Nostrand Co., Inc., 250 Fourth Ave., New York.
Mr. Thompson, the author of these books, is not an ordinary teacher of mathematics. He has	Send me MATHEMATICS FOR SELF STUDY in 5 volumes. Within 10 days I will either return the books or send you \$2.95 as first payment and \$2.00 per month for 3 months—total, \$8.95, (5% discount for cash.) (P.S. 2-35)
had many years' experience in giving students the kind of	Name
mathematical training they need	Address
in practical work. He presents	City and State
each practical method and prob- lem in the clearest and simplest	Business Connection
way. He gets right down to the	Reference
kind of information that you	! Address

POPULAR SCIENCE MONTHLY FOR FEBRUARY, 1935

	Bird Leads Glider 4/		Pave Street With Rug 40
	Giant New French Plane 48	INVENTIONS	Odd Whistle Tests Broadcasts . 41
	MODELA	Two-Purpose Dog Bed 16	Stamps Show Next War 41
	MODELS	Improved Saw Filer 17	Music by Robot Insect 46
	Eskimo Boy's Model Onmiak 18	Handy Fountain Brush 18	Astronomers Use Cobweb , , , 47
	Model Railway Fills Basement . 36	Strange Gear for Bike Wheel 18	Cops Photograph Accidents 48
	Streamlined Train Model 61	Flagpole Easy to Paint 18	CRAFTWORK
	Tiusel Fuse Protects Railroad 69	Electric Robot Trains Singers . 19	
	Rigging Our Privateer Model 72	New Paralysis Vaccine 29	Unique Camera Case 65
	Fiction's Most Famous Ship 82	Insulated Test Pliers 29	Dyeing Cord for Craftwork 69
	Our Ship Model Kits 102	Dags Get Distemper Serum 30	Electric Banjo Clock 74
		Life Belt Has Light 30	Iran Silhouettes
	PHOTOGRAPHY	Current Heats Ladle 30	Waxing Square-Knot Cord 92
		Machine Teaches Golf 31	WOODWODKING
	Flattening Photos	Pocket Meter Tests Lights 40	WOODWORKING
	Box for Enlarging Paper 80	Gauges Ripeness of Sugar Cane . 40	Small Table in Modern Style 64
	Lens Hood from Inner Tube80	Motor Cycle Can't Tip Over 41	Bobsled Building 67
	Photographing Shiny Objects 80	Engine Runs on Liquid Air 46	Home Workshop Blueprints 84
	Keeping Air from Developers 81	Indoor Clock Strikes Chimes 46	Chest for Family Silverware 88
	Attaching Objects to GlassSI	Range Finder for Hunters 47	
	Softening Enlargements	Fire Escape "Slide for Life" 47	IDEAS FOR THE HANDY
		Odd Telephone Reminder 48	MAN
	NEW DEVICES FOR	Bulb Breaks In Pipe 48	Tub Holds Shoe Polishes 64
	THE HOUSEHOLD	3	Unique Terrarium and Aquarium 66
	Lamps Built into Chair 42	UNUSUAL FACTS AND	Stencils for Small Designs 66
	Softens Hard Water	IDEAS	Ingenious Toy Submarine 68
	Nipple Screws On 42	Electric Locomotives Streamlined 17	Repairing Broken Combs 68
	Knocker Lights Door 42	Novel Horizontal Telescope 17	Tacking Labels on Wood 68
	Robots Control Windows 42	Radio Hams Study Television . 18	Tray Moldings Made on Lathe . 69
	Reflectors for Shaving 42	Coasting with Parachute 28	Check Your Shop Lighting 70
	Clinker Tongs 42	Old Glass Organ Still Used 29	Homeworkshop Guild News 75
	Paper Holds Coffee Grounds 43	Explosives Truck Explodes 30	Whirling Thermometers 83
	Corner Shields Aid in Cleaning . 43	Mike Reveals Speech Defects 31	Repairing Alarm Clocks 85
	Tongs for Ice Cubes 43	All Shipshape 31	High-Frequency Experiments 86
	Bean Slicer Clamps to Table 43	Shoots Fish Under Water 34	Rubber-Stamp Printing 87
	New-Style Cooky Cutter 43	Gasproof Shelter in Cellar 34	Nonslip Coat Hooks 87
	Handy Rack for Drying 43	Speedy Wrapping Paper 34	Old Bill Says 101
	Safety Bath Grip 43	Queerest Railway 35	Cork Improves Table-Tennis Bat 101
	Pot Keeps Coffee Warm 43	Bars Feed on Fish	Eyeshield for Brass Turning 105
		And the second second	The state of the s
_			


In This Issue—Hundreds of Fascinating Articles Tell the Latest News of Laboratory Discoveries, Scientific Triumphs, and Amazing New Inventions

World's Most Amazing Book of Rare and Secret Information! The Book of Formulas

The basis of many fortunes! Formulas, Recipes, Methods and Secret processes for making and improving upon beverages, glues, cements, enamels, paints, cosmetics, dyes, inks, tooth pastes, soaps, silver and nickel-plating, oils, lubricants, and a thousand and one things for commercial and household use! Your fortune may hang upon one little hint from this most amazing of books! Information from a thousand sources—not normally available to the general public—now published for the enjoyment and practical profit of Popular Science readers.


See What You Can Make

You can easily make mixtures to keep your windshield shining like crystal, whiten discolored teeth, keep silverware bright and clean. You can make beverages, or power belt dressings, perfumes, shampoos, bleaches, photographic solutions, essences



Send me The Book of Formulas. I will pay postman \$1.00 C.O.D. plus few cents postage, upon delivery. Money back if not satisfied.

CITY...... STATE.....



Comic Valentines sometimes hurt your feelings, but many of them teach important lessons. Here's one for every man who is careless about shaving. If you know one who neglects his beard—appears in public with stubble on his face—why not do him a real favor by mailing him this Valentine? It might do a lot of good. For apparently some people still don't realize that bristles are repulsive—make a man look untidy, ill-kept and often lose him the respect of others.

Today there is absolutely no excuse for neglect. Any man with a normal skin can shave daily or twice daily in perfect comfort if he uses the Gillette "Blue Blade". This blade is especially processed for quick, easy strokes on sensitive faces. Its edges are smooth—automatically ground, honed and stropped by methods not to be compared with those used by any other manufacturer.

The Gillette "Blue Blade" is rustresisting, tempered by exclusive process and is "anchored" in its envelope so it reaches you undamaged —as keen as it left the factory.

These facts will be apparent the first time you use the Gillette "Blue Blade". Try it on our money-back guarantee of complete satisfaction. Buy a package tonight.

GILLETTE BLUE BLADES NOW 5 for 25¢ · 10 for 49¢

ADDRESS



FIDO'S no man's fool! He isn't afraid of Fred's teeth, but he IS leary of the heavy tear-gas that puffs out of Fred's never-cleaned briar.

They tell us Fred is a dog-lover, but they can't tell us he's a pipe-lover or he'd groom his briar now and then and switch to a pleasanter tobacco. Like Sir Walter Raleigh. This unusual blend of friendly Kentucky Burleys has trotted to the front rank in popularity because it really IS milder, cooler, delightfully fragrant. Try a tin...and hear your friends yelp for joy!

Brown & Williamson Tobacco Corporation Louisville, Kentucky. Dept. Y-52



It's 15 4-AND IT'S MILDER

By R. M. Bolen

Secretary, Popular Science Institute

Insulation can be poured into the walls of a house, as shown at right, simply by opening holes in the walls large enough to admit the pipes through which the material is forced. Below, fill-type insulation is being blown into attic floors to prevent loss of heat through roof



Cutting Down Your Fuel Bill

HERE dollars and cents are concerned, the average home owner usually is a good business man. He bargains for the best in repairs, saves in gas and electricity, and buys only where quality is high and prices low. Yet, in two cases out of three, he ignores hidden leaks in his heating system that are robbing him of at least a dollar every winter week.

In most homes, fully fifty cents out of every dollar spent for taxes and general operating expenses goes for heat. Figured in cold cash, winter heating is an expensive proposition, but it can be made less expensive if precautions are taken to conserve it and get the most in comfort for every ounce of fuel.

Assuming that you have licked the firebox losses in your furnace (P.S.M., Nov. '34, p. 6), your fight against fuel waste is well under way. However, other tricks, equally simple, will help you to slice even more from your yearly heat bill. First of all, it is false economy to shut down your fire so completely at night that the house is thoroughly chilled by morning. Tests show that fuel is wasted whenever a home is allowed to cool more than ten degrees below its normal temperature, To conserve the heat and allow your furnace to operate at a minimum, be sure that your sleeping rooms are well shut off from the rest of the house and lower the window shades in the remaining rooms to prevent the heat from escaping too rapidly through

the window panes. A good thermometer hung in the hall will help you to regulate your furnace so that it is operating well within the efficient ten-degree temperature drop.

If your heating system is of the steam, hot-water, or vapor type, pay particular attention to your radiators. A mere one eighth inch of dust on the coils can account for a twenty-eight percent loss for that particular unit. Even the question of paint has a bearing on radiator efficiency. Contrary to popular belief, metallic paints rob considerably more heat than non-metallic paints, while black is a far more efficient color than white.

Should you find that one room in your house is always cold while another is unbearably hot, try switching the radiators. The exchange may strike a balance. Also, remember that most radiators are sectional, making it possible either to add or remove single sections to supply more or less heat. Of course, before making any radical changes in the system it will be best to find out something about the capacity of your furnace. In most cases

your heating contractor can furnish this information.

With pipe insulation selling for as little as twenty cents for three-foot lengths, there is little excuse for the heat that escapes from bare steam or hot water pipes. Losses, which generally run high at this point in a system, can be reduced as much as ninety percent by the installation of modern one-and three-eighths-inch sectional pipe insulation. Elbows and valves can be protected with asbestos furnace cement, obtainable at less than a dollar for twenty-five pounds.

IF OUR homes were built like thermos bottles, our heat-loss worries would end with the furnace and its system of air ducts or pipes and radiators. Unfortunately many homes, even though sturdily constructed, have no more holding power than a sieve where heat and cold are concerned. More than one quarter of the heat delivered by a furnace can be lost through faulty doors, windows, walls, and roof.

Three roads of escape exist at the windows and doors alone; cracks where the door and window frames meet the wall, clearances between the doors or sash and the frame, and the glass window panes themselves.

The first point of attack should be the needless cracks between the doors or windows and the wall. If desired, a commercial caulking compound can be obtained from your paint dealer or you can make your own by mixing paste white lead (6 oz.), dry asbestos (9 oz.), whiting (½ oz.), linseed oil (1 gill), and enough lampblack or other pigment to give the compound the desired color. This can be stuffed into the openings.

TWO general types of weather stripping are available to the home owner who wants to eliminate the heat-stealing drafts that seep in through the necessary loose-fitting joints between windows and doors and their frames. Although felt or rubber is the least expensive and easiest to apply, metal weather stripping is entirely within the amateur woodworker's scope and once in place lasts forever.

As for the third road of escape, the glass windows themselves, double sash or storm windows will invariably stop the loss. By forming an air space, they prevent the conduction of outside cold and inside heat. In most cases, they need not be applied to every window in the house but merely to those facing to the north or northwest.

To prevent the loss of heat through walls and roof, insulation is the only solution. No matter how well constructed your house may be, most ordinary building materials are good conductors of heat, passing on to the outside air a great deal of the costly warmth.

For convenience, insulation is now available in three general forms: Board, consisting of easily sawed and nailed materials in rigid sheet form; mats or felts (sometimes referred to as "bats"), flexible sheets of fibrous material; and fills, a loose form of insulation that generally is blown or poured into the hollow spaces between the study of a wall or the beams of a floor,



"I'll <u>never</u> let you down"

No matter how big Doris gets, no matter how old, she will always feel that sturdy arm of her father sustaining her, and his loving care on guard.

Let her down? That is not John Roberts' idea of a father's responsibility.

He recently secured an Equitable policy. He arranged that, in event of his death, the proceeds would be paid to his daughter—not in a lump sum, but in monthly instalments throughout her lifetime. His little girl can always live comfortably and, moreover, will be assured of sufficient funds for an education.

Life insurance made to your measure

The Roberts case is one of many interesting applications of the Equitable Case Method of life insurance planning. This method makes certain that you get exactly the right insurance to fit your own needs and wishes. Obviously, such an approach often makes the same amount accomplish more.

	Life Assurance Society
	ie, New York, N. Y.
	your booklet describing the
Equitable Case Method of	of Life Insurance Planning. 61 P.S.
NAME	
ADDRESS	

THE EQUITABLE FAIR - JUST LIFE ASSURANCE SECURITY - PEACE OF MIND SOCIETY MUTUAL - COOPERATIVE OF THE U.S. NATION-WIDE SERVICE Thomas I. Parkinson, President

Our Readers

Real Left-Handed Screw Found in Old Stagecoach

You published a wisecrack from G.S.L., Newcastle, Australia, about left-hand screws. Now, I not only know that there are such screws, but actually have some taken from an

old stagecoach. They are three inches long, seven sixteenths of an inch in diameter, and must be turned left to tighten. You illustrated his letter with a kangaroo laughing, but I think the last laugh will be more like a prairie-dog laugh when he sees that we of the American prairies know our threads - at



least, we can see a left-hand screw when it is one, and don't need any other than a righthand driver for it, either. Another thing: almost all East Indian jewelry is made with left-thread screws. I was there six years ago and I know it to be a fact as I have quite a collection of them. Why doesn't G.S.L. tell us some news from his part of the world, or send us a boomerang. That laugh of his is sure going back.—W.C.K., Lamberton, Minn.


A Photographer Replies -In the Negative

IN ANSWER to the letter of the girl mechanic, M.D.M. of St. Augustine, Fla., suggesting that you give up the photography department, I say, "Nothing doing." Automobiles, airplanes, and Gus of the Model Garage are all good, but photography is the hobby of millions. Look at the business done by the finishing plants. You can carry a camera under your arm and develop your pictures in the bath room. Photography as a hobby is within the reach of every one and the results last a lifetime. Let's have some new tricks-the use of better cameras and ways to take better pictures. It was photography that sold this magazine to me three years ago and I certainly hope you will continue it along the lines suggested above so we can keep on going ahead.-G.A.J., Norwich, Conn.

Strange Red Ring Forms Around Oriental's Sun

WILL you please give space in a corner of Our Readers Say page to this description of a "freak of nature"? The other day a friend of mine was so fortunate as to witness a curious heavenly phenomenon. At 12:30 p.m. the sky

was somewhat cloudy. He observed a ring of a reddish color forming around the sun, a spectacular scene which lasted for a length of time. Subsequently, a gradual transformation of the original color into a pale blue took place. Could any of the readers of Pop-ULAR SCIENCE MONTH-LY satisfy my curiosity



with a scientific explanation of this rare phenomenon (if, indeed, it is rare)?-S.M.G., Deoli, India.

Science Teacher Asks for More about Electricity

I saw a letter from L.B., Utica, N. Y., in a recent issue of Popular Science Monthly, asking for more electrical experiments. I, too, should like to see a series of articles on arcs, electromagnets, transformers, resistances, toy motors for direct and alternating currents, and other electrical experiments that would be of interest to high-school students, I have charge of the science department in the Mountain Home public schools and your magazine has certainly been a help to all my science classes. I have a class studying electricity now and another will be studying it soon. I'm hoping that you'll have a series of articles coming along in time to aid the second class.-L.C., Mountain Home, Ark.

"Black Lightning" Really Violet, His Photo Indicates

I was interested in the item in your department, Here's the Answer, under the heading "Black Lightning." In 1919 I made a photographic exposure during a summer electric storm in New Mexico. On developing the negative I found two streaks of lightning which ended in a different color from the one in which they began. As the film was of the old style, which is little sensitive to red, I assume that the light was a deep violet. As a matter of fact, I remember that the

flashes that day were mostly of the lavender and purple kind, instead of the yellow and white. The darker the purple, the more transparent that portion of the film, as in that part the purple rays obstructed the brighter ones illuminating the background, so that they



could not reach the camera lens. That there are dark or invisible rays has, of course, been demonstrated in infra-red photography, and I do not doubt that a film sensitive to red would have shown many more ray recordings, which would have printed out almost black. This is what gave rise to your correspondent's misconception about "black lightning."-H.B., Riverside, Calif.

He Wants Small Models of Crack Atlantic Liners

I have been greatly interested in Mr. Gommi's instructions for building small ship models. I built the Aquitania from his plans and the result is a beautiful miniature reproduction of that famous liner. Now I must appeal to you for assistance in building a set of the crack Atlantic liners, for which I should like the plans for building models of the Leviathan, Bremen, Rex, Mauretania, and Britannic, so that the set, when completed, could be put into a case and would make a very interesting and attractive group. I might mention that we hold annually an arts and crafts exhibition, and it is my intention with your as-

sistance to enter a group of models of famous modern liners.-C.S.B., Sydney, Australia.

A Reader Makes a Design for the Millennium

THERE are certain manufacturers who ought to be strung up for not doing their share towards making life more enjoyable through the medium of their products. What am I driving at? Well, things like these: Why

aren't all dry-goods materials pre-shrunk so that they'll remain the same size after washing? Why aren't all buttons sewn in place with strong thread so they'll stay put? Why doesn't my radio have a volume control that really controls the volume? Clocks should be made



roach- and insect-proof. Women's watches are ridiculously designed, with the dial so small it takes a microscope to read the time. Most mail boxes and in-the-door mail slots are too small to take care of large pieces of mail like magazines, without folding and damaging them. Why should it be necessary to use a crowbar to open a bus, train, or trolley window? Tool manufacturers would do well to make tools for farmers and craftsmen of a light and rust-proof metal or alloy. And why aren't blocks and other pulleys so designed as to permit the use of a knotted, or at least a neatly spliced, rope? Also it should be a criminal offense for a maker of men's pants to put in them pockets that are not made of strong material. These are only a few of the billion-and-one "minor" things that would vastly im-prove living.—A.V., New York City.

He Travels So Fast He Splits Himself in Two

While we just can't say how it came about, my brother and I got to talking about time and began to figure that if anything could be projected at a speed of 25,000 miles per hour, it would circle the earth in one hour. Increase this speed sixty times and the earth would be circled in one minute. Increase this speed sixty times and the earth would be circled in one second. Again increase it sixty times and the journey would be made in nothing flat. In-

crease this speed sixty times again and you would gain one second, or in other words, you would get back one second before you started. It would appear then that it is only necessary to travel at the requisite speed to gain any amount of time you want. Suppose one took such a journey and gained one hour. He




could come back to where he had been one hour before, and observe himself. When did the split occur? He could prevent himself from starting, but if he did so, he could not be there to prevent himself from starting or to meet himself, which is absurd. Can any kind reader point out the fallacy?-L.S.H., Philadelphia, Pa.

Here Is How One Reader Trisects Any Given Angle

I HAVE noticed continued interest among your readers in the subject of trisecting an angle. I found in a textbook a problem with its answer given as an equation in polar coordinates called the trisectrix and said to be the locus of the vertex C of a triangle whose

base AB is fixed and which has the angle A-2C. I tested it out and found it to be true if you place the base AB on the polar axis between the origin and point a. That method didn't satisfy me, however, because the legs of the triangle shrink for given angles close 180 degrees. I



evolved a similar plan in which the legs do not shrink. It employs specially drawn curves, one of which is a function of sine of half the angle, and the other (almost a straight line) a function of one sixth of the angle. Both are sine curves. The diagram shows how it is done. Given any angle LQN (less than 180 degrees) and the specially drawn lines indicated. With Q as a center and a radius of two inches, draw the arc LMN and the chord LN. Bisect the angle to obtain the center line QM. Place the chord LN perpendicular to the center line of the special figure at the position where the ends of the chord touch the lines AB and AE. The points where the chord cuts the lines AC and AD are the projections of the true points of trisection along the arc LMN. Simply draw lines parallel to the center line through both points, Where those lines cut the arc, we have the points dividing the arc, and consequently the angle, into three equal parts. Always use a two-inch radius, unless you enlarge the special figure as you in-crease the radius.—W.F.H., Detroit, Mich.


His Collection of Models Seems to Be Growing Fast

I'm just finishing the latest issue of your extra-good magazine, Popular Science MONTHLY. Keep up the dope on ship and coach models. I've built, since May, 1933, the Texas, Indianapolis, Hartford, Manhattan, Sea Witch, Diamond Tally-Ho (Concord stagecoach), and Cody Coach. I am now starting on the Swallow. Give Capt. Armitage McCann my best regards.-J.A.S., Baltimore, Md.

Solution of Right-Angled Triangle Problem Thirty-five Centuries Old

The solution of the "Extra Square Inch" problem showed how geometric figures can sometimes be used as equations for calculating areas not easily solved by other methods. A good illustration of this is contained in the accompanying figures, which are said to have been found on a tile unearthed by archaeolo-

gists and believed to date back to 1600 B.C. The two large squares are equal and the eight triangles are equal, by construction. The result proves that the square on the hypotenuse of a right triangle is equal to the sum of the squares on the other two sides. It also proves graphically that $(a+b)^2 = a^2 + 2ab + b^2$.



I can't understand why this proof is forbidden in our textbooks on geometry .- C.W.B.,

Crockett, Calif.

Explicit Rules For Fixing Your Erratic Old Clock

In a recent issue of POPULAR SCIENCE MONTHLY, G.S.G., of Pittsfield, N. H., asks for information on repairing alarm clocks. It is just possible that I can give him the lowdown on clock repairing, as I have repaired, in the last fifty-five years, 48,871 watches and more than that number of clocks. First, get the works out of the case by taking out all the screws in sight. Then, with a chisel, pry out the back. It comes half-way out. Don't use force; just hold it up and jiggle it. Let on that you don't want it out, and it will fall out. Next, find out what ails the clock before you fix it. If the mainspring is busted, put in a new one. Or, you can wind a fish line around the arbor shaft, hang a brick on it for a weight, and nail the works to the smokehouse door (this method has been known to work). Now check up on the train. Start on the barrel, then take the center wheel, third, fourth, and escape, down to the pallet fork and arbor. Observe the amount of end and side shake, and correct it to one one-hundredth millimeter. Be sure that the impulse pin is perpendicular and tight. Note the degree of draw on the entering pallet, the amount of lock on the discharge, and the end shake of the balance shaft. See that the cones are sharp and polished with bort. Now observe the action of the guard pin, which must be long enough to just clear the roller when the bankings are adjusted to the escapement. Now observe the hairspring and see that it is cen-

tered and true. See also that the outside coil vibrates exactly between the curb pins. Next, put it in beat by rotating the collet on the staff. If the clock will now run, don't oil it; if it still refuses to run, boil it in vinegar. If this does no good, take it all apart, but in putting it together don't get the



mainspring in upside down, for that would cause it to run backward. If by this time you have decided that you are too busy to fix the clock, put all the pieces into a grape basket or milk pail and cover it well so that the neighbors will think you are carrying eggs. Sneak into a jewelry store and explain in detail how the clock jiggled off the top shelf of the whatnot and landed on the brick that holds the door open. The jeweler won't dispute what you say; he will just make the bill two dollars instead of fifty cents. The same rules go for fixing watches. Just because a watch is small is no reason why it can't run as fast as or faster than a clock. I have seen a very small watch beat a town clock by four hours in one night. Regulating a watch is easy. Just count its beats for three hours. It beats five times a second, 300 a minute, 18,000 an hour, 432,000 a day and 157,680,000 a year. If it misses two beats in three hours by correct count, turn the timing screw one ten-thousandth of a turn to the right. Heck, it's easy. Grab a monkey wrench and hop to it .--W.D.G., Essex, Iowa.

Know All Things, Says This Broad-minded Reader

HERE are some thoughts for the young fellows who want you to give your magazine over exclusively to their particular hobby. I am proud of possessing some knowledge of practically every science. The things you learn in early life will be of service to you if you can remember them and use them. In my later life in retirement, devoted entirely to research along varied congenial lines, I find use for all of the many things I have learned in the past, even in the prosaic labors of janitor, gardener, and printer's devil in my early days. One cannot learn too much, or of too many different things. For success in the modern world, one

must learn, analyze, and forget much. All fields of knowledge are related. Some knowledge of astronomy may help one in chemistry, in mathematics, in mechanics, and in any other field.--G.H.L., Los Angeles, Calif.

It's the Naturalists' Turn To Swallow their Words

What does it take to make a thing a fact? Does nature have to put on a stage performance before a group of hot-house scientists to prove it? I admire scientists and their work, but I have no use for those half-baked nuts

who are always questioning the veracity of others who have had years of opportunity to observe the conduct of nature. Just because these fancy naturalists fail to see the same thing occur when they put on their outing togs and go for a "nature walk," they are ready to denounce the testimony



of persons who have had the experience of a lifetime. Yes, there are kinds of snakes that take their young into their mouths. Whether this is for protection or to swallow them is the snake's business, for I have even less use for a snake than I have for those nuts who try to measure the world with their tongues. Scientists-bah! When a lad, I chased snakes and was chased by them. Some snakeologists have stated that no snake can strike beyond its own length. I positively know this to be untrue. In the spring of 1910 I barely escaped being bitten when a small snake coiled and struck at me, clearing the ground for a distance of practically twice its length. Recently one of our know-it-alls, in a question column in a newspaper, gave this answer in regard to the hoop snake: "In all my wide experience I have found no definite proof that the hoop snake ever existed." And, of course, his experience and opinion carries more weight than the experience of thousands through the past centuries. We have people at Zion City, Ill., who know that the earth is flat by the same evidence. Well, so much for the snakeologists, Their wisdom gives me a pain.—F.P., Bloomfield Hills, Mich.

Urges War on Waste of Coal and Oil

WE PRIDE ourselves on our scientific inventions to promote efficiency and prevent waste. Yet we are very wasteful of two of our natural resources that cannot be replaced, coal and oil. I have yet to learn of one thing that is being done to conserve these resources. Why not require automobiles that cannot make a gasoline mileage fixed by law, to be junked? Why not require auto manufacturers to meet this gasoline mileage in their new cars?-F.W.Y., Newport News, Va.

What a Shock to China This Deep Hole Would Be

HERE's a question a friend put to me recently: Where does the force of gravity end? Suppose I dug a hole right through the earth

and then let a stone fall so that it would drop through the hole. How far would it fall. or, in other words, where would it stop falling? We could not find an answer and decided to appeal to your readers for help. Give us some articles on biology. Your article "Electric Current De-



termines Sex" was very interesting. I would like more articles of that kind.-G.P.O., Boewaran, Java.



Associated Oil Co.

Fighting the Tides of the Golden Gate


In bridging the Golden Gate at San Francisco, engineers have tackled what is said to be the most difficult underwater construction job ever attempted. This photograph shows the immense fender, 1,100 feet from shore, that shelters the base of the southern pier from tidal action

POPULAR SCIENCE Monthly

FEBRUARY 1935

VOL. 126 No. 2

RAYMOND J. BROWN, Editor



Can Science

This machine, invented by Dr. R. E. Cornish, center, is designed to be used in restoring a person to life after asphyxiation

Amazing experiments, now being conducted by experts, indicate the possibility of starting the heart again after it has ceased to function

6


Raise the Dead?

N A spotless laboratory three whitegowned men stand around an operating table. On a cloth lies a perfectly sound and healthy terrier.
One of the men fixes a mask over
the dog's muzzle, while another turns the valve
on a tank of nitrogen. Its supply of oxygen
cut off by a gas that itself cannot support life,
the dog after a time ceases to move. The muscles relax. The dog is dead.

Then, for what seems an eternity, the whitegowned men busy themselves with hypodermic needles and mysterious liquids in tightly corked vials. Four minutes pass. One of the men looks at his watch. Another fills a needle from one of the containers, then thrusts it into the chest of the dead dog until the point pierces the heart. An oxygen mask is placed over the dog's muzzle.

Nerves grow taut as the experimenters strain forward over the dog. A stethoscope is placed over its heart. The man using the instrument gives a cry of excitement. The heart has begun to beat. The dog, dead four minutes, is living again. In a day or two he will take food. Within a few weeks he will walk, run, play and obey commands.

As simply as this is realized a dream that has fascinated men for centuries. The dead has been brought back to life. True, it is only a



On another mechanical seesaw, use of which was recently demonstrated in London, persons apparently drowned are rocked back to life. The up-and-down motion induces an imitation of real breathing

dog, but Dr. Robert E. Cornish, the daring young California scientist who is thus able to thwart death, prophesies that a man, dying similarly of suffocation, can as easily be revived. In Baltimore and Cleveland, in Russia and Switzerland, other scientists, following other lines of research, make the same prophecy. Some of the miracles of the past will, they say, be duplicated one day by science.

At Johns Hopkins, in Baltimore, investigators have revived animals apparently killed by electric shock. They had been puzzled by the paradoxical fact that low current shocks sometimes cause death, while stronger shocks frequently do no more than momentarily interrupt heart action. Seeking an explanation, they found that light shocks disorganize action of the heart muscles, and these, unable to act in unison, cannot pump blood. The experimenters applied electrodes carrying a current of about one ampere directly to the heart of an unconscious dog. The countershock stopped the disorganized fluttering and the heart resumed its normal beat, restoring the dog to "life."

Other investigators in Russia, using an artificial heart invented by Dr. Serge Brukhanenko, succeeded recently in bringing back to some semblance of life a man who had hanged himself. Declared dead for three hours by competent physicians, the suicide's body was hurried to the laboratory. There the surgeons slit an artery and a vein, and into each incision inserted tubes leading from the mechanical heart.

The electric motor was started and a pump on the device drew dark blood from the vein. The blood passed through the artificial lungs of the machine, where impurities were removed and the blood charged with oxygen. Another pump then forced the purified blood into the artery. Slowly, as the body cells absorbed the lifegiving oxygen, the man opened his eyes and looked at the doctors about him, as a man in a stupor might do. But after two minutes the spark of life flickered out.

The heart machine, right, was invented by Dr. Brukhanenko, of Moscow. It was used, as is shown in the illustration, to act as a heart when connected with a dead dog's head


Just a few days ago, a woman lay on the operating table at University Hospital in Baltimore. An attendant suddenly cried out excitedly that he could not feel any pulse in the patient. The surgeon, through an incision already made, thrust his hand under the diaphragm and clasped the motionless heart in his fingers. Counting slowly, he alternately pressed and released the heart, keeping the blood flowing through the woman's body. At last the heart began to beat of its own accord. The operation was completed and the woman recovered.

In Geneva, Switzerland, a persistent scientist experiments with bodies of persons apparently drowned or shocked to death by electricity. There is no pulse in the bodies or any other sign of life. The experimenter massages the heart lightly for ten or fifteen minutes. In many cases the stilled heart has responded and the man has recovered. A French doctor, although he has not restored life, has made an experiment as interesting. Taking an infant that had been dead for twenty-four hours, he has massaged the heart and caused it to beat of its own power. In Japan, another physician has done the same with the dead heart of a young boy.

Attacking the problem from a different angle, Professor Wilder D. Bancroft, of Cornell, is seeking to postpone death. A simple chemical, known as sodium rhodanate, would, he declares, increase a man's life at least two years. Taken after a man reaches forty-five, the chemical would As a last step, the life-giving fluid would be injected into a large vein. Consisting mainly of human blood, this would contain adrenalin, or epinephrine as it is known in the official list of drugs. This substance, as if by magic, causes the heart to contract

prevent hardening of nerve and brain tissue and increase resistance to disease.

Still, the actual restoration of life in a man known positively to be dead has not yet been accomplished. Dr. Cornish, elated at the sensational success of his experiments with dogs, wants to make the attempt. He is now seeking permission to experiment with a criminal executed by poison gas. Given the body after physicians had declared the man to be dead, he would strap the body to a teeterboard and attach electrical heating pads to the limbs. Next a chemical known as methylene blue would be injected into the veins to neutralize the poisonous fumes that had caused death. Pure oxygen would then be pumped into the lungs through a mask and the teeterboard rocked slowly to keep the



sharply, restoring a normal pulse even after the heart on its own account has ceased to beat. Following this injection, Dr. Cornish believes firmly that the dead man would live. He does not agree with other scientists that the brain of the man so revived would be hopelessly damaged.

Brain and nerve tissue, unlike less specialized cells, break down rapidly. An American authority holds that brain cells begin to fail the moment the heart stops, or even before if the pulse should be greatly enfeebled. A Frenchman sets the time at twenty minutes after death. Many scientists accordingly hold that a man restored to life might be blind, wholly or


This is an enlarged cross section of human cells that are still alive and are throwing out connectivetissuethough they have been separated from the parent body for more than a whole year

partially paralyzed or even feeble-minded. Dr. Cornish, in his experiments with dogs, has sought to prove this fear unfounded. Lazarus V, the terrier he asphyxiated and then brought back to life after four minutes, has apparently recovered normal intelligence. It was suggested that this restored brain power is merely another example of an animal's ability to act purely on its instincts. Dogs with the gray matter removed from the brain have been taught to respond to certain signals. Lazarus V, however, has gone far beyond this basic evidence of intelligence. Since beginning his second life, he has learned to bark and eat and to stand alone. He has even taken a few wobbly steps.

The groundwork for the methods used by Dr. Cornish were laid unconsciously by a London physician in 1855. The physician, Dr. Thomas Addison, of King's Hospital, was interested only in finding a cure for a strange malady. The ailment, afterwards known as Addison's disease, affected the heart, gave a copperish tint to the skin and left the pulse feeble and irregular. Addison discovered that it was caused by failure of the suprarenal gland, a ductless capsule about two inches long above the kidney. The secretions of this then little-known gland had a mysterious effect on the heart and blood vessels.

Research men soon succeeded in making an extract of the gland. This extract,
it was discovered, had also the remarkable
power to prevent bleeding and for years
it was used for this purpose in surgery.
But the extract was unstable; when exposed to air it quickly lost its power.
Scientists in many parts of the world
struggled to isolate the active principle of
the gland, as chemists in later years extracted the vitamins from the fats and
other matter in cod-liver oil.

Then in 1900 a Japanese scientist, working in America, succeeded almost overnight. Mere chance had led him to undertake the work. He had come to America ten years earlier to introduce his own method of making whiskey. Retained by a distillery at Peoria, Illinois, he aroused the jealousy of other distillers and malt makers and one night his distillery was burned to the ground. Discouraged and



REPRODUCING ANCIENT MIRACLES IN THE LABORATORY

Here Dr. Cornish is seen working to restore a dead dog to life. The animal, dead four minutes, was revived so successfully that it was restored to full health and vigor in a very few days

ill, he went to New York and interested a medicine manufacturer in the discovery the distillers had spurned. This manufacturer, like others at the time, was keenly interested in the problem of suprarenal gland extract. He gave the job of finding the active principle to the Japanese.

Setting up a laboratory in the basement of his New York apartment, the latter went resolutely to work and within a few months produced a powder of fine, white crystals that contained the active properties of the gland. It was slightly bitter to the taste and would instantly bleach mucous membranes. Its discoverer, Dr. Jokichi Takamine, named it adrenalin. Still, for all the importance of his discov-

ery, he died in 1922 without knowing that adrenalin, sometimes under other names, would one day be used to perform seeming miracles. Not until 1923 in a St. Louis hospital were its amazing possibilities realized.

A white-haired old man walked into the hospital critically ill and was operated on at once. Two weeks later a second operation was found necessary. After the anaesthetic had been administered, the old man ceased to breathe and the supersensitive electrocardiograph showed no heart action. Artificial respiration was applied without effect. Surgeons then decided upon what seemed a desperate course. They prepared a solution con- (Continued on page 108)



To restore to life a person who has been killed by gas, the victim is first strapped to a seesaw and then swung up and down



After a stimulant has been injected into the heart, the victim is held in this position temporarily and then the head is raised

Clever Detectives Solve



Arthur Koehler examining a piece of wood for comparison with that in the Lindbergh kidnap ladder, shown at right at scene of crime

N IMPORTANT witness against
Bruno Richard Hauptmann in
his trial for the kidnaping of the
Lindbergh baby is—a piece of
wood! Experts of the U. S. Forest Products Laboratory, in Madison, Wis., believe that they have traced the material
used in the kidnaper's ladder to a lumber
yard in the Bronx, New York City, where
the German carpenter was once employed.

Early in the investigation of the kidnaping, Col. H. Norman Schwartzkopf, superintendent of the New Jersey State Police, asked the help of this special division of the Forest Service to develop any clues that might be revealed by the ladder. An intensive technical examination by Arthur Koehler, senior wood technologist at the Laboratory, revealed not only the kind of wood used in the ladder, but also certain distinctive and peculiar markings.

On the basis of his conclusions as to the causes of these markings, Koehler examined lumber samples from mills scattered from New Jersey to Alabama. The persistence with which he worked, and the possible importance of his findings, have attracted nation-wide attention to the seeming miracles that can be performed through wood identification.

Wood is a telltale. Let criminals beware of it. It can change its inner structure no more than a leopard can change its spots. Under a high-powered microscope, and sometimes with the use of polarized light, which brings out differences that cannot be seen in ordinary light, wood which has even been ground into sawdust, petrified, or burned into charcoal has been identified by experts at the Forest Products Laboratory.

By K. Y. SANBORN

Before the Lindbergh kidnaping investigation, Koehler's work in wood identification figured in another sensational case. This was in the so-called "Yulebomb" murder mystery, which occurred in Wood County, Wisconsin. In this case a bomb had been mailed to James A. Chapman, a member of the Wood County Drainage Commission, which had been having serious disputes over its right to order the drainage of certain farm lands.

At three o'clock on an afternoon two days after Christmas, Chapman's grandson brought into the living room of the Chapman home a package that had arrived in the rural mail delivery. Interested in what appeared to be a belated Christmas gift, Mrs. Chapman bent over to watch her husband unwrap the package. As he untied the third of three strings which held it, there was a sudden explosion, shattering his left hand and severely injuring his left leg. Flying pieces from the bomb struck Mrs. Chapman about the head and body, resulting in her death the following day.

Suspicion centered on a farmer named Magnuson, who had had violent arguments with Chapman concerning the right of the Drainage Commission to drain a portion of his farm. The case came to trial in the Circuit Court the following March, before a jury of eight men and four women

Exhibit A in the case was a piece of wood about five inches long and one and one fourth inches square. A reconstruction of the bomb had established that it had consisted of a piece of gas pipe inserted in a block of white elm. Charged

Remarkable


with picric acid, the bomb had a metal trigger, or release device, similar to a timing device on a gas engine on the Magnuson place.

Wood shavings found in Magnuson's workshop had been exhibited at a preliminary hearing held shortly after Mrs. Chapman's death. At this time Magnuson's lawyer had termed a "vaudeville act" the attempt to use these wood shavings to link Magnuson with the crime, particularly since the shavings were of oak while the wood used in the bomb was white elm.

Federal inspectors made a second investigation of Magnuson's workshop. At first the appearance of the shop had borne out Magnuson's claim that he had no white elm in his possession, but shavings and sawdust of that wood, which had apparently escaped his notice, were found behind a leg of his work bench.

When the case came to trial, one of the star witnesses was Arthur Koehler, who testified that these scraps had been identified at the Forest Products Laboratory and that they had been proved to be of the telltale white elm. Members of the jury declared, after they had found Magnuson guilty of murder in the first degree, that the combined testimony of Koehler and of experts in metallography sent from the University of Wisconsin to help identify other parts of the bomb, played a leading part in convincing them of Magnuson's guilt.

Innocence as well as guilt has been



A braided whip from the lacebark tree, one of the odd specimens identified at the Laboratory

Secrets Hidden in Wood

Tests Identify Unknown Materials

established through wood identifications made by Koehler and his associates. During the celebration of a football victory at the University of Wisconsin, quantities of alcohol had been stolen from a storeroom. The thief had gained entrance to the storeroom by boring a hole near the lock with an auger. A suspect was cleared when wood fragments found in his auger were examined by Koehler and proved not to have come from the door.

The Lindbergh case is not the first "ladder case" with which Koehler has been connected. Two painters of Toledo, Ohio, were injured by the failure of a ladder rung which was supposed to support a ladder jack and one end of a scaffold. The injured men brought suit for damages against the company which had made the ladder. Koehler conducted a demonstration in court, explaining the characteristics of brash and sound material, and showing the possibility of injury to strength of rungs through rough handling. After listening to his

testimony, the court decided that the ladder company had not been at fault.

THERE is romance and adventure con-nected with the work of wood identification. Not long ago the services of the Laboratory were sought by a salvage company which was trying to gain access to a ship sunk 134 years ago off the coast of Delaware. In diving operations two ships had been discovered in close proximity to each other, and in order to save the expense and danger of entering both ships, the divers took specimens of wood from each ship. These were sent to the Forest Products Laboratory, and the designation of one specimen as Jamaica dogwood and the other as a species of juniper helped the salvagers determine, by a search of marine records, which was the supposed treasure ship.

The mystery which still conceals some of the past can be partly lifted by means of wood identification. When Italian


Below, a photomicrograph of a piece of white elm that helped convict a man

Enlarged sections of red gum, black walnut, and mahogany showing differences in cells


engineers, at Premier Mussolini's instigation, drained a part of Lake Nemi and uncovered the galley that nearly 2,000 years ago had been a floating palace of pleasure for the Roman Emperor, Caligula, one of the first things that was done was the identification of the wood of various parts of the ship.

The predominant wood, of Aleppo pine, owing to its high resin content was in a perfect state of preservation, despite having been immersed in water for hundreds of years. Even today in the hills and low mountains of Umbria, *Pinus halepensis* is a profuse variety. It is probable that this was the timber most readily accessible 2,000 years ago. Judg-

where they were identified as poplar



Miss Gertrude Griffin, assistant to Koehler, is shown below at her desk in U. S. Forest Products Laboratory



Photomicrographs of red oak and white oak, woods hard to distinguish if not magnified

boards of the belting were cut, we can believe that very beautiful forests must have existed there at that time.


In order to determine the history of a treeless prairie valley in the southern part of Florida, wood specimens were submitted to the Forest Products Laboratory for identification. In ditching operations in the Kissimee Valley a number of tree stumps had been unearthed,

indicating that at one time these prairies were forested. Two of the specimens were of yellow pine, while another had the characteristics of wax myrtle, of which two species grow in the South at the present time.


A stump found where an Alaskan glacier had receded was examined by Miss Gertrude Griffin, microscopist in Koehler's section on wood identification, and found to be spruce. Miss Griffin has noted, in her varied experience in identifying wood, that many ancient or fossilized specimens coming from widely separated parts of the world, are spruce.

Koehler, speaking of the requests for identification of old woods, makes his own interesting comment.

"Sometimes we receive partly decayed wood, such as that from old (Continued on page 114)



ODD AIRCRAFT AIDS TRAFFIC STUDY



When police of Paris, France, recently undertook to study traffic conditions, they hovered over the city in the hybrid aircraft shown in the picture above. The lifting part of the machine is a non-rigid army observation blimp. This has been turned into a dirigible by adding a modified airplane which contains a motor and controls, and has skids instead of landing wheels. The wings are pivoted and, when they are inclined, the craft is able to climb or descend at the will of the operators.



ELECTRIC SOLES KEEP MOTORIST'S FEET WARM

ELECTRICALLY heated soles, which may be worn inside any pair of shoes, are a recent German invention to end the discomfort of chilly feet during a winter drive. Electric current from the car's battery is provided through a plug-and-socket connection on the instrument panel, from which cables lead to the pads. When the driver wishes to leave his car, he can detach the cables from the soles.




YEAR-ROUND DOG COUCH

A pog lover may provide all-the-yearround sleeping comfort for his pet, with the introduction of a combination couch that must appear luxurious to canine eyes. Built like a bed in miniature, it offers a warm mattress for a winter-day nap, together with an overhanging canopy as a shield from drafts. In summer this canopy serves as a hammock where the dog may lie to keep cool, as shown above.




Combination dog couch, as it is used in winter

FLOATS TURN CAR INTO AN AMPHIBIAN



By REMOVING the wheels of a standard sedan and substituting buoyant, drumshaped pontoons, a German inventor has rendered the machine capable of traveling with equal ease on land or water. Tests show that the amphibian car rides sufficiently high, when afloat, to prevent even a drop of water from entering the body or engine compartment. Six paddles on each of the rear drums, which are rotated by the power of the car's motor, propel the car in the water. On land, it rides on the flat rims, resembling a road roller in miniature. Smaller floats than the ones used on this experimental machine are being perfected by the inventor for use by tourists and campers, and will be readily interchangeable with conventional pneumatic wheels.


Horizontal Telescope Scans the Stars



WHEN he wishes to look at the stars on a wintry night, G. W. Cook, wealthy amateur astronomer of Wynnewood, Pa., need not open his comfortable steam-heated observatory to the weather. Instead, he simply steps to the wall of the room and gazes into the eyepiece of a fifteeninch refracting telescope that extends horizontally to an adjacent building. Here a twenty-five-inch mirror, which Cook operates by remote electrical controls, swings his field of vision in any desired direction.

Once the mirror is correctly adjusted, an electric motor automatically turns it at a pace that just compensates for the rotation of the earth, keeping the telescope trained on any particular star. While the telescope is in use, a pair of folding doors in the roof of the building housing the mirror are kept open. These doors are mounted on a turntable that may be revolved to give the desired range of view through the rectangular


opening for the mirror.



The new instrument is the latest addition to one of the most elaborately equipped private observatories in the world, which its owner, a banker and manufacturer, maintains as a hobby. Called a siderostat telescope, it is believed to be the first of its kind in the United States. Other instruments in Cook's possession include two special telescopes for the study of the sun.


ELECTRIC ENGINES GO STREAMLINE

FIFTY-SEVEN streamlined locomotives, recently ordered by the Pennsylvania Railroad for its projected high-speed passenger service between New York and Washington, D. C., will be the most powerful ever to haul passenger trains. The 4620-horsepower engines will be capable of a regular operating speed of ninety miles an hour. Their design places the motorman's cab near the center, with unobstructed view.



MAKES SAW FILING EASY

Dull saws are sharpened accurately and with a minimum of fatigue by the new saw filer shown above, whose pistol grip, holding a standard triangular file, is shaped especially to fit the hand. By keeping an adjustable guide rod parallel with the saw blade, all the teeth may be filed alike and at the proper angle—straight across for ripsaws, and at various angles for crosscut saws.




Streamlined electric locomotive of the type to be put in service by the Pennsylvania Railroad

MIDGET CAR RUNS ON TWO WHEELS



Though it has four wheels, a midget car exhibited in England runs on only two. The tiny machine is balanced like a motorcycle, but is guided by a steering wheel instead of handlebars. Two small auxiliary wheels keep the car upright in turning or stopping. The narrow body, equipped with a windshield, seats two persons.

POLE COMES DOWN FOR PAINTING




When a flag pole of recent invention needs painting, no steeplejack need climb it. A crank, operating a worm gear at its base, lowers the pole to a horizontal position, in which a better and speedier job of painting may be done. The photograph shows the invention applied to a forty-two-foot steel flag pole, in the vertical position.

The unusual driving wheel shown below is said to make the work of pedaling a bicycle less fatiguing

NOVEL GEAR DRIVES BICYCLE

An eccentric, star-shaped disk serves as both hub and spokes of a novel driving wheel for bicycles, devised by a Long Beach, Calif., inventor. The five-sided disk transmits power to the rim through four rollers upon which it is free to turn in either direction, the weight of the rider locking the inner and outer wheels.



HAMS EXPLORE ULTRA-SHORT WAVES


To explore the little-known region of ultra-short waves, with practical television as their goal, radio amateurs have set up a five-meter station in New York City with its special telescopic beam antenna, shown above, atop a hotel roof. Using only fifteen watts of power, the station has established two-way voice communication with nearly every town within forty miles. The tests prove that such transmission is possible over considerable distances.



FOUNTAIN BRUSH FOR STENCILING


Handy for stenciling, a new fountain brush contains a generous supply of ink in its handle. Even flow of ink to the bristles is assured by pressing occasionally upon a button that operates a diaphragm pump, as shown in the illustration. This forces the diaphragm inward and keeps sufficient ink in the bristles for continuous stenciling.

ESKIMO BOY IS SHIP MODEL FAN





Electric Robot Trains Singers



N ELECTRIC singing master that quickly teaches boys to blend their voices has been perfected by Capt, Richard H. Ranger, of Newark, N. J., as the latest of his inventions in the field of electrical music. Hitherto the instructor of a glee club or choir has had to train the bass, tenor, alto and soprano groups one at a time, later bringing them all together. The new apparatus, however, enables all the singers to practice at once. It has already been used successfully to train a group of sixty that calls itself the "Electro Choir." How it works is shown in the accompanying diagram. The heart of the apparatus is a sound-film machine especially designed to lead the singers in their parts, which is set up in a "control room" of the clubhouse where the singers practice. The machine resembles the reproducers used in sound movies, with one important difference. Music recorded on the film is split up into four separate sound tracks corresponding to the four singing groups' parts. Each part is picked up by a separate photo-electric cell and transmitted electrically to one of four separate practice rooms in the clubhouse, where the singers of that particular group hear their part through a loudspeaker or through in-

SOUND-FILM MACHINE REPRODUCES

FOUR-PART MUSIC, TRANSMITTING

EACH PART ON SEPARATE WIRE TO

CORRESPONDING PRACTICE ROOM

dividual headphones. A microphone in the practice room picks up their singing and carries it back to one of a bank of loudspeakers in the control room. Here the leader of the choir listens to the blended

The diagram above shows how the electric

choir master works. At right, above, is a

strip of the sound film used in the machine


CONTROL ROOM

TO GIVE VERBAL


INSTRUCTIONS TO SINGERS

CUTS IN MICROPHONE

group, he simply throws a control-board switch that disconnects the sound-film machine from one room and cuts in a control-room microphone instead. Thus he may correct a mistake or give special instructions. Boys of the Electro Choir find no difficulty in manipulating the apparatus, as Capt. Ranger encourages them to do. Most of the directing is done by group leaders selected by the boys themselves, making their musical training an adventure rather than a chore. Mechanically minded members of the group have even shouldered the task of keeping the delicate electrical parts in adjustment. If desired, a fifth sound track may be added to the film bearing the part melodies, this additional track bearing the musical accompaniment with which the boys will eventually sing in public. This sound record is used for the final rehearsals of the united groups, after they have perfected their own parts separately. Certain refinements have been made in the system as the result of suggestions from the boys themselves.



A group of boys in one of the practice rooms, singing with the aid of headphones. The loudspeaker beside the piano provides an alternate means of bringing music or instructions



OOL steel that no file can scratch; locks that can be opened electrically and mechanically only by two men from widely separated posts; forty veteran guards hand-picked from other federal prisons, armed with automatic pistols, rifles, and machine guns; tear gas; electric instruments that reveal the presence of hidden pistols or knives on the persons of prisoners or visitors; barbed-wire entanglements; one and one half miles of water whose current defies all but the strongest swimmer; patrol boats of penitentiary and coast guard; prison radio that can summon 200 police cars to the shores of San Francisco Bay in five minutes.

Thus, through science and skilled officers, does Uncle Sam guard 211 of the world's worst felons on twelve-acre Alcatraz Island, a bleak rock in San Francisco Bay which for nearly a century has served as a prison. Recently the old cell block has been reconstructed internally, with the latest types of scientific devices ready to quell instantly any uprising or call upon law-enforcement agencies the length of the Pacific coast for aid should a prisoner escape. Today Alcatraz is the most formidable rock-bound prison fortress the world has ever known, far more securely guarded than the famous French Devil's Island.

Uncle Sam holds little hope of reforming the crooks he has incarcerated there. He sent them to Alcatraz for three reasons: to make sure they will not intrude themselves among law-abiding citizens before they have paid their penalties to society, to save them from the possible wrath of their enemies, and to make it impossible for them to spread their evil influence among less hardened criminals.

For some years the Department of Justice has practiced segregation of prisoners. Heretofore it has taken the form of separating younger prisoners and first-termers from two- and three-time losers, hoping thus to reform many of them. Now Uncle Sam has moved to the other end of the line and isolated the toughest. From now on the Department of Justice will strive to keep them by themselves in what is considered the world's first escape-proof prison.

"Segregation has had a large part in federal programs in reforming offenders against society," Warden James A. Johnston told me. "Camps, farms—prisons by whatever name—with liberties within each institution serve to help rehabilitate less hardened convicts. At Alcatraz we reach the form of prison where maximum security with limited privileges is sought. Generally, these men have had opportunities in other prisons to reclaim themselves; but now their records make it necessary for the government to lay emphasis on their security."

For that reason the Department of Justice hit upon the idea of reconstructing Alcatraz and using it as a prison for these On a Bleak Rock in San Francisco Bay, Uncle Sam Has Reared the World's Most Formidable Prison

By Andrew R. Boone



A guard at Alcatraz Island watches the movements of prisoners from one of the four towers. Powerful floodlights, radio equipment, and speedy patrol boats assist in preventing escapes and deliveries

desperate criminals. The island lends itself admirably to that plan. It is within reach of near-by cities, but is not readily accessible. It enables prison authorities to take advantage of

natural surroundings.

Elaborate precautions have been taken to guarantee security. The cells are built of toolproof steel, with window guards of the same metal. Doors are locked automatically by remote levers. One door or all doors by units of fifteen may be opened simultaneously. When prisoners march from one building to another, two men are required to open each door. A gate keeper and an armorer, the former swinging a lever and the latter pushing a button to close an electrical circuit so the key can be turned in the lock, must work together. They see each other through a bullet-proof glass window and talk with each other through a microphonic unit, yet it is impossible for prisoners to reach both of them at once and thus force their way from the cell block.

No weapon other than those comprising the carefully counted and double-checked arms of the guards, is permitted within the prison. All visitors, including state and federal officers, are searched by a hidden electrical detector as they enter the prison. At several points where prisoners or visitors must walk in single file two detectors are hidden from view. Any gun, dagger, or even a nail interferes with the electrical circuit in the sensitive detectors. Near-by a buzzer buzzes and a light flashes, warning the guard that someone is carrying a weapon. No matter how many persons may be in line, the detectors act so quickly the guards can pick out the offender instantly and

Right, Warden J.

A. Johnston shows

visitors the cell

now occupied by

Al Capone. Below, the prison launch

which convoys the

barges, seen at

rear, that carry

take him aside for a thorough searching.

Many prison breaks in the past have started in the dining room where prisoners not only have the advantage of numbers, but also can provide themselves with weapons in the form of knives, forks, and spoons. Scattered around the ceiling of the Alcatraz cafeteria are several brightly-polished oval disks, not unlike automatic water sprinklers. Hidden behind their unimposing exteriors, however, are outlets for tear gas. Although guards mingle with the prisoners without fire-arms, a single turn of a wheel by a guard standing behind bullet-proof glass will flood the dining room with gas and leave the prisoners gasping for breath.

The prisoners are marched from cell blocks to the dining room in small groups. On entering, each is given a knife and fork. At the close of the meal, he checks

in his utensils.

Although they are accorded few privileges, the prisoners are fed well. Here is a typical day's menu:


Breakfast—oatmeal and milk, fried bologna sausage, cottage fried potatoes,


toast, oleomargarine, and coffee.


Dinner-bean soup, roast beef and gravy, stringless beans, mashed potatoes, bread, oleomargarine, and coffee.

Supper-pork and beans, corn bread, potato salad, apricots, bread, oleomargarine, and coffee.

Department of Justice officials, in planning the new Alcatraz, have attempted to outguess every move gangland might make. Any attempt to liberate a prisoner presumably would involve a boat. For that reason no craft, regardless of size or ownership, is permitted within 200 yards of the rocky shores. No visitor is permitted unless he presents a pass signed by the Attorney General of the United States. No prisoner may see a visitor during his first four months (Continued on page 106)







Four guard towers like the one shown above, each reached from the prison wall by a high catwalk, enable guards to overlook all parts of the island

WORLD'S

RESTS ON SUNKEN

ONGER by miles than any span now in existence, the mammoth bridge now being thrown over the eight miles of water between San Francisco and Oakland, Calif., is contributing spectacular advances to the science of bridge engineering. The hazards of rearing the great central pier for the west section, a block of concrete as tall as a fortyfloor skyscraper, forced the bridge builders to devise an entirely new method of

sinking the giant caisson.

Soaring 300 feet above the water, this tower goes down 180 feet to bed rock below the mud bottom of San Francisco Bay. Upon the ponderous mass of the central pier will fall the task of anchoring the abutting ends of the two mighty suspension bridges that comprise the span. It was impossible to cover the two miles between San Francisco and the island of Yerba Buena with one span. So two suspension bridges, anchored in mid-channel to the massive central pier, are being built.


ginning of the pier, was a deep, barge-like structure nearly a city block long, its sides sheathed with planking down to within a few feet of the bottom. These last few feet were of steel to form a cutting edge that would slice through the mud on the bottom.


When afloat, the caisson looked like a ing was driven close to the four sides of


The new-type caisson, sunk for the be-


raft of giant beehives. The hives were steel domes welded to the tops of fiftyfive vertical tubes contained in the caisson. Braced by steel struts and big enough to admit an ordinary passenger elevator, these tubes were filled with compressed air and the caisson, thus made buoyant, was towed to a point in the west channel midway between the shore anchorages. Here it was moored with concrete anchors, weighing twelve to fifteen tons each. Pil-

Drawing above shows construction of the honeycomb foundation on which the big concrete cable anchorage rests. Below, novel method by which caissons are floated into place, lowered, and sunk through mud and clay to rest on bed rock









Largest Bridge


SKYSCRAPERS

the caisson and stiff-leg cranes set upon the timbers. A plank fender was then built around the caisson to protect it from chance collision with boats or debris.

Through jointed metal pipes, called "elephant trunks" by the workmen, concrete was poured around the tubes until the increased weight of the caisson almost submerged it. Workmen with acetylene torches then cut the domes from the tops of the tubes, removing only a few at a time so as not to disturb the caisson's buoyancy. Twenty-foot lengths were then added to each tube and the domes welded to the tops of the new lengths. At the same time, the timber sides of the caisson were built up. More concrete was poured in, offsetting the buoyancy of the added tube sections. Thus the caisson was sunk until it settled in the mud about eighty feet below the surface.

When the caisson, now a mass of concrete honeycombed by the fifty-five tubes, was firmly embedded in the mud, air pressure in the tubes was gradually released, care being taken that the structure remained perfectly plumb. The domes were then cut off and the tubes became shafts for the excavating buckets.

Lowered by cranes, these clam-shell buckets plunged down the tubes and grabbed up four cubic yards of mud at a time, raising it and dropping it into the adjacent bay. When harder bottom was encountered, high-pressure water hose was dropped into the tubes. The jets of water cut and softened the clay so that it could be grabbed easily by the buckets. As the mud and clay were excavated, the caisson settled deeper and finally



Calif. Tell Bridge Authority of concrete.

Base of the huge pier that will anchor two suspension bridges in the western span between the island of Yerba Buena and San Francisco city


came to rest on rock 180 feet down. The bottoms of the tubes at this time were sealed with concrete and the rest of their height filled with water. The pier was ready for the addition of the above-water shaft

The pier is one of fifty-one that will support the mammoth bridge. Forty-four will be below water and one will rest on bed rock 218 feet below the surface. This unprecedented number of piers is required not

only by the great length of the bridge but by the wide range of structural types represented.

The double suspension bridge, which will cross the two miles of west channel, is the only one of its kind ever built. It will have two decks, the higher one accommodating three lanes of traffic and the lower providing three truck lanes and space for two street car tracks.

On precipitous Yerba Buena, traffic will pass through a tunnel bored in solid rock. This, like the bridge, will have (Continued on page 113)



By JOHN E. LODGE

ECAUSE you can't hear yourself talk, a new business is booming. Radio stars, like everyone else, hear the sound vibrations within their heads rather than the actual tones that reach the listeners. To hear themselves as others do and thus to improve their programs, nearly all top-notchers in recent months have been having their programs recorded on phonograph disks, so that they may play them over and study them critically later on. Eddie Cantor, Joe Cook, Burns and Allen,

Paul Whiteman, Lawrence Tibbett, and Rudy Vallee are but a few of the noted names of radio that listen in on their own broadcasts by this method.

In three eastern laboratories alone, last year, tiny cutters of steel plowed more than 10,000 miles of grooves in spinning disks of wax, metal, and composition material to record in permanent form programs picked from the air.

At least a dozen studios now are in full swing. The oldest laboratory did more work in one recent month than in any previous year. Advertising agencies, hiring talent for the air, now select it almost exclusively from records. Politicians, lawyers, tourists, dramatists, and business bureaus, as well as radio stars, are taking advantage of the service. They add to the list of strange requests and queer demands that keep the record makers busy.

Not long ago, for example, an Eastern football team ordered records of all the broadcasts made during one of its own games. That night, members of the squad listened to the comments of the announcers, hearing what millions of fans had heard during the game a few hours before.

In another case, a music publisher with branch offices throughout the country introduced a new song. On the night of its first broadcast, he had records made to send to all the branch managers to show how the music should be played and how the words should be sung. Over the week-end, the studio turned out 100 duplicate records and had them ready for distribution on Monday morning.

Speed is an important item in the reproducing work. Many stars demand that the records be rushed to them as soon as the broadcast is over. Some send messengers to get them; others come to the recording laboratories to

hear them; still others want them played over the telephone.

Lawrence Tibbett always has his records hurried to the broadcasting studio so he can take them home with him and play them before going to bed. He has a complete library of his broadcasts. Walter Winchell, the gossip columnist, has everything he says on the air recorded. But he doesn't do this just to hear the sound of his own voice. He keeps the records as

evidence of what he really said in case

he is misquoted or even sued for libel.

TO DEVELOP

Burns and Allen want their records delivered at their apartment after every appearance on the air. They play them over and over to study the timing of their gags and to be sure they are not rushing their jokes too fast for the lis-

teners to get them.

One hurry-up call the recording engineers are sure to get is from stars that broadcast twice on the same night. Frequently, a big hook-up goes on the air for Eastern and Central states at 8:30 P.M., Eastern Time, and then is repeated for Rocky Mountain and west coast states at 11.30 P.M. Every time Gladys Swarthout, Frank Chapman, and other stars appear on such a schedule they have the records sent to them immediately after the first broadcast so they can go over them to improve the second performance.

If you visited one of these recording studios, you would see huge desklike machines with whirling turntables and a battery of dials. The programs are taken from the air by regular receiving sets, amplified, and recorded by the special apparatus. As many as six machines may be in action at the same time and the recording can be switched from one turntable to the other so no part of a program

About the time of the stock market crash, in 1929, commercial recording began. It came in with the depression and consequently got away for a slow start. Home outfits, placed upon the market for private use, had only a mild success. The aluminum record, which had been



Hear Themselves


NEW TRICKS

evolved by Victor H. Emerson, New York inventor, after innumerable experiments with various metals, made rapid recording possible. In the first days of the commercial studios, these disks were employed almost universally. The difficulty is that they can be used only with thorn, cactus, or casein needles. Steel needles, which give a maximum of volume and brilliance, are too hard.

Wax, or pressed, records, which take the steel needles and are the kind used for regular phonograph recording, give the finest results. But they are out of the question for quick delivery. To make each record requires half a dozen steps, including an electrolytic bath and a baking at high temperatures. It is from five to ten days before the record can be delivered and the cost of recording a fifteenminute program runs to almost \$100.

A couple of years ago, a record with a metal base and an acetate-composition covering appeared on the market. Four sprayings of the composition went on the metal and there was a delay of several days before the acetate was thoroughly dried. However, the records, which could be played with steel needles, were ready for delivery as soon as the cutting was done.

In the constant search for better and quicker methods, the engineers have worked out a number of innovations



After the grooves are cut in the record, they are placed in this special heating chamber and baked for two hours to harden them. This is done only with soft-surface records. Others are ready for delivery as soon as they are cut



lately. One disk, imported from Germany, is said to give practically as good results as pressed records. It has a soft upper surface on a hard acetate-composition base. The new disks come from Germany packed like stacks of pancakes within special metal containers. They are baked for two hours and hardened after leaving the cutting room and then are ready for delivery.

Another innovation along the same line is a disk just announced by George W. DanJunas, an American radio pioneer. Also of an acetate composition, it is non-breakable, can be made in thirty seconds, and is ready for delivery the instant it is taken from the recording machine. It is said to be the product of more than five years of research and upwards of 20,000 experiments.


During the last election, radio recording was called into play by a number of politicians. One candidate ordered all of his opponent's speeches sent to him for study. Emphasis and inflection, not shown in stenographic reports of a speech, often play an important part in giving a twist to a sentence. For this reason, one lawmaker has suggested that all political speeches be recorded and placed on file.

In a hot local campaign in the East, two party orators broadcast speeches from big stations and had records made. More than thirty duplicates were run off and sent to smaller stations in the vicinity. During the last hours of the campaign, the air was plastered with their appeal to the voters.

Recording laboratories, however, are none too enthusiastic about taking the work of candidates. This fact dates to an experience several years ago. An optimistic politician ordered records of everything he said on the radio. He made innumerable speeches and then, when he was defeated, the war chest of his party was found insufficient to pay the bill.

When duplicate copies of a record are made, the first record is "rebroadcast" in the laboratory and other disks grooved by the recording machines. Usually, a fifteen-minute program fills two twelveinch records. Sometimes, larger sixteeninch records will hold the whole program, both faces of the disk being cut.

Almost every day, I was told, people come to the studios and have records made to send to friends or relatives



This picture shows the process of recording a radio program on aluminum records by means of a new apparatus perfected a few weeks ago. The work can be switched from one table to the other

abroad. The standard rate for such "talking letters" runs from \$1.50 to \$2.50, according to their length.

Lawyers are also using the recording service to supplement written confessions and testimony which they intend to introduce in court. Sometimes, witnesses maintain they did not know what they were signing in the written statements taken down by stenographers. With the records giving their testimony in their own voices, such retractions are made difficult.

In still another way, radio recording is figuring in legal action.

Recently, the Better Business Bureau of an Eastern city was on the trail of a group of gyp clothiers. When the dealers advertised on the air, offering sensational values far in excess of the real worth of the clothing, the Bureau had records made of the broadcasts. This evidence, and the threat of legal action, drove the shady merchants from the air.

In one New York laboratory, I was shown the beginnings of a curious library of recorded voices of the great. Whenever noted men or women make speeches over the radio, their voices are added to the collection. Political conventions and large gatherings increase the growing list of records. Besides its historical value, the collection has a present practical one. In programs, for instance, in which actors imitate the voices and speaking mannerisms of personalities in the news spotlight they rely upon the records for help.

Some months ago, a manufacturer put on a series of interviews with noted persons. Before the programs started, he made arrangements to have them recorded and after every broadcast presented a record of the interview to the distinguished guest as a souvenir of the occasion.

Similarly, orchestra leaders, like Paul Whiteman and Rudy Vallee, send records to radio stars who appear as guest artists on their programs. Vallee was one of the original users of radio recording. He started the practice of engaging new talent almost exclusively through records. New songs are sent to him on disks so he can select the ones best suited to his voice. Other singing stars of the radio are also receiving new numbers as records instead of as sheet music. It enables them to play the tunes over and over at home and learn them with a minimum of effort.

An improvement in recording, to be introduced within a few months, is a twin-track record designed to give "three dimensional" sound. Twin microphones, in different parts of the room, will pick up the sounds of an original broadcast. Recorded on the parallel grooves of the disk, the sounds will be reproduced simultaneously. The effect, according to the inventor, will be to give mechanical recording two ears instead of one-to give sound three dimensions just as stereopticon pictures give a sensation of depth as well as length and breadth,

Improved methods and an increase in the volume of business have cut the costs of radio recording until a fifteen-minute program is now listed at from \$5.00 to \$7.50, according to the kind of record used. Aluminum is the cheapest. The original cost was a dollar a minute. While the aluminum records require a radio-phonograph hook-up to get satisfactory volume, the acetate disks can be played on an ordinary phonograph, As you watch one of these

black disks being turned into a record, you see a tiny glistening thread stream from the cutting point as it plows its spiral groove in the surface. More than 1,000 feet of this thread is formed in cutting one side of a twelve-inch record and some 3,200 feet of grooving is required to hold a complete fifteen-minute program.

One of the biggest orders ever received by a recording laboratory came, not long ago, from a peanut distributing organization in the south. The company had put an elaborate and expensive program on the air in a chain hook-up. Then it had records made of the broadcast and sent duplicates to practically every independent radio station in the country. These stations used the records for fill-in programs. To see how the different announceers handled the material, the company ordered records made of many of the rebroadcasts which would not reach its home office in the south.


Other buyers of radio time are adopting the same plan. In order to get full benefit from an especially fine program, they are having it recorded and are sending duplicate disks to smaller stations for

spot broadcasting.

On several occasions, manufacturers have sponsored programs which did not reach their part of the country after they had become interested in the feature through recordings. The Voice of Experience, for example, was sold to a midwestern (Continued on page 112)



To improve the harmony between herself and her orchestra, Gladys Swarthout has records made of her broadcast songs




Three-Wheeled Amphibian

ANDING on dry ground, a dangerous operation for most amphibian planes, is made safer by the unusual construction of a new craft of this type designed and built by Captain Frank T. Courtney, noted airplane designer. The use of an auxiliary swiveled landing wheel at the nose of the plane makes it possible to place the main wheels well back, preventing ground-looping without the usual risk of nosing over. Other construction details give this plane a speed and maneuverability not commonly found in amphibians.

To make the plane land on earth exactly as on water, the main landing wheels were put on at the main step of the hull, which is the part that touches first in a water landing. With these wheels attached so far back, the plane would, of course, tip forward on its nose as the speed slackened, so a retractable swiveling nose wheel was installed. This nose wheel absolutely cures the common tendency of amphibians to nose over when brakes are applied. Having the main landing wheels so far behind the center of gravity also prevents skidding ground-loops, which most amphibians hasten to perform if one wheel strikes an obstacle, with consequent terrific wrench-

By STEWART ROUSE




Details of the nose wheel, obstacle-avoiding rudder, and main landing wheels of the plane

ing and injury of the airplane's structure. In the water the plane handles nicely, having a double water rudder which is hinged to move upward on striking an obstacle. It is connected so that it steers in conjunction with the air rudder from one set of controls.

Retraction of the main landing wheels into the hull is complete, and the nose wheel is only slightly exposed when retracted. Each main wheel is mounted on a heavy crank attached to a sliding splined shaft, rooted in a large collar. To retract the wheels, each splined shaft is rotated until its wheel-supporting crank is vertical. Then a giant turnbuckle draws the shafts inside the hull, pulling the wheels into their spaces. Retraction of the nose wheel is accomplished by a screw jack.

Streamline design gives this plane a speed of 151 miles per hour. It is claimed that the design of the motor nacelle which houses the 365 horsepower engine and its thirty-one-inch drive shaft, conserves about forty-five horsepower usually wasted. The oil tank forms the front rim of the low-drag engine cowl.

The five passengers carried by the airplane enter the cabin by opening the right half of the windshield. A fore hatch and an after hatch give access to huge luggage compartments. The entire airplane is of metal, excepting the wings, which are of conventional wooden construction with metal fittings.



The drawings above show how the Courtney amphibian differs from the ordinary land-and-water plane in landing on dry ground. The main landing wheels are properly placed to permit the plane to land gracefully, and the nose wheel prevents nosing over

COASTING

Parachute

IS WORLD'S MOST THRILLING SPORT






tain slope in the Pyrenees in his new thrill sport. At left, the daring Frenchman with the sled used in his descents

Y HITCHING a sled to a parachute, a dare-devil Frenchman has devised the most thrilling sport in the world. Down snow-covered slopes so precipitous that any other way of attempting them would be folly, he coasts at breath-taking speed, the 'chute billowing behind him and providing his only security against disaster.

The inventor of this exhilarating pastime is Hubert Garrigue, government meteorologist at an observatory in the French Pyrenees. For years he has been fascinated by the study of the tempestuous winds that

sweep up the sides of the peak on which the observatory stands, and he has made elaborate observations of them by releasing miniature paper parachutes to be carried aloft by the air currents. One day the idea occurred to him of riding the wind himself.

He built a sled with ski-shaped runners,



An experimental paper parachute hovering above the observatory built on a peak in the Pyrenees for a study of prevailing winds

tilted slightly outward from each other to give stability and avoid pitching the daring rider from his large, woven saddle. To this contrivance, Garrigue attached a large, self-opening parachute with an area of more than ten square yards. At first gingerly and then with increased confidence, he tried out this strange apparatus on the mountainside. He learned that he could glide with ease down slopes of terrifying steepness, pitched at a slant of fortyfive degrees or more.

It is a thrilling experience. Loose snow, borne on the rising winds, stings the rider's face and all but blinds him as he plummets downward at express-train velocity. One moment a gust checks his plunge; and, the next, an air pocket drops him with a sensation akin to that experienced in a falling elevator. By leaning to one side or the other, the rider steers his vehicle, sheering away from bare rocks that would rip his parachute to shreds and send him hurtling to destruction. Here is the timehonored sport of coasting raised to a new peak of audacity!

Nor is Garrigue content, like most coasting enthusiasts, to plod patiently back for the next thrilling descent. His next experiment, he says, will be an attempt to make the wind carry him uphill.

Intrusting himself to the mercy of gusts of extreme violence, sweeping upward through narrow, confined passages in the face of the mountain, he believes that his parachute will haul him up slopes as steep as fifty-five degrees and back to the starting point.

The Man with the Net

IN SEAWATER, gold is five times as plentiful as silver.

HAILSTONES in South Africa recently killed a tortoise big enough to support a man on its back.

JAPANESE sharks lay the biggest eggs of any living creature. They are twice as big as ostrich eggs.



THROUGHOUT the world, twins come once in a hundred births. In Ireland, they come once in seventy-two births.

YOU CAN look two ways at once in a new whirligig microscope which is being used by scientists to compare different groups of bacteria.

ELECTRIC fish can generate enough current to ring a doorbell.



THE AVERAGE boy grows eight inches between fourteen and sixteen.

A HORNED toad isn't a toad; a silkworm isn't a worm; a glass snake isn't a snake; a white ant isn't an ant. A horned toad is a lizard; a silkworm is a caterpillar; a glass snake is a lizard and a white ant is a termite, belonging to another family of insects.

SNAILS have replaced men in cleaning moss from citrus trees on the island of Jamaica.



WHEAT that grasshoppers won't eat is being planted in North Dakota. Developed at an agricultural experiment station near Fargo, it is known as Ceres wheat. Why the insects avoid it is unknown.

FLOWERS run temperatures. French scientists have found that when the nasturtium, dandelion, and sweet pea are budding, they develop temperatures several degrees above that of the surrounding air.



VACCINE FOR INFANTILE PARALYSIS

A NEW vaccine against infantile paralysis, devel-oped in the research laboratories of the New York City Health Department, received its first public use the other day when twentyfive children were inoculated. Physicians hoped the event marked the turning point in the long fight to check the dreaded disease in the way diphtheria and other childhood diseases have been conquered. Tests conducted by Dr. William H. Park, director of the laboratories, and his assistants, showed that children can be made immune to infantile paralysis but the duration of immunity is not known. The new vaccine is prepared from the spinal cord of a monkey that has the disease.



One of first children treated is inoculated with new serum


SHOCKPROOF TOOL TESTS WIRES

Testing electric outlets to see if they are "live," extracting blown fuses, and tracing trouble in open circuits, are among the varied tasks performed by a versatile electrical tool just introduced. Because the device is built of shockproof materials, its plier jaws provide a safe means of pulling a fuse. At the opposite end of the implement are a pair of prongs

that may be inserted in an electric outlet, or held across a pair of wires under test. A miniature lamp, built into the tool, lights if there is current on the line. As only one hand is used, it is almost impossible to receive a shock while using the device thus.



Above, insulated tool



FRANKLIN'S GLASS ORGAN STILL USED

Once popular among musicians, the glassharmonika, which emits its tones from revolving glass bowls, is today one of the rarest of musical instruments. Only three specimens are reported in existence in the world


—the one shown here. which is in the possession of Bernhard Fritzsch, of Cincinnati, Ohio, and the others abroad. The instrument's forty-two glass bowls, of graduated sizes, are mounted on a common axis and revolved by a foot treadle. To play an air, the performer applies his moistened fingertips to the rotating bowls, which are arranged chromatically. The instrument was the invention of

Benjamin Franklin. The story goes that while employing a primitive device for generating static electricity, consisting of a revolving sulphur globe rubbed with the hands, he discovered the principle on which the glassharmonika operates.



Playing rare instrument by touching bowl with damp fingertips

DOGS GET NEW SERUM FOR DISTEMPER



IMMUNIZING a dog against distemper, one of the deadliest of canine diseases, for the rest of its life is reported to be made possible with a single injection of a new serum preparation. Developed by Dr. George Watson Little, New York canine specialist, the treatment consists of administering simultaneously a dose of the living virus of the disease and a concentrated serum obtained from dogs which have had distemper. Veterinarians who have tested the preparation report that

dogs thus inoculated, by means of a hypodermic needle, may apparently be exposed to the disease immediately or at any future time without contracting it. The treatment also serves as a preventive one for dogs already exposed, the tests indicate. Immunizing treatments for distemper have hitherto required repeated injections instead of a single one, and have not conferred immediate protection. The treatment is a simple one and is said to cause little pain or inconvenience to the subject.




LIFE BELT HAS LIGHT

To facilitate the rescue of survivors of a maritime disaster occurring at night, a life belt with a built-in electric lamp has been invented by a young engineer of Boston, Mass. The illuminated beacons would guide rescue craft to persons struggling in the water. Current for the lamp is furnished by an ingenious, self-acting battery comprising a pair of dissimilar metals, and operating only when immersed in water. Thus it remains inactive until the wearer of the belt plunges into the sea, when the lamp automatically lights. Similar automatic beacons may be installed in lifeboats, the inventor suggests.

WHEN AN EXPLOSIVES TRUCK EXPLODES

When brightly painted trucks labeled "Explosives" roll along the public highways, most car drivers give them a wide berth and wonder what would happen if one should blow up. Photographs reproduced here, taken after a truck carrying 400 quarts of nitroglycerin exploded, provide the answer. The machine was traveling along a dirt road in the Texas panhandle region when, for some unexplained reason, its contents were detonated. The truck and its driver were blown to bits, and a hole twenty feet wide and six feet deep was torn in the hard-packed road,

Fragments of the motor, like the one illustrated, were the largest pieces found intact. Debris was scattered for half a mile around, and the blast was heard fifteen miles away.




Above, a fragment of the motor, one of the largest pieces of the truck found intact as a result of the blast

The explosion of the truck load of nitroglycerin tore a hole twenty feet wide in a hard-packed dirt road and scattered debris



CURRENT HEATS LADLE

Heated by electricity, a new ladle for use in home workshops or small commercial shops provides a handy means of melting such materials as paraffin, solder, insulating compounds, pitch, and low-melting-point alloys. It may also be used to draw off molten material from a larger container and keep it hot until it is ready to be poured, as shown in the photograph above. An electric heating element in the base makes temperatures up to 600 degrees F. available, current being supplied from any convenient outlet by means of a cord. Various sizes of the new ladles are available ranging up to eight pints.



All Shipshape

BERTON BRALEY

Y husband is really a model
(A ship-model husband, I'd say)
For there is a twist in his noddle
That makes him peculiar that way.
He planes and he stains and he whittles,
Gets covered with varnish and glue
And hardly sits down to his victuals
When he's got a model in view.

Brigantines, barkentines, schooners and yachts,
These are the toys that he plans and he plots,
Dingheys and whaleboats
And motor and sail-boats
Filling up all the available spots!
Models in living room, bedroom and bath
Fashioned in beauty, says he,
Still, I assert with some natural wrath,
Dusting 'em's up to ME!

He steals from my work-box, he trifles
With pieces of silk and of net,
Swipes thread for his rigging, and rifles
The tools of my manicure set.
You cannot sit up to a table
You cannot sit down in a chair
But what there's a spar
Or a mucilage jar
Or a keel or a rudder post there!

Galleons and caravels, clippers and scows
Barges with dragons and things on their bows,
Galleys and proas
And arks like old Noah's
—Pretty to look at, but—pity a spouse!
Pity a housewife who's hemmed all about
Cluttered with craft of the sea,
Models of ships are a treasure, no doubt,
Fun to exhibit, a joy to work out,
Nevertheless I am longing to shout
"Dusting 'em's up to ME!"


SMOTHER FIRES WITH ASBESTOS

An aspestos blanket, introduced in England as a new motor accessory, quickly smothers a fire without damage to the car's engine. When folded up, the blanket makes a small parcel that is carried near the driver's seat, within reach in case of an emergency. If a fire starts, it is a second's work to open the blanket and toss it on the flames.



Using an asbestos blanket to smother a fire

MACHINE CORRECTS GOLF SWING



Golfing novices quickly learn to swing a club in the proper arc, it is said, with the aid of an improved practice device introduced in a Chicago school. The student stands within a spiral metal rail that guides his club throughout the stroke, from address to followthrough. By letting the club ride lightly along the guide, the tyro learns the feel of a swing made with perfect form, and soon acquires sufficient skill to dispense with this arti-ficial aid. The photograph at the left shows the device in use. After a little practice with the device, it is said, correct use of the club becomes habitual.

MIKE REVEALS SPEECH DEFECTS

To AID school children to overcome defects in speech and hearing, special classes have been instituted in a Russian laboratory equipped with innovations in modern electrical sound apparatus. One of these is a microphone on a swinging boom supported by a wheel at the end. By means of a handle within arm's reach, the instructor may roll the microphone

along a semicircular row of desks and place it before each one of the pupils in turn. His speech, amplified and heard through a loudspeaker, may be compared with that of his fellow students and thus corrected. Each pupil is also provided with earphones for use in hearing exercises, designed for improving the hearing of children deficient in this sense.



Microphone on traveling boom used in correcting speech defects of Russian children

Fleet of Antique Cars Is

How a Californian's Odd Hobby Has Grown into a Traveling Museum of Commercial and Historical Value

This 1902 Pierce Arrow Stanhope model plainly shows its descent from the once popular Stanhope horse-drawn phaeton, now nearly forgotten. Rumble-seat passengers perched on the front



Above, a reminder of the days when motorists were divided over the relative merits of gas and steam. Harry E. Twohy's 1911-model White Steamer is shown alongside a 1902-

model, two-cylinder Packard. The photograph was taken at a movie studio

A Cadillac touring car, vintage of 1909, as it appeared at a Los Angeles auto show with the passengers and driver clad in the motoring costumes of the period. Note the acetylene headlights, kerosene side lamps, and springstartingmechanism

HEN a movie producer wants a car of ancient vintage, or an automobile maker wishes to exhibit a model of long ago, the chances are that Harry E. Twohy, of Los Angeles, Calif., can fill their needs. Just as others collect old coins or furniture, he collects old automobiles. Today he owns what is probably the world's largest fleet of antique cars in running order. A surprisingly profitable business has developed from the collection that he started as a hobby, some years ago, with the purchase of a 1902 Pierce Arrow.

Wherever Twohy drove this acquisition, crowds gathered. A merchant, seeing the display value of the relic, paid Twohy to place advertisements on it. Other offers followed. The car went to an auto show as an exhibit. Then a movie company hired it, to put atmosphere into a film depicting the days when automobiles were

"horseless carriages."

Twohy began buying obsolete cars, repainting and reconditioning them, and sending them chugging forth to advertise his enterprise. When his machines found increasing demand for auto shows, parades, motion pictures, and advertising purposes, he offered cash rewards for information as to where cars twenty years or more old could be found. Some he came upon, dismantled, in cellars and garrets. One venerable car turned up in a barn on an isolated farm, in the state of Washington, twelve miles from the nearest road. Thirty years before, a farmer had bought the machine and dragged it with horses up a stream bed to his farm, to await the coming of a highway that





One of Twohy's rare specimens-a 1906 Buick touring car-as it appeared in a scene of a recent motion picture showing college life a quarter century ago. The driver's costume is also of the period

wheels, and a profitable one.

wheels. All his machines run under their own power, but Twohy and

tires, and dry-cell ignition.

available from the makers and must

snop. Tires can no longer be ob-

DIVER NOW SHOOTS FISH UNDER WATER



SHOOTING fish with darts, from a point of vantage beneath the waves, is envisioned by a French inventor who has just constructed a remarkable diving kit for the purpose. A light helmet and a cylinder of compressed air enable the diver to breathe under water, while another tube leads from the tank to one of the strangest weapons ever devised. This invention,

are so slim that they slip through the water at tremendous speed, according to the inventor, enabling the submarine huntsman to fire with remarkable accuracy. The equipment is light enough in weight to avoid hindering his movements, permitting him to bring his weapon into quick action at the sight of his game. The apparatus is intended to be used at relatively shallow depths, and sufficient air is carried for a stay of twenty-five minutes beneath the surface. In the accompanying illustration, our artist depicts a diver employing this novel means of fishing. The inventor says that, with his new apparatus in good working condition, the sport is perfectly safe and should prove popular with those living near the sea or on the banks of large lakes.

SPECIAL PUMP SERVES


SPECIAL PUMP SERVES OIL TO MOTOR CARS

Motor oil is vended after the manner of gasoline by a pump especially designed for the purpose, recently exhibited to automobile men. This dispenser is replenished with oil in sealed, ten-gallon containers. Knobs on the face of the machine are adjusted to the quantity and grade of oil desired, which is delivered through a flexible hose to the car's crank case.

MAKES VIOLET PERFUME

After years of research, a way has been found to manufacture irone, the substance responsible for the scent of violets. The discoverer of the synthetic method of manufacturer is Dr. Albert Verley, a French scientist who has long specialized in perfumes.

GASPROOF SHELTER PUT IN BASEMENT




Inventors in European capitals have repeatedly demonstrated their anti-gas shelters for civilians. Now comes news that a French apartment house has pioneered in installing such a shelter in its basement. Capable of holding ninety persons, the shelter is entered through an air lock that provides a tight seal against gases. An electrical air-purifying plant furnishes ventilation, drawing air from outside and passing it through a filter that removes any poison it may contain. In case this equipment should break down, the ventilating apparatus may be operated by pedals.

Left, interior view of shelter for civilians during a gas attack. It was recently installed in basement of French house

Below, the air lock which gives entrance to the new gas shelter. This door seals tightly to keep out all poisonous gases


EAU POTABLE



PARCELS WRAPPED FAST WITH NEW-TYPE PAPER

A COMBINATION wrapping paper, with which fragile articles may be wrapped for mailing in a single operation, has just been placed on the market. Formerly two wrappings were required, one with stiff board and one with paper. The new material has an inner lining of tough, cushioning material, while the exterior is a plain paper surface, firmly attached to it. The combination material folds around corners and over sharp edges with the ease of ordinary wrapping paper. It is supplied in sheets and rolls of various sizes.

Unique Irish Trains Run on One Rail



As Picturesque as Killarney itself is the railroad that connects Ballybunnion, Ireland, with
another little village a few miles away. This monorail
line, probably the only one of its kind in the world
that carries passengers today, employs a single rail
elevated above the ground on A-shaped supports. The
locomotive and cars are built in duplicate sections,
and straddle the track on tandem wheels. Passengers
are arranged in equal numbers on opposite sides of a
car to balance it. At some points along the line, traffic may cross it on small drawbridges, which are pulled
up again to allow a train to pass. At other places, a
section of the rail itself swings aside like a gate to let
a wagon through. These gates are usually open, for
there are only two trains a day, one each way.



Ireland's monorail locomotive is seen above straddling its single rail. At right, one of the cars that is balanced on unusual track. Left, section of track opened at a road


NEW AIRPLANE WINDOW KEEPS RAIN OUT EVEN WHEN OPEN


A WINDOW that can be kept wide open without admitting a drop of rain or a flake of snow has just been perfected for airplanes. By this feat, engineers of the National Advisory Committee for Aeronautics enable a pilot to enjoy unobstructed forward vision regardless of the weather, removing one of the greatest of present hazards to aviators. Tests at Langley Field, Va., led to the development of the new window. The "N.A.C.A. Rain Vision Windshield," of which it is a part, comprises three panes of conventional type and two of the new windows, one being placed at each side of the tapered

cabin for use when the regular windows are obscured. By inclining his head ten inches in either direction, the pilot may obtain a clear view past the nose of the plane and along the corresponding side. Rain is kept from entering and blinding the pilot by a twofold expedient. The main wind stream, with the raindrops it bears, is led past the open window by skillful streamlining worked out in wind tunnel tests, of which an important part is the curved forward edge of the window and its protruding, airdeflecting metal ledge. To aid in preventing the passing wind from entering his cockpit, the pilot can increase the air pressure in his cabin slightly by letting in air through a controllable inlet, such as is used in many


The two views below show a full-sized model of rain-vision windshield being drenched during critical test in wind tunnel to show its performance under conditions found in actual use







THIS POINT




This diagram shows how shape of window deflects wind and keeps rain from entering the cockpit

modern planes for ventilation, having its intake at the lower front of the fuselage. In consequence, there is set up a gentle air current blowing out of the window, as a further barrier to raindrops coming in. When a full-sized model of an airplane fuselage was set up in a wind tunnel and drenched with a spray of artificial rain, none entered the open window. The new window is expected to be a special boon to pilots in the critical moments of take-off and landing, when clear vision is of vital importance. It is said to be equally adaptable to the control cabins of airships in which rain-clouded windshields are as much of a safety problem as in all other types of heavier-than-air craft.


Realistic Model Railway

FILLS A BASEMENT






Above, S. G. Gilpatrick at work on a switch in a section of the solid brass track of his remarkable model railway system. Left, how the bridge span in front of the coal bin lifts when the owner needs coal for his furnace. The bridge span is raised by a small electric motor



Entrance of the tunnel through which the main line of the system passes under the coal bin. Note the gravel roadbed, cement walls, and signal lights. The insulators are made of vest buttons that are joined together

Right, pantographs used on the electric locomotives. These are exact duplicates of those used on full-size railroads. When the locomotive gets current from the third rail, the pantograph folds up by magnetic action


RAILROAD line suspends operation when S. G. Gilpatrick, of Hamden, Conn., tends his furnace. The sys-tem, which he calls the Spring Glen Interconnecting Lines, is one of the most elaborate model railways in the world. Set up in its owner's basement, its main track passes through a tunnel beneath the coal bin, while a branch route crosses a bridge at the front of the bin. When Gilpatrick needs a shovelful of coal, the bridge span lifts. Block signals flash danger all along the route, and trains roll automatically to a stop. The signal system is a maze of intricacy, twentyfour relays and eighty-three separate wires being employed on one section of track alone. The rails, made of brass, rest on 3,600 handmade ties spaced along a gravel roadbed. Insulators for the overhead electric wires, numbering more than 700, are fashioned from vest buttons. Scenery constructed to scale forms a realistic setting for the tracks.



Plants that Feed Each Other

FOUND WITH YOUR MICROSCOPE






stool. Above, a plant partnership of alga cells and fungus strands

You are, no doubt, familiar in a general way with lichens, those formations that grow on the barks of trees, the sides of rocks, and fence rails. You may have noticed how frequently they are the first living things to appear on rocks in a quarry, on surfaces left exposed by the cutting away of stone. They flourish there, without soil and, to the casual observer, apparently without other means of obtaining food.

How can the lichen thrive on bare rock, where soil is lacking? The answer to this question can be revealed beautifully by your microscope. Go into the woods and find a gray-green lichen that is growing on a rock or tree trunk. Break it off and take it to your microscope laboratory. With scalpel or razor blade, cut sections from the piece. Lay some of these on a microscope slide, add a drop of water, and tear them into small particles with dissecting needles. Add a cover glass. Now look at the pieces through your microscope,



Above, a dead tree limb, on which a fungus is growing. In this case, the fungus gets its own nourishment from the decaying wood

at a magnification of at least 100 diam-

You will see a tangled mass of white or colorless threads among which are scattered pieces of bright green material. Closer examination reveals that these green bits have a definite structure. They may form threads or masses of round or elongated cells, whose granules or disks of green chlorophyll will be revealed by higher magnification.

Here, then, is the answer to the question of how the lichen can live. The green bodies are cells of an alga, while the colorless strands are parts of a

fungus. The alga may be of the same type as that you have seen growing as a green mass on the surface of a pond, or creeping over the outside of a flower pot. The fungus is a relative of the mushrooms you had for dinner.

A fungus, lacking green chlorophyll which would enable it to manufacture life-giving starch from sunlight and air and water, must absorb its food ready-made. That is why molds and toad-stools always are found growing on decaying wood or other materials from which they can absorb ready-made food. The fungus part of the lichen has to get its food second-hand; but instead of selecting a mass of decaying leaves for its home, it has persuaded the chlorophyll-containing algae to join with it in setting up a novel kind of plant partnership.

The alga-fungus organization has worked out a production schedule so satisfactory that no labor troubles ever arise, so long as moisture and light and air are available. The alga manufactures starch for itself and the fungus, from air, sunlight, and water. The fungus, which has to depend entirely on the alga for its meals, does its share of the work by providing protection to the alga and by absorbing moisture from the air.

Spores produced by gill plate on a toadstool. The dark mass at the bottom of the print is the gill surface

A tiny toadstool found in the field, or a mushroom from the grocery store, will provide hours of fascinating entertainment with a microscope

The lichen, therefore, is a partnership of green algae embedded in the grayish strands of a fungus plant. The brighter green of a wet lichen is caused by the fact that the protective layer of fungus strands is more nearly transparent when wet than when dry. The power of the fungus to absorb water from the surrounding air is amazing. It can live in places too dry for any other vegetation. Even after being kept in a dry state for years, some lichens are said to become completely revived in a short time, if placed in water or a moist atmosphere.

For a better understanding of the lichen, you can make a microscopic exploration of fungi and algae. The fungi world is so extensive that no more than a few high spots can be considered here; and the algae must, for the time being, be left out entirely. However, you will not want for microscope material, for even a single mushroom or toadstool will provide hours

of fascinating entertainment.

The common mushroom, that you have seen growing in fields and woods and on rotting logs, is a plant, but it differs so much from the general idea of plants that it is of extraordinary interest. More accurately speaking, the mushroom itself, the part of it with which the average person is familiar, is but a portion of a plant. It is the visible outcropping of a subterranean network, hidden in the soil or within the decaying mass.

This underground network, called the mycelium or spawn, is a system of cells whose function is to gather food from the medium in which it is growing. It grows usually in leaf-mold, decaying wood, and such places because of the great amount of ready-made food to be found there. Under the microscope the mycelium looks somewhat like a root system, and is made up of colorless strands with hairlike threads or branches.

The mycelium of the common mushroom lives entirely underground, just beneath the surface. Careful examination of almost any particle of rich soil or rotting leaves will reveal it. Simply place the particle in a test tube or bottle of water and shake it vigorously, to wash away foreign matter. The mycelium fibers can be separated in a mass with tweezers. Perhaps an easier method is to find a mushroom, dig it up with a spoon so that part of the soil beneath it is obtained, and then wash

Strange Partnership of Fungi and Algae for Mutual Benefit

By Morton C. Walling

the dirt away from the rootlike mycelium without bruising it.

The mycelium is a plant in itself, but because the local food supply may not last forever, it has to send out spores that will start new colonies of fungi in other localities. To do this, it produces fruiting bodies. These are the mushrooms you know. They spring up overnight at various points in the mycelium network. The process involves a sort of gathering of mycelium strands into knots which grow and merge into the stem and cap of a fruiting body that frequently is parasol-shaped.

of a fruiting body that frequently is parasol-shaped.

Examine a common mushroom. You will find that it has a stem surmounted by an umbrella-shaped cap. Around the stem is a ring of membranous tissue. Over the cap is a layer of similar tissue, which may extend as a ragged layer at the edges. The underside of the cap is lined with a system of gills, which are plates that radiate like the spokes of a wheel. The ring

around the stem was formed during the growth of the mushroom by the breaking of the protective membrane that was stretched over the entire structure when it burst through the ground.

You will find it interesting to examine the entire structure of a mushroom with your microscope. With a sharp knife, cut thin slices from the stem and cap, and mount them in water on slides. You can employ various microscopic stains to bring out the structures of the cells. You will, however, fail to find any of the (Continued on page 93)







The octopuslike object in the center of the page is a formation of mycelium strands in a lichen. The photographs above show successive steps in making paraffin cells for temporary slides. A thin candle is molded in a piece of pipe, which is removed by heating it gently and lifting the wick. The cell is spun by holding a hot candle end against the glass



Berg, of Akron, Ohio, can put them in their place, for his midget automobile, he claims, travels fifty-two miles on a gallon of gas. Built by an Akron engineer at a cost of only twenty dollars, the tiny two-seater machine is said to attain a speed of forty-five miles an hour, under the power of an old motor-cycle engine installed at the rear. A kick starter sets the engine running, and foot pedals in the driver's compartment provide a clutch, an accelerator, and a brake, while gears are shifted with a hand lever. Tires of doughnut type are used.



POCKET METER TO TEST LIGHT IN YOUR HOME

WITH the aid of a new pocket illumination meter, anyone may determine for himself whether the light from electric lamps in his home or office is sufficient for his needs. All the user need do is to draw out a slide, uncovering a disk of pale yellow, light-sensitive paper in a circular window; and expose it for two and a half minutes at the spot where he sits or works. At the end of this time, if the sensitized paper has darkened to a deeper tint than the buff color of the envelope itself, the illumination is rated as good; while if the disk appears the lighter of the two, the light is bad. Additional tests are made by withdrawing the slide farther each time and exposing the ten disks of paper in turn.



BATS FEED ON FISH

A STRANGE colony of bats, which exists only in the Gulf of California, feeds upon fish. Recent examination of the bats' stomachs has disclosed remnants of small fish. How the fish are caught has not yet been determined.




PAVE STREET WITH RUG TO TEST ITS ENDURANCE

Paving a city street with household floor covering was the unusual means chosen by a Tulsa, Okla., department store to advertise the wearing quality of its merchandise. For the odd demonstration, the maker supplied a piece of material 226 feet long and nine feet wide, containing sufficient material to cover twenty kitchen floors, and said to be the largest rug ever manufactured in the United States. When laid on one of the main business streets, it extended for a substantial part of two city blocks. Cars rolled over it for two weeks, giving it more usage than such a rug would be likely to receive in many years,

GAUGE SHOWS RIPENESS OF SUGAR CANE

So planters may harvest sugar cane at the moment it reaches perfect ripeness, a German optical maker has developed an amazing new instrument called a refractometer that measures ripeness with absolute accuracy. The instrument resembles a small telescope except for the wedgelike end, which contains a prism covered by a hinged lid. Cane juice to be tested is dropped on the lid, which is then closed. When the device is held to the light and focused, the tester sees a circular field marked by a scale. Light passing through the sample of juice is refracted in proportion to the sugar and other solids contained in the fluid, darkening a corresponding portion of the field.



shows ripeness of sugar cane is seen in use above. The result is read in a shadow that falls on a dial. At left, sugar-cane gauge and sampling instruments. The hand is holding gauge for tomatoes

STAMPS PORTRAY THE NEXT WAR

Horrors of the next war are graphically depicted in a set of postage stamps just issued by the Soviet government, which are believed the first of their kind ever printed. While announced simply as marking the twentieth anniversary of the World War, their appearance has aroused speculation as to whether they may constitute propaganda deliberately directed at militarism in other lands. The five-kopeck stamp, for example, portrays a skyline to be found nowhere but in the United States. It shows bombs

raining down upon a defenceless metropolis from air raiders hidden in the clouds, pictorially expressing the view of many military experts that non-combatants as well as fighting forces will be marked for slaughter in future conflicts. The ten-kopeck stamp pictures the flight of the civil population to the open country, away from the charnel houses of the cities. Others in the set show an allegorical figure of a modern war god destroying a city; soldiers in

ODD WHISTLE TESTS

this device as shown in the

photo, a radio engineer can determine whether any given type of microphone or circuit is suf-

ficiently responsive to extremely

high-pitched tones to meet the

needs of broadcasting.




The stamp at the left depicts an air raid on a city, while the one at the right shows refugees fleeing

fine physical condition, marching to the front, contrasted with returning cripples; and the final revolt of the opposed armies in mutual protest against the destruction of their families, as symbolized by a pair of former enemies grasping hands and trampling underfoot a military figure.

BROADCAST HOOKUP A CURIOUS device known as a Galton whistle, which can emit a peep inaudible to human ears, helps maintain the quality of radio programs broadcast by a New York station. By turning a knurled knob at the top of the device, its pitch may gradually be raised until it passes beyond the range of audibility. Using

The Galton whistle in use for testing a crystal microphone of recent design



This automatic device starts the engine of a parked automobile whenever the temperature gets low, and keeps it running long enough to warm up for use



MOTOR CYCLE CANNOT FALL OVER

Even when it is tipped to the angle shown in the photograph above, a safety motor cycle recently demonstrated in Vienna, Austria, does not fall over. A spill in either direction is prevented by a pair of wheels mounted on either side of the regular rear wheel, and set so that they come into play when the machine tilts.

THIS KEY WON'T BE FORGOTTEN

A FACTORY superintendent at Columbus, Ohio, has invented a car key that reminds its owner to take it along. When the ignition is turned off, a spring on the shank of the key ejects it into the owner's hand.




ROBOT RUNS ENGINE TO WARM IT

No MATTER how cold the weather, a parked car equipped with a new accessory is always ready for instant starting. To keep the machine warm, this robot automatically starts the motor whenever the radiator temperature falls below 120 degrees, shutting the motor off again when it has warmed up. The equipment includes a thermostatic control box that is installed under the hood; a switch on the instrument board to disconnect the robot when its operation is not desired; and a safety cut-out switch that prevents the device from operating if the car is inadvertently left in gear. There is also an automatic cut-out that prevents running down the battery if the motor fails to start for lack of fuel or any other reason.

NEW IDEAS OF INTEREST TO

HOMEMAKERS





REFLECTORS FOR SHAVING. A pair of reflectors placed on either side of the bathroom mirror as shown at the left, catch light from the lamp overhead and reflect it to the sides of the face and under the chin. The same arrangement may be used on a lady's dressing table. Below, one of the adjustable reflector units



SOFTENS HARD WATER. This filtering device, which can be attached to any faucet by adjusting the chain, is said to soften any hard water run through it. It can be used indefinitely if the filtering material is regenerated

NIPPLE SCREWS ON. Breaking of nursing bottles in stretching nipples over the tops, is eliminated by the screw-on nipple
shown below. It can be put on in
the dark, and fingers need not
touch the nursing surface. Another advantage is that it won't
pull off, as ordinary nipples do



bulbs set behind its pane of frosted glass

ROBOTS CON-TROL WINDOWS Right, an automatic device that closes the window if it starts to rain. In oval, remote-control panel at bedside has buttons which make it possible to open the window after going to bed, close it before getting up. and open or close the bedroom door, Hidden electric motors supply the power







KNOCKERLIGHTS DOOR The artistic knocker above contains a small electric bulb that lights up automatically when the knocker is lifted, illuminating the keyhole




CLINKER TONGS. The disagreeable task of removing hot clinkers from the furnace is simplified by the long-handled tongs shown above. The trigger clamps the jaws securely




PAPER HOLDS COFFEE GROUNDS. With this paper liner in the perforated coffee basket of a percolator, the grounds can be dumped out easily without the usual mess. The paper also serves to filter the coffee, making it clearer



NEW-STYLE COOKY CUTTER The automatic handle on the novel cooky cutter at left measures the dough, forms it, and cuts it off. The device operates like a pump, forcing the soft dough through the perforated molding disks at the lower end. The cutter comes all apart for cleaning



HANDY RACK. The versatile rack pictured above can be slipped on the back of a chair for drying towels or light clothing. It may also be used as a tie or towel rack, or fastened to a shelf to support garment hangers




BEAN SLICER. The handy little knife below is used for slicing string beans or opening pea or lima bean pods. It clamps firmly to a table or bread board. String beans sliced with it take less time to cook, and the strings are cut up

CORNER SHIELDS
AID IN CLEANING
Star-shaped little
shields of springy
metal, shown at left,
are easily pressed into corners on staircases and elsewhere.
Presenting a rounded surface, they do
away with corners
and make cleaning
easy. Lower picture
shows size of shield

ICE-CUBE TONGS. A dainty way to serve ice cubes is provided by the tiny tongs shown below. Pressing the thumb plunger opens the spring jaws to pick up a cube or drop it gently into the glass




the photograph reproduced at the right



POT KEEPS COFFEE WARM. Double walls in the new coffee pot at the right provide insulation which keeps the contents warm until served. Any hot beverage will retain its heat in this pot for two or three hours, according to the manufacturers



CHEMICAL STUNTS with



When this addition is made, however, five parts more of the aluminum powder also should be included. When thoroughly mixed, the thermit charge should be

to twenty parts of aluminum. Although not absolutely necessary, fifteen parts of potassium bichromate, which has been melted and allowed to cool, also can be added if it is handy.

dumped into the crucible and a small depression made in the top to take a half-and-half mixture of potassium perchlorate and aluminum or a small pile of magnesium powder. These chemicals serve merely as a priming mixture to start the process and do not enter into the reaction.

To conserve the heat, the crucible should be insulated. One effective method is to embed it in powdered fluorspar. Another, and perhaps simpler way, is to rest it in the open end of a short length of ordinary pipe insulation.

Finally, ignite the starting mixture of magnesium or potassium perchlorate and aluminum. This will immediately raise the temperature and soon the contents of the crucible will be a glowing mass. Because of the vivid white flame given off as the aluminum steals the oxygen from the chromic oxide to give free chromium, the reaction should be watched only

when the eyes are protected with col-

ored goggles.

METALLIC

CHROMIUM

How the home chem-

ist can prepare me-

tallic chromium is shown in the illustra-

tion at left. The cru-

cible in use must be

well insulated as a

temperature up to 3,degrees occurs

during the experiment

With a small fire pot of about fifty cubic centimeters capacity, the process should continue vigorously for fully a minute. When it cools, the chromium set free by the aluminum, and melted by the extremely high temperature, will be embedded as a lump in the ash at the bottom of the crucible. If a porcelain crucible was used, it usually will crack of its own accord and simplify the problem of reclaiming the chromium. If a sand crucible has been used, it can be shattered with a hammer.

Although the metal obtained will not be absolutely pure, small pieces broken from the lump will be unmistakably metallic. Dropped into dilute nitric acid, they will dissolve. Once placed in strong nitric acid, however, they exhibit a peculiar passive effect in that they then will be insoluble in the weak acid until the passive surface is broken either by

rubbing or scratching.

Bits of chromium also will produce a novel effect when dropped into a shallow container of molten potassium nitrate or potassium chlorate. Like the metal sodium on water, it will float and

Raymond B. Wailes

\EW metals are more spectacular chemically than chromium and manganese. Miniature lava-spitting volcanoes, mysterious colorchanging chemicals, and midget war-time smoke bombs are just a few of the possibilities they offer the home experimenter.

Even the production of the free metals provides a thrilling effect. A temperature ranging between 2,000 and 3,-000 degrees Centigrade must be used to break them away from their compounds. In the home laboratory as well as commercially this is obtained with the aid of oxygen-loving aluminum in the spectacular thermit process.

In our experiments with iron (P. S. M., Aug. '33, p. 50), we used the thermit process to free iron from iron oxide. In the present experiments we will use a thermit mixture to free chromium from chromic oxide and manganese from manganese dioxide.

All that is required for the home manufacture of metallic chromium are a sand or porcelain crucible firing pot, some form of insulating material to prevent heat losses, a small quantity of aluminum powder, potassium perchlorate or magnesium powder, and some chromic oxide (green) to serve as the source of chromium. The chemicals should be mixed in the proportions of fifty parts by weight of chromic oxide

CLAY OR CAVITY FILLED MMONIUM OF PARIS

A tiny volcano, produced in the home laboratory, is shown in the circle. At right, the manner of arranging and firing the volcano to give lifelike eruption is shown



Chromium and Manganese

skid around the surface of the melted mass with curious scintillations. The nitrate or chlorate can be heated in the top of a tin can held over the flame of your

laboratory gas burner.


Metallic manganese can be made by the same method used to prepare the chromium. In this case, however, manganese dioxide, which has been heated red-hot, is mixed with the aluminum powder in place of the chromic oxide. The potassium bichromate also is eliminated. Simply mix three parts of the manganese dioxide with one part of aluminum powder, place it in the crucible, prepare the ignition mixture, and touch it off.

In the various oxides of chromium, the amateur chemist will find many interesting substances. One in particular, chromium trioxide, takes the form of woolly, red crystals. To make a small quantity, simply add strong (concentrated) sulphuric acid to a strong water solution of potassium bichromate. Although the red

crystals which form cannot be filtered off with ordinary filter paper they can be removed from the solution with a filter made by packing glass wool into an ordinary glass funnel. Before removing the crystals from the glass wool, wash them thoroughly with strong nitric acid to remove the sulphuric acid.

When brought in contact with such organic substances as absolute alcohol (alcohol which does not contain the usual four to six percent of water), these red chromium trioxide crystals immediately oxidize it, causing it to burn with a flash of flame. Even coal will be oxidized by the

crystals. Powdered coal, placed in a test tube and treated with a solution of potassium bichromate dissolved in fairly strong sulphuric acid, effervesces to give off quantities of car-



With the apparatus seen above, the home chemist can make his own test to discover if a substance contains carbon

If a mixture of manganese dioxide, caustic potash, and potassium nitrate is made and then heated in a crucible, as at left, it will change color, after water is added, from green to red to blue

bon dioxide gas. In both of these experiments, the large amount of oxygen available in the chromium trioxide is responsible for the reaction.

Because ammonium bichromate, another red chromium compound, decomposes actively with a hissing noise to give large quantities of

green ash, it forms the basis of a particularly novel home-laboratory experiment. With it, the home chemist can produce a miniature "active" volcano.

To enhance the effect, a tiny volcanic mountain can be fashioned from a small amount of plaster of Paris. At the top, a small hole formed in the plaster should then be filled with small particles of ammonium bichromate and the chemical ignited with a match. Bright flashes of light will dart from the opening as the volcano becomes "active." Steam will be formed and a green "lava" will bubble from the hole to run sluggishly down the slope of the mountain.


Beside the realistic effect it produces, the experiment also has a practical value. The green material formed by the decomposition of the ammonium bichromate is the self-same chromic oxide used in the preparation of free chromium.

Although it is best to use commercial ammonium bichromate in this experiment, if he desires, the home chemist can manufacture his own by neutralizing ammonium hydroxide with the red, wooly crystals of chromium trioxide (chromic acid), crystallizing it from the resulting solution.

Ammonium bichromate also can be used as the basis of an interesting light-sensitive compound. Make a thin glue solution and dissolve in it some ammonium bichromate (potassium bichromate also will serve). Into this rub a pinch of lamp-black and brush the mixture onto a piece of cardboard as you would a coat of paint. Finally after the sample has been allowed to dry, place a camera negative or a cut-out figure of some sort over the treated surface (Continued on page 107)

You Can Make Your Own Filter Paper

Since filter paper costs money and is sometimes hard to obtain, you can save time and cash by making your own as illustrated below. The necessary circles are cut of the required size from paper towels, which make good filters



INDOOR CLOCK STRIKES TOWER CHIMES



Cabinet for set of small chimes resembles grandfather's clock

WITH an ingenious auxiliary timepiece developed by a New York sounddevice man, a larger clock in
a public building or outdoor
advertising display can be
made to strike the quarter
hours without installing an expensive set of chimes. The
small clock is operated by a
self-starting synchronous elec-

tric motor and contains four tubular chimes. When the chimes are struck, a microphone picks up the sound. This is amplified by a unit in the base of the timepiece and transmitted by wire to a loud-speaker hidden in or near the large clock. The amplified sound is said to be as fine as that of a set of chimes costing thousands of dollars. Failure on account of current interruptions is prevented by an auxiliary spring in the striking mechanism. Although the auxiliary clock loses time while the current is off, the spring compensates for the loss and the chimes continue to sound at the proper intervals, regardless of how fast or how slow is the time shown by the clock.



Sound of chimes for outdoor clock is picked up by a microphone suspended inside timepiece



MUSIC BY ROBOT INSECTS

GROTESQUE manikins, patterned after insects and apparently endowed with musical ability, are the creation of a Los Angeles, Calif., engineer. Hidden electric motors actuate the six-foot grass-hopper and the cricket shown in the illustration, making them appear to be playing upon the harp and violin. A concealed phonograph emits strains of music corresponding to the tones of real instruments and timed to match the movements of the odd figures. The photograph above shows the designer applying a finishing touch of color to one of the manikins before putting it through its paces.


LIQUID AIR USED AS FUEL BY REMARKABLE JAPANESE ENGINE


strangest motors ever built, which now is operating in a Japanese laboratory. Should it fulfill the hopes of its inventor, it may bring about a revolution in motive power for vehicles of the land, sea and air. In contrast with the fiery temperatures of a conventional internal-combustion engine, which it somewhat resembles, the new motor operates at temperatures from 250 to 350 degrees below zero. Its small fuel tank holds ordinary air that has been chilled until it is transformed from a gas into a liquid like water. The difference in temperature between this extraordinary fuel and the surrounding atmosphere provides the energy to run the motor. From the fuel tank, the liquid air passes to a chamber where it is allowed to absorb heat from the exterior air. In doing so, it turns to vapor, much as

LIQUID air serves as fuel for one of the

water turns to steam when heated in a boiler. The pressure of the expanding air drives pistons in a pair of cylinders. Through an elaborate system of auxiliary apparatus, virtually all the energy contained in the liquid air is reported to be recovered. Because of its efficiency and small bulk of fuel

required the inventor foresees eventual application of his motor in automobiles, trains, ships, and especially in airplanes. The small bulk of fuel required would also be an important advantage in air craft.





Above, experimenters make tests of the operation of the curious liquid-air motor. At left, a quantity of the unusual fuel freed to show how it turns to vapor on striking warm surrounding air

HOW SPIDER WEB IS PUT IN TELESCOPES



A weighted spider web is laid across the eyepiece as above and fastened in place with drops of varnish

spider's silk. Photographs reproduced here show the little-known but fascinating process of preparing the threads from spider webs, as it is carried out in one of the world's largest optical houses. A needle with a bent tip, a pair of tweezers, and a magnifying lens are the only tools employed by the skilled craftsmen who perform this delicate task. The first step is to draw out a single strand of silk from the spider web, and to weight each end with small balls of wax. Hung up to dry for twelve to fifteen hours, the thread shrinks to a fraction of its former diameter. Next it is cleaned with ether, smoothed, and re-

sighted with precision, science has yet to find a substance that can compare in thinness and permanence with

> stretched. With these preparations completed, the weighted thread is hung across the eyepiece of the telescope, and secured at each side of the rim by a dab of colorless varnish. Superfluous parts of the thread, with their weights, are cut off and removed as soon as the varnish has dried. Additional cross-lines are similarly applied until the desired pattern has been built up, depending on the type of instrument for which it is made.

Close - up view of sliding loop used in new fire escape


RIVALING the "slide for life" of a circus aerialist, one of the strangest of fire escapes enables workmen in a Canadian refinery to save them-

selves in case a sudden conflagration traps them on top of a tower. An inclined cable has been rigged from the top of this structure to the ground, and from it has been hung a traveling loop capable of supporting a man's weight. If fire occurs, a workman on the tower thrusts one

and whizzes to earth, checking his precipi-tate descent with a hand brake. As soon

leg through the loop

as he steps free from the loop, a counter-weight returns it to the top of the tower for the next passenger and the process continues until all are in safety.



Illustrations show new range


finder and method of estimating

Colored lights reveal at what speed a car is traveling, in a new safety signal devised by a Schenectady, N. Y., inventor. When the car is moving slowly forward, a red light shows to the rear. As the speed increases to twenty-five miles an hour, the light automatically changes to blue. At thirty-five miles an hour the signal becomes yellow; and, above forty-five miles an hour, green. Thus the inventor aims to reduce accidents in passing another car, particularly at night when the speed of the overtaken vehicle is difficult to estimate by ordinary methods.



FACTORY FIRE ESCAPE IS "SLIDE FOR LIFE"





Light mounted at rear of car shows different colors to indicate speed at which it is going

RANGE FINDER FOR HUNTERS


By INSTANTLY giving a duck hunter the range of his target, a new attachment for a shotgun is said to improve the shooting of a novice. This simple form of range finder consists of a sight with a series of notches of graduated width, which is clipped to the end of the gun's muzzle. To find the range of a duck on the wing, the hunter need merely observe which of the notches matches the apparent length of the bird. The smallest notch

shows a range of sixty yards, and the other two indicate a fifty-yard and fortyyard range, respectively, while the entire width of the special sight shows a range of thirty yards. Knowing the range, the hunter estimates the bird's speed of flight by a method devised by the inventor.

BIRD LEADS GLIDER

THAT air pilots can still learn from the birds was recently demonstrated in South America. By trailing a buzzard near Rio de Janiero, Brazil, Peter Riedel, a member of a German gliding expedition investigating the air currents of South America, was able to attain an altitude of 7,000 feet in his motorless craft.

SEAPLANE'S HULL RESEMBLES A SHIP



SUBMARINE, cutter, hydro-glider—
what would you guess the strange craft shown in the accompanying photograph to be? Actually it is the hull of one of the world's largest flying boats, now under construction in a French factory. When completed the machine will have accomodations for eighty persons on its two decks, and will have a cruising range of 2,800 miles between stops for fuel. Six water-cooled motors of 1,000 horsepower apiece will drive it at a-speed estimated to reach as high as 160 miles an hour.

The giant ship is to be placed in transatlantic service on the French air line between Paris and Buenos Aires, Argentina. Originally this line carried only air mail, and fast dispatch boats plied the overwater part of the route between Africa and South America. Recently transatlantic mail planes were put in service, enabling the mail to be flown all the way. The new air giant will permit passengers to be carried as well. It is expected to be ready for service in June, when the new service is scheduled for inauguration,



RACK HOLDS TELEPHONE MESSAGES IN VIEW

A HEMPSTEAD, N. Y., business man has devised a handy desk accessory to keep telephone messages from being mislaid or overlooked. The base of this device serves as an ash tray, while a detachable message rack is provided with a pencil for jotting down messages and a clip for holding them. Removed from its base and rested upon the telephone, it confronts the user, upon his return, with all the messages received while he was gone. At other times it serves as a decorative ornament for the ash tray.



"BREAKS IN" NEW PIPES

A LITTLE robot that shoulders the task of "breaking in" a new pipe is now available. When the pipe is lighted, its mouthpiece is thrust into a section of tubing, and a rubber ball is squeezed occasionally. The smoke is exhaled through a slit in the ball. After an ounce or two of tobacco has been consumed, according to the maker, the pipe is ready for smoking, free from the biting taste of varnish.

COP CAMERAMEN GET PICTURES OF WRECKS

So often have photographs fixed responsibility for car crashes that the Chicago police have established a permanent camera squad to snap pictures of accidents. Twelve cars equipped with cameras, first aid kits, and brake testers, cruise the city, listening for radio calls from headquarters. When a traffic smash is reported, the cars rush to the scene and photograph all angles. Thus, impartial evidence is obtained for use in criminal and civil cases. The photographs will also be of value in safety-campaign work for the education of drivers.



Chicago policemen photographing the scene of a crash

STREAMLINE AUTO TRAILER HAS SINGLE SWIVEL WHEEL



New streamline auto trailer for carrying luggage. Note the single swiveled wheel that supports it

Modern streamline ideas have been applied to a new one-wheel automobile trailer for carrying luggage. The trailer consists of a rounded hood fitted over a steel frame which is attached to the frame of the automobile by hingelike couplings. A lid at the rear gives access to the interior. The trailer rides on a single wheel mounted on a swivel, and the tire is a modification of an airplane tail-wheel tire. The casterlike wheel, being free to rotate, adapts itself readily to irregularities of the road. When the car is backed, the swivel turns.

POPULAR SCIENCE MONTHLY



Triumph of Science Makes

ICE HOCKEY BIG BUSINESS

By Edwin Teale

URSTS of speed, split-second shifts in play, thrills that rock the stands have lifted ice hockey, in less than a decade, to the position of national winter sport of American fans. It is the thrill-game of the indoor season.

Seventeen thousand persons, last year, jammed Madison Square Garden, in New York City, to see a game between crack professionals. Throughout the country, players are increasing, interest in the game is rising, new fans are being recruited. Huge rinks for hockey matches are under construction. Professional teams are playing exhibition games from coast to coast and finishing the season with a nervetingling World's Series of the Ice, the annual battle for the Stanley Cup. Probably no other sport ever zoomed to such sensational popularity in so short a time.

The secret of hockey's appeal is simple.

It is the fastest, roughest, hardest-hitting

Vast crowds, sitting in comfortably heated rooms, now watch the thrills and spills of ice hockey


game on the sport calendar. There are crashing collisions, clever stickwork, brilliant teamplay as the skimming players zigzag back and forth over their rectangle of ice following the rubber puck. In its speed, action, fight, there are thrills even the most hardened fan cannot resist.

Yet, curiously enough. before the year 1925, attempt after attempt to introduce hockey on a wide professional basis failed. Only since then has the game really caught on. And the story of its recent success follows as the sequel to another story, a record of engineering achievement and scientific research.

In Canada, where hockey has reached its peak, spectators are used to the cold and relish outdoor matches. Here fans want to keep their feet warm, And, in modern, big-time hockey rinks, they can. For experts have cracked the scientific nut of keeping spectators warm and ice cold all in the same arena.

Left, an exciting moment in a hockey game. A defense man is rushing up to take the puck after goalie has made a "save"





When players swerve and pivot on their indoor sheet of ice, they are literally standing upon a foundation provided by the ingenuity of American engineers. At New York's Madison Square Garden, and similar hockey rinks, that sheet is built up of thinner sheets locked together like laminated wood.

Nearly thirteen miles of pipes run back and forth, buried inside the two-inch concrete floor. When a hockey match is scheduled, freezing brine flows through the pipes and a thin


sprinkling of water is spread over the floor. As this layer congeals, another is placed on top of it. In this way, an expanse of ice, more than 180 feet long and eighty feet wide, is built up to a thickness of an inch. The action of the concrete with its maze of hidden pipes suggests a great griddle working in reverse.


Such ice griddles cost \$70,000 or more to install. This year, Madison Square Garden has completely redesigned its refrigerating plant and put in an additional mile of piping. During some of the first years of modern rink hockey, the battle between the freezing pipes within the concrete and the heating radiators in the stands above

was nip and tuck. In fact, the ice became so soft once that a dozen pairs of skates were ruined in a single game. The runners cut through the slush and struck the concrete. As the modified tubular racing skates used cost \$15 a set, the loss was \$180 for skates and shoes alone. Additional piping now overcomes this difficulty and insures against sudden shifts in weather.

Softening ice, however, is not the only obstacle met by the speed skaters of professional hockey. Last year, when the tide of the Stanley Cup battle was surging up and down the ice, the bunched players of the New York Rangers and the Toronto Maple Leafs swinging from one end of the rink to the

Three views of the goalie in action are shown above and at right. In one he has fallen but is stopping the puck with his hand. Upper right, kneeling on the ice, he stops the puck with the back edge of hisstick. Unable to prevent a goal any other way, the goalie is doing a split and stopping the puck with skate blade





Playing in three twenty-minute periods, they seek to drive into a net four by six feet in size a three-inch vulcanized rubber disk, using curved sticks a little more than four feet long. Each team has six players, Goal, Right Defence, Left Defence, Center, Right Wing, and Left Wing. The game is a high-speed version of "shinny on the ice," played with such reckless abandon by professionals that one sports writer describes it as "a combination of forked lightning, old-fashioned shinny, and second-degree murder."

Rink hockey, such as is popular in the United States, is far harder on a player than the outdoor game of Canada. Playing at top speed in a damp, close atmosphere, the average star burns himself out in five years. His legs give out first. The average big-time hockey player weighs about 155 pounds. "Ching" Johnson, defence ace of the Rangers, is an exception, tipping the scales at 210. Training begins about three weeks

before the season opens in mid-November.

The veteran of the game is Bill Cook, probably the greatest right wing of all time. He has been in professional hockey for twenty years. Last year, for the second season in succession, he was high-point scorer in the National Hockey League. Twenty-eight times, the red light behind the opponent's net flashed on to indicate goals he made. After the four-months hockey season each year, he retires to his wheat farm in Saskatchewan. His brother, Bun Cook, is also a star of the New York Rangers. Some years ago, a professional team in Canada was composed of nothing but Cooks, five brothers and a cousin making up the sextet.

One side light on how interest in hockey has climbed in recent years is the rise in value of a franchise in the National Hockey League. In 1924, when the league was just getting under way, a franchise for one of the big cities cost about \$3,000. By 1929, it had increased to \$75,000. And, today, it stands at a hundred times its original figure, approximately \$300,000.

In the league, last year, there were nine teams, the New York Rangers, the Boston Bruins, the Toronto Maple Leafs, the Montreal Maroons, the New York Americans, the St. Louis Eagles, the Detroit Red Wings, the Montreal Canadiens, and the Chicago Black Hawks. Five of the teams were American, four Canadian. The Boston Bruins, alone, grossed in gate receipts more than a quarter of a million dollars.

A chief drawing card of the Bruins is Eddie Shore, "the human gyroscope." Hard to upset, he moves over the ice like a whirlwind. In action, he has been described as "most resembling the rear end of a transcontinental bus out of control on a steep hill." The eleventh-hour trick of the Bruins is the "Shore charge." Taking the puck in his own territory, Shore launches full tilt down the ice followed by two of the fastest forwards. Nearing the enemy net, he lifts the puck and crashes it not into the cage but against the backboard. His momentum carries him through the opposing defense. He retrieves the puck and shoots it back to one of the forwards who has just swooped into position for a shot that flashes on the goal light.

Off the ice, Shore is mild and soft-spoken. Careful about his physical condition, he neither drinks nor smokes and on trips always takes his own drinking water with him. Summers he raises pigs on an Alberta farm. But in the heat of a game he goes wild and his reckless playing has brought him a record number of injuries. He carries more than thirty scars and nearly 500 stitches have been taken in his anatomy during his playing career. Once, after he had defeated an opposing team almost single-handed at Montreal, he left the ice with a broken nose, a broken jaw, two black eyes and six teeth missing.

Another Spartan of the ice, Ching Johnson, defence man of the Rangers, played through a Stanley Cup match wearing an aluminum protector to hold a broken jaw in place. In the same game, red-headed Reginald Horner, of the Leafs, shot the winning goal with a broken hand encased in a plaster cast.

Although hockey is a high-speed game played on a hard surface, the men never wear helmets. Last year, a step in this direction ended in a fiasco. Two Montreal Canadiens, Gagnon and Mondou, skated out on the ice wearing queer black head-gear suggesting derby hats shoved down over their ears. When the band struck up the National Anthem, which is a preliminary to every game, Gagnon couldn't get his helmet off and, when the game started, Mondou couldn't keep his on. That ended the helmet idea for the time being.

Shin guards, shoulder pads and knee protectors form the meager armor of the players with the exception of the goalie, who is mattressed with extra padding to withstand the blows of the whizzing puck, and the roughing he gets in close play. Last year, a new ruling went into effect to aid the goal tender. It prevents players from crossing a line fifty-seven inches from the mouth of the goal unless they are carrying the puck.

Another curious rule was added to those already in force by officials of the National Hockey League. It specifies that all players must wear skates! It seems that some years ago, a



Showing how players get

hurt. Note stick land-

ing across man's face

goalie was injured in a game at Iroquois Falls, Ontario. Having no regular substitute, his team sent in a spectator who could play laerosse but could not skate. He wore rubber overshoes. The opposing team set up an indignant shout. But when they consulted the rules they could find no specific provision that players had to wear skates. So, last year, N. H. L. officials de-

cided to prevent future misunderstandings by adding the rule every one had taken for granted.

A few years ago, when the rules were altered in connection with substitutions, the manager of the Chicago Black Hawks tried to apply a football idea to hockey. He developed two teams, one almost as good as the other and shifted them at eight or ten-minute intervals during the game. One squad was drilled at offense, the other at defence. When the tide was running against the Hawks, the defensive aces went in and blocked the slashing attack of the opposing squad; when the enemy was on the run,

the scoring crew took up the battle. One of the longest professional hockey games on record took place two years ago between the Boston Bruins and the Toronto Maple Leafs. It lasted two hours and forty-four minutes and ended in a one to nothing score for the Leafs. In hockey, high scores are rare. Goals are hard to make. Such defensive stars as Andy Aitkenhead, of the Rangers, and Lorne Chabot, the lean goalie of the Leafs who has worn the same lucky trousers in every game for five years, have run up phenomenal records in goal tending. They stop the puck with hands, feet, skates, stick and body. Out of 137 shots by opponents in five games, Aitkenhead stopped all but nine. And one of these was a freak drive that landed in the net by luck.

It occurred during a nip-and-tuck battle between the Rangers and the Leafs, leaders in the race for the Stanley Cup. Hec Kilrea, of the Toronto team, shot a high one down the scratched and powdered ice. The skimming puck bounced off the bald head of Ching Johnson and skidded into the net. Usually a sextet that can shoot the rubber disk past the goal tender into the net three times in an hour of fighting stands a good chance of winning the game. That is the average score of bigtime contests.

Because the taut netting at the back of the goal cage sometimes caused the puck to rebound at high speed so the referee could not tell whether a goal had been made or not, the design of these wire enclosures was altered a few years ago. Now, most of the cages have at the back wire deflectors shaped like huge reversed shin guards. They keep the puck within the cage once it enters the mouth.


After every game, players have their skates sharpened. In a basement shop across from Madison Square Garden, one expert, Warren Roach, does all this work during the New York season. The runners are ground on a rubberized wheel, stoned and then finished with a rubbing of oil. Sometimes as many as 150 skates pass through his hands in a single day.

The beginning of hockey dates back to 600 B.C. or before. In 1922, archaeologists unearthed an ancient sea wall near Athens, in Greece. On it they found carved in bas relief the figures of athletes striking at a ball with curved sticks. The carvings were twenty-five centuries old and dated to the time of Themistocles.

The Aztecs in Mexico played a similar game and a favorite pastime of the American Indians was chasing a ball of deerskin or a pine knot, with curved sticks. Sometimes, the dried leg of a deer was employed as the stick. When the earliest French settlers occupied the region of the St. Lawrence, they took up the sport and it has become the traditional game of Canada.


In the United States, outdoor hockey has remained a minor sport. The recently organized Intercollegiate Quadrangular Hockey League brings Yale, Harvard, Dartmouth, and Princeton together in an annual series for the Hobey Baker Trophy, given in honor of the famous Princeton athlete of twenty years ago. But few, if any, collegiate hockey stars ever make the professional teams.

It is rink hockey, with its whirlwind skating and brilliantly reckless offensives, that is a modern American development. With gate receipts soaring to seven figures, with players drawing as much as \$7,500 a season with (Continued on page 109)




Hockey skates must be sharp and securely fastened to shoes, a job that keeps this man busy

Simple Home Tests of Scientific Problems




GAS FORMS WATER

To show that water is formed when gas burns, hold a flat iron over a gas flame for a second or two. When it is removed you will find so much dew on its surface that you can write your name in it. Obviously, the experiment also indicates the presence of hydrogen




To show that water is a better conductor of sound than air, float a piece of wood in a jar of water, as above. Then strike the tines of a fork to make them vibrate and hold the end of the fork against the wood. The volume of sound is greatly increased as the sound waves are transmitted into the air by the water



With a bright sun shining, a burning glass, as you know, can be used to set fire to lint or even to dry leaves. If a piece of cellulose tissue is held between the lens and the sun the inflammable material, no matter how dry it may be, cannot be ignited. This is because the tissue screens out the infrared rays responsible for the action


HERE'S THE PRINCIPLE THAT WORKS ATOMIZER

To understand the working of an atomizer, arrange it with a medicine dropper as at right. The atomizer contains water. Blowing a stream of air from the horizontal dropper into the atomizer will force the water up the atomizer's tube and then out of the dropper into the air as fine drops that form spray




DEMONSTRATING ACTION OF ELECTRICAL FUSE

The principle of the electric fuse is clearly shown in the experiment below. Place an inch of tin foil between two paper clips which are connected in series with the house lighting circuit and an electrical heating device. As the current is turned on, the tin foil melts exactly as a fuse blows out. Replace the heater with a lamp and the tin foil won't melt



NICE LITTLE EXPERIMENT IN HEAT CONDUCTIVITY

The question is, which is the better heat insulator, cork or paper? To find the answer, wrap a bit of tissue paper about the end of a cork-tipped cigarette as above. Then hold a lighted match under it. The paper over the cork will be charred thus demonstrating that paper is a better heat conductor than cork around the cigarette



RAISING BIG WEIGHTS WITH A SIMPLE PULLEY

Rig a pulley, as shown, with a plane and scales attached. Pulling down on the scales will raise the plane half as far as the scales descend. This accounts for the mechanical advantage. If the scales read one pound, it is obvious that the plane's weight must be exactly twice this, or two pounds

New Kind of Planet Finder

YOU CAN MAKE AT HOME

... Simple Device, Showing Position of Bodies in Our Solar System, is Fully Explained in this Article

Which make up a given constellation—such as Taurus or Scorpio—you can always rely upon finding them in their places, year in and year out. But keeping track of the five naked-eye planets—Mercury, Venus, Mars, Jupiter and Saturn—is more difficult. They are constantly shifting their positions from constellation to constellation along the road of the ecliptic. This steady travel accounts, in fact, for the very word "planets," which means "wanderers."

The easiest of these planets to keep in sight are Jupiter and Saturn—for the former takes a whole year to travel through one of the twelve zodiacal signs of constellations; and the latter remains over two years within a single sign. So if Jupiter is in Libra (the Scales) this year, we can rely upon finding it in Scorpio next year. And since Saturn is now (January 1, 1935) on the boundary between Capricornus (the Goat) and Aquarius (the Water Bearer), we can locate the ringed planet next year in the latter constellation, and only a little advanced in the sign, at that.

To find these two planets, after once seeing them, requires no apparatus, but for keeping track of the three much more rapidly shifting ones—Mercury, Venus and Mars—a "planet finder" is a convenience, as well as a simple bit of construction which is fun to carry out.

The necessary apparatus consists of a transparent drum of sheet celluloid (or several layers of transparent wrapping folded together) and a series of five identical cardboard rings to slide easily around it like five narrow band rings on a single finger. There must also be a fixed ring at the bottom to support the five movable ones, and another fixed ring at the top to

By

GAYLORD

JOHNSON

keep them in sliding contact with each other. A tiny knob of wood, glued to the outside of each movable ring, aids in turning it.

In cutting the transparent strip for the drum, leave about an inch beyond the map for a cementing-lap. Then, on this transparent strip, you trace

with a pen and white ink the diagram given across the bottom of these pages. If the celluloid surface will not take ink readily, wipe the surface with a cloth moistened in soapy water, and dry.

After the pattern is accurately drawn in white outline, cement the ends firmly together with clear cement. Then channel a circular groove (to fit the drum's lower edge) into a piece of heavy pulp board cut into a circle. Into this cement the transparent ring.

The transparent circular cup you have made now represents the zodiac throughout the year. When held with the current date on the far side opposite your eye, the constellations seen facing you are

FIXED DATE RING

FIXED DEGREE RING


USING THE PLANET FINDER. Each planet is represented by a white dot on the black inner surface of one of the movable cardboard rings. As the ring is moved, the dot passes through a map of the constellations of the zodiac drawn in white ink on the transparent inner drum. The distance traveled by each planet in a fixed time interval is shown by vertical marks across its path. By counting forward from a mark showing its position on January 1, 1935, its position in its orbit at any future time can be easily determined

the zodiacal star-groups which are in view when you face the southern horizon at 9 P.M. on that date. But keep always in mind that this date-band has nothing to do with locating the planets on the ecliptic. It merely shows you when the zodiac constellations are visible.

As you turn the drum from your left hand toward your right (clockwise) the twelve constellations pass along the strip of miniature sky, just as they do throughout the year in the real sky.

The small open circles marked at various points on the drum, along the five paths for the planets, represent the positions of Mercury, Venus, the earth, Mars, and Jupiter, as they would be seen from

MAP OF THE ZODIAC To make the inner drum of the planet finder, trace the two diagrams at the strip right up clear celluloid or a roll of transparent wrapping material. Cement the ends to form a ring and mount on the base. The circles show the positions of the various planets on January 1, 1935. They may be made more conspicuous by outlining with red water color. The planet rings are made of strips cut from Bristol board with blackened insides and a white dot to represent the planet each indicates





ASSEMBLING THE RINGS. This photograph shows how the cardboard planet rings are slipped over the transparent drum. After all five are in place, the fixed upper "date ring" is cemented to the top of the drum. A small knob of wood, glued to the outside of each ring, makes it easy to slide the ring around and follow the movements of the planet through the zodiac

the sun against the zodiac constellations on January 1, 1935.

Each of the large white dots on the inside of the black sliding cardboard rings which surround the transparent zodiac-drum represents a planet. When the five rings are all in position, the white planet-dots show clearly through the transparent drum and each moves as its ring moves.

Accordingly, since each of the planet paths is marked off in regular time-travel intervals, it is easy to find the position of any planet, as seen from the sun, at any number of days, or even years, in the future-counting from the planet's position as marked for January 1, 1935.

For instance, you wish to locate the position of Venus on May 1, 1935. From January 1 to May 1 is 120 days. This means that you must turn the white dot on the second movable ring through twelve of the ten-day intervals marked on the strip devoted to Begin at the planet's marked position for January 1,


At left, the "degree

1935, and set the dot so that it coincides with the small circle indicating its position on that date. Then count off exactly twelve ten-day divisions along the path of Venus in a counterclockwise direction (from right to left along the visible half of the zodiac) and turn the Venus-ring until the dot shows through at the twelfth ten-day division. This dot then marks the position of Venus as seen from the sun on the zodiac at May 1, 1935. (Its "heliocentric" or "sun-centred" position).

To find the position of the planet as seen from the earth at the same time (its "geocentric" or "earth-centered" position) we shall need to make use of the circular map of the planets' orbits, which must be traced off and pasted inside the bottom of the transparent drum. Note that this map is divided, from center to circumference, into degrees-from zero to 360. Paste in the map so that the degree numbers coincide all around on both map and drum.


In addition, we must make use of the movable ring which carries the dot representing the position of the earth as seen from the sun. (Its "heliocentric" position). This dot must first be put into its correct position against the zodiac.

> To do this, turn the ring until the earth-dot shows through the required date on its path (in this case May 1). This is also obtained by counting ten-day intervals from one of the four dates marked. Then note the degree-number on the scale immediately under it. Follow this same numbered degree-line toward the sun (on the bottom map) until it (Continued on page 116)



ANYONE CAN BUILD THIS

Band-Spread Receiver



AND-SPREAD tuning plus up-to-the-minute parts make this receiver the last word in easily built shortwave circuits. It is the logical successor to the one-tube set that usually serves as the beginner's introduction to the higher frequencies.

Although diagrammatically the regenerative-detector, resistance-coupled amplifier hook-up appears far from revolutionary, several changes and improvements make for better all-around operation. First of all, the circuit is built around two tubes of the latest vintage, a screen-grid 6D6 detector and a type '76 amplifier. For smoothness, regeneration control is dependent on the screen-grid voltage to the 6D6 varied by means of a 50,000-ohm carbon potentiometer (R²).

A change for the better has also been made in the variable condenser arrangement included in the antenna circuit. A new type of airpadding condenser has been substituted for the inexpensive, but

hard-to-control, equalizer or trimmer condenser (3 to 35 mmf.) generally used, Being in reality a sturdy miniature variable condenser whose tiny semi-circular plates measure less than seven sixteenths of an inch in radius, it overcomes all the difficulties associated with the two-plate mica type. It is easy to adjust and, because of its rigid, multiple-plate construction, holds its setting regardless of vibration or temperature changes. As with any circuit of this type, this condenser is included to provide a means of balancing the receiver to make it oscillate over the full range or band for each of the four plug-in coils. In the completed receiver, it is mounted under the chassis with its adjusting slot projecting above the top face. It is regulated with a screw driver.

Since it eliminates troublesome crowding by spreading the stations over a great-

cone of the plug-in coils
Note the arrangement of talled on the front panel

By
LEWIS
WINNER

PHONES

COIL
SOCKET
R.F.C. 5D6

Underview of the set. Note the recently developed air-padding condenser. It is the midget of all midget condensers

er portion of the tuning dial, the band-spread feature of this receiver is particularly valuable to the active amateur. It is obtained through the use of two condensers connected in parallel across the grid winding of the plug-in coil circuit. Condenser C1, mounted under the chassis, is the course- or bandsetting unit, while C2, adjusted with the large central dial, is the final

This rear view of the band-spread receiver shows location of the two tubes


tuning condenser. In use, once C¹ has been set for a given frequency band, tuning within the band is accomplished entirely with C².

Aside from the 2-by-7-by-10-in, aluminum chassis and the 7-by-10in, aluminum panel, the following easily obtained parts are used in the construction of the set:

C1.—Variable condenser, 140 mmf.

C2.—Variable condenser, 35

C3.—Variable air-padding con-



denser, new utra-midget type, 50 mmf.

C4.—Fixed condenser, .00025 mfd. C5.—Fixed condenser, .01 mfd.

C⁶.—Fixed condenser, .1 mfd., 200 volts. C⁷.—Fixed condenser, .25 mfd., 200 volts.

C8.—Fixed condenser, .00015 mfd.

R1.—Grid leak resistance, 1 to 5 megs.

R².—Potentiometer, 50,000 ohms. R³.—Fixed resistance, 500,000 ohms.

R4.—Fixed resistance, 10,000 ohms, 2 watts.


R5.—Fixed resistance, 100,000 ohms.

RFC.—Radio frequency choke, 2 mh. Miscellaneous: Four four-prong coil forms, wire for coils, one four-prong isolantite socket, one six-prong isolantite socket, one five-prong wafer socket, one type 6D6 tube, one type '76 tube, one power terminal strip, one phone terminal strip, one antenna-ground terminal strip, one single-pole, single-throw toggle switch, dial, knobs, screws, solder, etc.

If you have constructed any of the other simplified short-wave circuits that have appeared recently (P. S. M., June '34, p. 64; July '34, p. 64; Aug. '34, p. 66; Oct. '34, p. 63), you undoubtedly will have some of these parts on hand. However, before using them make sure that they are in working order and match the specifications to the letter.

The set of four plug-in coils used can be home-wound or of commercial manufacture. Complete winding specifications are given in a convenient tabulation elsewhere in the article. For coil forms, the author used a relatively new type known as the "rib-grooved" form, having an effective diameter of one and one half inches. To simplify matters, enameled wire is specified for the grid windings of each of the four coils. An improvement incorporated in the originals shown, however, consists of using silver-plated wire for the grid windings of coils A and B.

Although in the circuit diagram no common chassis connection is shown, the wiring can be simplified by those who desire, if the metal of the chassis and panel is made to serve as the common cathode and negative A-battery lead. In this case, of course, the ground terminal will be grounded directly to the chassis. If the socket drawings are followed in making



the connection, no wiring difficulties should be encountered. The numbers on the socket terminals shown directly above agree with those on the tube diagrams on the opposite page.

A little practice may be required before you learn how to use the band-spread condenser arrangement to best advantage, but once mastered, it will enable you to sift through the jumble of stations on each of the amateur bands. For your first try, simply set the main condenser C² to approximately twenty on the dial and then turn condenser C¹ until you hear the "chirps" that indicate stations. The final adjustment of C¹ should be approximately in the center of the busiest area on the dial. Condenser C² then can be adjusted

Hides AUTO RADIO under Floor Boards



In this photo is shown the new method of installing an auto radio beneath car's floor boards

ALTHOUGH most radios in automobiles are mounted under the instrument panel, they can be installed almost anywhere in the car. How one ingenious fan made the most of remote control to hide his receiver under the rear floor boards is shown in the photograph above.

No special equipment was needed for this installation, a standard commercial receiver of the unit type having a flexible tuning shaft being used. The receiver box was mounted under the rear floor boards in a water-tight metal compartment, a hole being cut and protected with a grille to expose the speaker, while the remote control was fitted into the upholstered arm at the right of the rear seat. It was a simple matter to thread the flexible tuning cable through the side upholstery to the receiver, while the necessary battery connections were shorter than those usually required.

Aside from the convenience of having the receiver controls handy to those in the rear seat, the owner also finds that the new position of the receiver and speaker improves the tone and sound distribution. Other variations of the same idea would be to mount the receiver under the rear floor boards and the tuning control on the steering wheel post or to install the receiver and control in the usual way and merely hide the speaker under the rear floor boards.

With auto radio entering its third year of popularity, many new accessories are on the market. Newest of these is an ignition noise eliminator. Differing from the usual suppressor, which in reality is simply a resistance, this new unit is a carefully designed radio-frequency choke. According to its manufacturers, these noise filters have high impedance to radio-frequency oscillations and exceptionally low resistance to the low-frequency components of the ignition sparks.

Along the same lines, the perfect shielding of the newer cars being designed for radio makes it possible, in most cases, to eliminate all but one of the suppressors used heretofore. Instead of the usual units connected to the spark plugs and distributor, a single unit of a slightly modified construction, inserted into the center high-tension lead to the distributor head, may be used with good results.



The manner of replacing the suppressors, left, with the new filters, right, is shown above

to spread the stations in that band. By repeating this process with each of the four plug-in coils, settings for C¹ will be obtained for the center portion of each band. By indicating these points, condenser C¹ can be adjusted quickly to correspond with the particular coil being used.

COIL SPECIFICATIONS

Coil Tickler (L₂) Turns Grid (L₃) Turns

A 17-41 M. 3.8-No. 32 DSC. 8.3-No. 16 Enam.- 7 per inch.

B 33-75 M. 5.8-No. 32 DSC. 17.7-No. 20 Enam.-12 per inch.

C 66-150 M. 10.8-No. 32 DSC. 37.7-No. 24 Enam.-24 per inch.

D 135-270 M. 16.8-No. 32 DSC. 81.7-No. 28 Enam.-44 per inch.

Tickler spaced ¼ in. from grid coil, both wound clockwise on

forms of 11/2 in, effective diameter


New Kinks for Radio Fans



Cutting Out the Hum on Home-Built Receiver

XCESSIVE hum undoubtedly is the most common source of trouble in the home-built regenerative receiver. If the set is of the alternating current type, the logical conclusion is that the power supply is at fault. An unshielded grid condenser and grid leak, however, can be an equally prolific source of hum. To remedy this on screen-grid detector receivers, use a postage-stamp size condenser in conjunction with a small half-watt grid leak and mount them directly on top of the detector tube grid clip as shown. The shield for the tube then will cover the condenser-grid-leak combination as well, To eliminate possible grounds, the metal shield cap should be lined with cardboard. If this fails to remove the hum, try grounding one heater line at the detector tube socket before laying full blame on the power supply.-J. A. Worcester, Jr.

Simple Way to Match Your Dynamic Speaker



In this diagram a simple way of making any speaker, whose field resistance is less than the original, serve with your set is clearly indicated

JHEN a loudspeaker in a commercial broadcast receiver fails, the owner often is unable to find a replacement whose field resistance exactly matches that of the original. However by following the simple procedure outlined in the diagram, above, any speaker whose field resistance is less than the original can be made to serve. Simply connect a ten-watt, wirewound resistance of just the right value to bring the total resistance up to that of the original in series with the new field. If a slight hum results when the substitution is made, connect a two-microfarad, 300-volt condenser between the circuit and ground as shown by the dotted lines in the drawing.—J. P. Kennedy.


New Flexible Battery

RESEMBLINGa bundle of dynamite sticks or Roman candles, the latest in radio B batteries is a flexible unit especially designed for portable use. Called the "ribbon battery," it can be folded or rolled to fit the available space. In fact, it even can be worn around the body under the coat where maximum portability is required. Manufactured in two sizes, the particular battery shown is the larger 114-volt type. The smaller

unit, resembling a cartridge belt because of its twoand three-quarterinch width, provides a twentyeight and one-halfvolt B supply. Since
boxes and heavy
wax are eliminated
entirely, these flexible batteries are
fully twenty-five
percent lighter than
rigid batteries.



Pocket Mirror Proves Handy Radio Tool




STRANGE as it may seem, a small pocket vanity mirror can be put to good use in the radio experimenter's tool kit. Held under various parts inside the chassis of a receiver, it can be used to read hidden specification labels when selecting replacements for faulty units. Invariably, the part in question is soldered in so that its label is on the underside, but the mirror trick solves the problem. Incidentally, the mirror also comes in handy to reflect light into the dark recesses of a cabinet and thus make it an easy matter to see and study the various parts that are otherwise invisible. A small dental mirror also is handy when inspecting soldered joints.

Cheap Tube Tester for Amateur Experimenter


WITH the inexpensive tube tester illustrated any radio set builder can afford to check his supply of tubes for leaks and shorts. Arranged to accommodate both large and small four-, five-, six-, and sev-en-prong tubes, it indicates leakages up to a million ohms as well as direct short circuits. All that is necessary is to plug the tester into any 110-volt line, insert the tube to be tested, and watch the small neon lamp at the rear of the panel. If it glows, a defective tube is indicated. A pair of jacks and test leads also are included.



An inexpensive tester to check tubes for shorts and leaks



uestion: Define a strong wind, a gale, and a hurri-cane.—E. H., Richmond, Va.



A .- TECHNICALLY, the difference lies in their speed. According to the United States Weather Bureau, a strong wind is one ranging from twenty-five to thirty-eight miles an hour, a gale is a wind blowing from thirtynine to fifty-four miles an hour, while a hurricane is one blowing faster than seventy-five miles an hour. When a wind blows between fifty-five and seventy-five miles an hour it is called a "whole gale."



The Whistling Buoy

G. E. V., ATLANTA, GA. A long tube filling with water as the buoy tosses in the sea is responsible for its whistle. Air trapped in the tube as the buoy rises is forced out through a whistling pipe when the buoy falls. The water, rising and falling, acts as a piston to alternately suck the air in through a check valve and force it out through the whistle.

We've Heard of Snake's Hips

Q .- is it true that snakes having legs sometimes are found?-T. T., Watertown, N. Y.

A.-ALTHOUGH the story often is told of snakes sprouting legs when thrown into a fire, there is little fact to back it up. Prehistoric snakes undoubtedly boasted legs, but the chances of finding a legged snake today, especially among the common North American varieties, is extremely slim.

Mississippi Mud

C. L., MEMPHIS, TENN. It is estimated that the Mississippi River dumps more than 400,-000,000 tons of dirt into the Gulf of Mexico every year.

Airplane Speed Limited

F. T. Y., PITTSBURGH, PA. Besides the hu-man factor, the speed of the modern airplane is limited by the maximum possible speed of the internal combustion engine used to drive it. At present, this is placed at about 600 miles

an hour, but, of course, this factor varies as new developments are made.

How High Are the Tides?

D. F. G., BUFFALO, N. Y. Few sections of the world's coastlines experience the same rise and fall of tides. Much depends on location, Tides vary from less than a foot along the coast of Panama to more than sixty feet at the Bay of Fundy, N. B.


Drops Claw, Flees Trap

H. B., CLEVELAND, o. When a crab or a lobster finds his leg or a claw caught in a trap he simply discards that particular member and escapes. This leg-discarding action is entirely automatic, the injury causing muscles to contract which pull the leg up and literally pry it off by pushing it against the body shell. In a short time, a new leg or claw grows out of the old stump.

When the Parachute Fails

Q.—WHEN a pilot jumps from his plane at 4,000 feet and does not open his parachute until he has almost reached the ground, how fast is he traveling at the moment the 'chute

opens?—V. B. S., New York, N. Y.
A.—IT is thought that a falling body reaches a maximum speed of about 200 miles an hour after falling 2,000 feet. From that point on, because of air resistance, it continues to fall at the same speed.



Wanna Race a Duck?

H. D. V., NEW HAVEN, CONN. Speeds of forty and fifty miles an hour often are attained by the eider duck, according to the American Museum of Natural History.

Just Sales Talk

Q.—IS ONE horse power equivalent to the strength of one horse?—O. P., Seattle, Wash.

A .- NOT exactly. When James Watt tried to sell his steam engine as a substitute for horses, he sought to compare its power with that of the average horse. Borrowing a brewery horse, he found the animal could do 22,000 foot pounds of work a minute. Then, allowing for generous losses of fifty percent, he decided that 33,000 foot pounds a minute was the average horse's power. It is whispered that Watt, mixing business with science, placed the figure ridiculously high for fear of some day meeting a super-horse that would outwork his engine.

Porcupine No Marksman

Q.—IS IT true that the porcupine can shoot his quills by swishing his tail?-Y. G., Jr., St. Louis, Mo.

A .- ALTHOUGH in thrashing his tail, the porcupine may loosen some of his 30,000 odd quills, he cannot shoot them at will nor aim them. His main method of defense is to protect his head and bristle his quills.

Sun Bends Buildings

Q.-DOES the heat of the sun have any effect on tall buildings?-F. H., Milwaukee, Wis.

A .- THE sun's effect on tall buildings is graphically shown in the case of the Washington Monument in Washington, D. C. The expansion of the shaft caused by the continual heat of the sun on the south side has made it shift as much as two and five eighths inches to the north.



Men's Memories Vs. Women's

E. R. T., DENVER, COLO. According to a recent test, a woman tends to remember the pleasant experiences in her life and forget the unpleasant ones, while a man generally remembers the unpleasant moments, forgetting the pleasant ones.

Fastest-Growing Tree

Q.—WHAT species of tree holds the record for growing speed?-P. A., York, Pa.

A .- THE balsa tree is the fastest-growing tree known. Although its seed is little larger than a pinhead, the tree often sprouts to a height of seventy-five feet and diameter of twenty-five inches in five years.

Stratosphere Hot

Q.—what is the temperature of the stratosphere one hundred miles above the earth? —J. C. K., Boston, Mass.

A.—CONTRARY to popular belief, a Naval Research Laboratory report states that the band of stratosphere between sixty-two and 124 miles above sea level is at a constant summer temperature of about eighty-six degrees Fahrenheit regardless of day, night, or

Tornado's Measurements

D. F. G., St. LOUIS, MO. On the average, a tornado's path is thirty miles long and 1,000 feet wide. In most cases, it travels forward at a speed of from (Continued on page 110)



New Piston Ri

F THERE'S anything that gets my goat,' grumbled Gus Wilson, "it's the fellow who's always thinking there's something

wrong with his car."

"Well, then, you'd better hide your goat," grinned Joe Clark. "Here comes the world's worst." Gus looked up just in time to see Ted Landon's car roll into the Model Garage driveway.

"Got time to check my anti-freeze,

Gus?" the driver called.

"Sure thing," replied Gus. "Run her

inside."

"And while you're at it," suggested Landon, "you might check the battery and kind of look things over. Seems to me she starts a little hard, these cold mornings."

As Gus worked, Landon wandered around the shop inspecting the assortment of tools and parts. "Do all cars have castiron pistons?" he asked, fingering one of the pistons on Gus's bench.

"Not by a long shot," replied the me-chanic. "Aluminum-alloy pistons are just as popular. Then there are nickel-iron, cast-iron, and semi-steel pistons."

"Why so many different kinds? One type must be best."

"It's differences of opinion that make the world go 'round," replied Gus with a grin. "Each type has its good points and to argue their pros and cons is worse than a row over religion. Why the sudden interest in pistons?"

"Oh, nothing," the customer replied. "Only I've been thinking maybe I ought to treat this bus of mine to a new set of pistons and rings."

"What gave you that happy thought?" asked Gus, looking up from his work with

surprise.

"The car's ready for them," Landon replied. "She's gone over fifteen thousand miles and seems to smoke more this winter than she used to."

"Smoke?" repeated Gus.

"Yeah, especially when I first start her up. Sort of whitish and it puffs out of the

exhaust in regular clouds."

"Plenty of brand new cars do that in cold weather," replied Gus with a chuckle. "That's just the cold air condensing the moisture and unburned gasoline. If that's all you've got on your mind, you can stop worrying."

"But that isn't all," Landon insisted. "She smokes sometimes going down hills."

"Some cars do that too. When the wheels work against the engine, the pumping of the pistons tends to push oil up into the cylinders. Naturally, as soon as you speed her up again, the oil is burned. You don't use much oil, do you?"

"About a quart in seven hundred miles,"

said Landon.

"Nothing so startling about that," Gus assured him. "Your car's is a little older than it used to be. The bearings aren't so tight, and the moving parts are a little worn. Naturally, you're going to use more oil. You don't know what it is to feed

an honest-to-goodness oil-pumper." "Well, just what are the symptoms of worn piston rings?"

Without answering, Gus put down his tools and walked over to a group of cars parked at the rear of his shop. "Here's a first-class example," he said, pausing in front of a three-year-old sedan. "First of all, she eats a quart of oil every hundred miles and to trail her is like following a freight train through a tunnel.

"On top of that," Gus continued as he fished a crank out of the tool compartment and pushed it into the hole under the radiator, "she hasn't any compression. Here, turn this crank and you'll see what I

mean."

"Does turn sort of easy," Landon agreed, as he wound the

"Right. Now try cranking your own car."

This time Landon found the job a little more difficult. The crank seemed to resist him at regular intervals. "Got more spring to it,"

he reported. "That's it. The rings are tight enough to hold compression," explained Gus. "Why, the rings on this other crate are so loose you can hear the pressure leak by.

Landon looked at him blankly. "You can hear it?" he said doubt-

fully.

"Sure. Pull the cap off that oil filler pipe and park your ear close to the opening while I turn the crank.'

As Gus cranked, Landon listened. A pleased grin spread over

his face. "Well, I'll be darned," he exclaimed. "It's a regular hiss like gas coming out."

Gus nodded. "On some cars it's so bad you can hear it even when the motor's running. In any case, that's a blamed good sign of blow-by caused by leaky piston rings."

"How about the spark plugs?" inquired Landon, as he slipped the oil filler cap back into place. "Don't bum rings foul

the points with oil?"


"Maybe yes and maybe no. It's a funny thing about all these signs of leaky piston rings-they don't always follow the rules. Had a car in here just the other day that had all the symptoms except one -high oil con- (Continued on page 111)

GUS says:

If your car isn't fitted with a cooling-system thermostat you can eliminate a lot of the cold-weather wear and tear on your motor by installing one. By stopping the water circulation until the motor warms up, it cuts down bearing wear, crankcase dilution, and gasoline bills by keeping your motor at summer temperature for most of your winter driving.

THE HOME WORKSHOP

OLD TOY REBUILT INTO NEW



TREAMLINED trains are making history, so why not add one to your model railway system? The model illustrated was built to the scale of ¼ in. equals 1 ft. from drawings of the famous three-car Union Pacific train M-10,000 (see P. S. M., Jan. '35, p. 11).

No expensive materials are needed, and anyone, with time and a little patience, can construct a train of this type. As far as size and detail are concerned, it is a

miniature edition of the real thing. The total length of the model is 51 in. The long cars require a minimum radius of 48 in. for the curved track. This means that your toy track will have to be relaid, or else the cars made shorter so they will take the usual toy curves. Shortening the cars will spoil the scale effect, but will not detract from the fun of building and operating the train.


The first thing to do is to obtain a suitable motor and the trucks because the rest of the train must be built around these. A regular "0" gauge toy locomotive motor will do. While the driving wheels are larger than they

The cars are of pine and pressboard with made-over trucks—Discarded locomotive motor provides power


should be (1½ instead of ¾ in.), there is no harm in this as the wheels are concealed behind "skirts" and there is ample room in the locomotive car to swing the wheels when taking a curve. It is possible, however, to substitute wheels of the correct scale size by changing the wheel gears and adding two idler gears between


the wheel gears and the intermediate gear, which is not disturbed.

In the author's model, trucks such as are used on scale model freight cars were taken for the trailers. The wheels of these are just the right size, 11/16 in. in diameter. The journal box and spring projections were ground off the side frames to



Side view of the second and third cars before the pressboard sidepieces are added, and a bottom view of the same cars. A 1/2-in. brass pivot rod passes through the wooden shield, hinge bars, and truck frame






seen in the drawings on the facing page. The only differences are in the arrangement of windows in the first car and the single door at the end of the rear car—not very important details in the general effect

A

COUNTERSINK,
No. 4 SCREW



How to assemble trucks from old car wheels and axles. The "O" gauge motor is used unchanged except for the addition of a bracket at the top

make room for the skirts used in streamlining. These skirts are made of brass strip 1/16 by ½ by 4 in. They are held in place by 2-56 flathead machine screws, which are tapped into the frame castings.

The partly as-

sembled locomotive car and, at

right, how the nose is built up

with blocks so as to provide ample wood for carving out the finished shape. The motor opening is bridged on each side by a strengthening

strip of brass

If trucks of this type are not available, others can be built up by using the wheels and axles from some old cars. How to do this is shown in drawings at right above.

Each of the three rear trucks carries a center third-rail contact shoe, primarily for the car lights. This is made from phosphor bronze strip and is attached by means of a piece of bakelite so it is insulated from the rest of the truck.

The method of equipping the motor with skirts is shown in one of the photographs. A small bracket and a screw are added at the top of the motor so it can be suspended and pivoted from the top of the locomotive car. In placing this bracket (and the strap from which it pivots), take care to see that it is at the right height so the locomotive roof will be at the correct distance above the rails.

Use only clear white pine for the body framework. The dimensions for building the cars can be found with the aid of the ½-in, squares on the assembly drawings. The roof and floor are circular sections, the dimensions of which are given in a separate detail drawing. These can be planed at home, or some woodworking plant will make them for you. Five feet of each section will be ample.


The first operation is to lay off all the car lengths and do the necessary boring for the shields (articulating pivots) before cutting apart. Use an expansion bit, if available, and be careful that the hole is not bored all the way through the roof. The locomotive is 18 in. long, the middle car 15 in., and the rear car 18 in. Mark off the center lines carefully at the dividing points.


The roof and floor lengths are not cut off square, but slope back from the center lines toward the sides so they appear slightly pointed when one looks down at them. This leaves a gap at the sides to

enable the cars to turn when taking curves. This gap is closed by
the turned wooden shield that
serves as a pivot. As you have
already noted in the detail drawing of the roof and floor sections,
they are of different widths, therefore the amount they must be cut
back at the ends will be different
on each to give the same angle.

It is best to finish the roof hole with a gouge and chisel. A 1/16-in. wall should be left around the roof to cover up the shield. Use a fine-toothed saw for cutting the pieces apart so little will be wasted in the kerf.

Next cut the recesses or clearance spaces on the underside of the floor pieces for the trucks. Do this at both ends of the middle car, at the back end of the front car, and at the front end of the rear car. The dimensions are given in a detail drawing, and the gen-





eral shape can be seen in the photographs. Also cut out a similar recess for the rear truck. The center of this is 14 in. from the center of the front end of the rear car.

Make four hinge bars or plates as shown from brass, 1/16 by ½ by 2 in. Drill a 3/16-in. hole at one end for pivoting, and five or six small holes for the mounting screws. Mount these plates on the underside of the bottom in the clearance spaces formed for the trucks. The hinge plate


FEBRUARY, 1935


on the rear end of each car is set in a recess or mortise 1/16 in. deep, but the one on the front end is mortised in ½ in. deep. This permits the hinge plates to rest one above the other and to keep the cars level when joined. Be sure that these plates are properly centered or the cars will not pivot properly.

The pivot shields, shown in the drawings at the bottom of the facing page, are turned on a lathe from hardwood to the dimensions shown. The top of the shield is rounded to fit the contour of the hole that has been bored and chiseled in the roof. No great accuracy is necessary; in fact, the shield should fit loosely in this hole and in the one in the floor so it will not bind. Drill a 3/16-in. hole through the center of the shield from top to bottom for the pivot rod. Counterbore the top slightly to form a recess for the nut that will hold the pivot rod. The pivot rod is 1/8 in. in diameter and threaded at both ends. Solder a nut at the bottom end. Make two collars from 3/16-in, outside diameter brass tubing to a length long enough to support the trucks at the proper distance from the shield.

These little collars serve also as sleeves for the hinges plates; that is, they fit within the 3/16-in. holes drilled in the ends of the hinge plates.

Assemble each car framework next. The bottom of the three cars is to be 1/4 in. above the top of the rails, and the roof 3 in. above the rails, as shown at the left. The space be- (Continued on page 90)





The left-hand side of the train. The outline of the sidepieces is shown by the heavy line. A small red beading strip is nailed along this line

63

Small Table Built in Modern Style

THIS small, modern table for use in the living room or library was constructed entirely of pine with black walnut inlays, but maple, birch, or any light colored hardwood will give an even more satisfactory and durable piece of furniture. The end shelves are for holding books.

The mortise-and-tenon joints, with the exception of the three front rails, are designed so that they can be made with the circular saw. Grooves for the inlays can be made by the same method. Cut the inlay strips slightly wider than the grooves and bevel each edge slightly so that it will be a drive fit, thus obviating the necessity of clamping them when they are glued in place.

The two ends of the framework are glued, clamped, and allowed to dry. Then assemble them with the front and back, and test with a steel square to be certain that the table is square. If necessary, insert one or two temporary diagonal braces within the frame and leave until dry.

The shelf ends are glued in their respective mortises and pinned with two 1/8-in. hardwood pins. The drawer runners and bookshelves can be built in next.


Then make the drawers. The sides can be joined to the fronts by a simple rabbeted joint, but a dovetailed joint is better.

The top is glued up to the proper width and a cut is made with the circular saw about every 2 in. on the back. These cuts are about three fourths the thickness of the wood in depth. They counteract the tendency of the wood to warp. After the edge strips are glued in place, fasten the top with four screws driven from the underside.

Shellac and wax make a satisfactory and serviceable finish. The shellac—either orange or white, depending on the color desired—is applied in thin coats, each coat being allowed to dry for twenty-four hours. Sand each coat with worn sandpaper.

Apply three or four coats and then rub on a light coat of any good wax, and polish with a soft cloth.


The design of this table also lends itself particularly well to the application of colored lacquers.—Roger Moyer.




If the joints are well made, a woman can put the framework together—and actually did in this case while the author snapped the photos










Strips of walnut are glued in grooves cut in the legs, and (lower photo) a neat edging is mitered and glued around the top of the table






The shoe-shining outfit is easily carried, yet holds polishes, cloths, brushes

LARD TUB HOLDS SHOE POLISHES


A STURDY shoe-shining stand can be constructed from a small wooden lard tub. Clean the tub thoroughly by scraping and a liberal application of cleaning solvent. With a saw, cut from between the bands about one-third the staves to form the drawer front. Next construct the drawer, using the sawed-out stave sections for the front. These should be bound together, inside and out, at the top and bottom with strips of tin or brass fastened with brass bolts or stove bolts. The original lid of the tub is replaced and nailed. With the tub inverted in its new position, the staves below the drawer front must be bolted to the band crossing them.

A shoe form is next cut from a piece of soft pine, mounted on a block at an angle of 15 deg., and placed upon the small end of the tub. The carrying handle is then transferred to the small end. Sandpaper the bands and wood lightly, apply dark oak stain followed by a coat of clear varnish, and add a drawer knob.—H. A. CLAYTON.




HIS fine-looking and very durable case for a vest-pocket camera is made merely by tying simple square knots in a number of lengths of strong cord. Cameras of other sizes can be accommodated by altering the measurements. Regulation knotwork cord, which can be had in many colors, may be used, or strong fishline. If the case is to be a gift for a woman, heavy silk cable cord is appropriate.

The case illustrated was made in blue, with brown sides, carrying strap, and trimming. To start, cut a blue outline



The case is started at the point of the flap. Additional doubled cords are then looped on the outline cords, which are shown at each side, until the flap is the desired width



How the strip is widened to provide the sides for the case. At right: The extra cords added over the outline cord. At left: The outline cord is tied in with half-hitches

cord 2 ft, long, and twenty-two blue working cords, each 12 ft, in length. In addition, you will need two glass pushpins and the usual knotwork hook (fastened at your waist to hold the filler cords).


Find the middle of the outline cord (so called because it remains on the outside edge throughout) and, over it, doubleloop the middles of two working strands, This leaves four cords hanging down. Secure the two on the inside in the hook. and with the two on the outside make a square knot. Fasten the knot down to the table top with a pushpin and let the outline cord hang down on either side in the shape of an inverted "V." This forms the shape of the flap for the camera case.

The method of adding more cords to the outline cord is shown clearly in Fig. 1. One is added on each side for each row of square knots made across the flap. When all of the working cords have been added, proceed to knot a straight strip for thirty-five rows, (Continued on page 92)


Below is shown the strip when all the knot-ting has been completed. The dimensions can be found by comparison with the ruler, but should be modified to suit your own camera



3 The right width to make the knotwork strip can be found by laying the camera over it. Absolute accuracy is not necessary as the finished strip can be stretched to a certain extent





To start the design for ornamenting the front of the case, the cords are knotted into an inverted "V," and a loose cord of contrasting color is tied to the two middle cords



then half - hitched around each free cord in the middle section to form the pattern

When the design has been finished. the loose cords are knotted on the back, fastened with cement, and then cut off short





Terrarium and Aquarium

HAS MAGICALLY FLOWING WATER SYSTEM



End view showing glass supply tube, which is concealed by the falling stream of water

A COMBINED terrarium and aquarium, illuminated by a small lighting plant, can easily be made as shown in the accompanying illustrations. This one was constructed by the boys in the science department of the Maxton (N. C.) public schools.

A cement lake provides the aquarium, and the overflow of water operates a water wheel in a cement channel leading out from the lake. The lake is fed by a magic water system. A glass tube leads from a near-by faucet in the laboratory and comes up through the center of the lake into the suspended tank. The pressure forces the water through the glass tube into the vessel, from which it overflows and runs down over the side of the glass, thus concealing the tube.

The glass feed pipe is laid about 1 in. under the soil from where it enters all the way across to the lake. Enough soil and plants are placed in the bottom of the lake to make it suitable for the growth of any small plant or animal. In fact, the entire structure inside is built on a soil foundation about 5 in. deep, thus making it possible to grow plants of several species. The plants are inhabited by various living insects and small animals. One large dead plant is planted in the center, and to it many insects in the pupal stage are attached.

The power and lighting system consists of a revolving water wheel, generating and power houses, No. 18 copper insulated wire, and five flash-light bulbs. Four of the light bulbs are soldered to the wire and suspended above the lake and canal. The fifth light is installed at the switch. Concealed dry cell batteries furnish power for the lights. This power, however, appears to come from the dynamo attached to the water wheel.

A Pelton water wheel is used. This was constructed by laying a ½-in, tube 12 in, long in the cement from the lake to the water wheel with a 3-in, drop. The tube ends in a nozzle near the wheel in order to throw the water with greater force. This arrangement makes it possible to operate the power system with a very small amount of water. The water needed to supply the necessary change in the lake is sufficient to operate the water wheel continuously.

The entire system is screened in to prevent the escape of insects and some of the water animals.—Ernest D. Hancock.

FLATTENING PHOTOS

Perfectly dry glossy photographs are likely to crack if straightened out under a ruler in the usual manner. The possibility of cracks can be avoided, however, if the backs of the pictures are first gone over with a damp (not wet) sponge.


over with a damp (not wet) sponge.

Prints soaked in a weak gylcerine solution before being ferrotyped will peel off the plates without curling or leaving drying marks.—C. L.

GUMMED STENCILS FOR SMALL DESIGNS

When stenciling small designs on finished woodwork, it is almost impossible, with the usual stiff stencils, to make the design clear and sharp at its edges. It is better to make the stencils of lightweight paper that has been shellacked and then coated two or three times with clear rubber cement. They can then be pressed tightly against the wood and will remain until peeled off. The stencils may be used indefinitely.

The rubber cement can be purchased in tubes or tins, or it may be made by adding raw rubber to benzole. This, however, requires several days to become thoroughly dissolved.—George S. Greene.



Stencil made of paper that has been shellacked and coated on the back with rubber cement



Bobsled Building

BOBSLED, ripper, or double runner—call it what you will—provides fine winter sport and requires only a little snow, a hill, and a congenial crowd to give no end of thrills. There was a time when a pair of hand sleds suitable for use in assembling a bobsled could be bought, but that day is past, so it will be necessary for us to make our own sleds, as well as the rocker, turntable, steering gear, and seat.

Materials. Hardwood—1 pc. 1 by 4 in. by 14 ft., 1 pc. 1½ by 2 in. by 7 ft., and 1 pc. 2 by 3 by 16 in. for sleds; 1 pc. 2 by 4 by 26 in. for turntable; 1 pc. 2 by 7 by 36 in. and 1 pc. 3 by 4 by 14 in. for rocker; 1 pc. 1 by 2½ by 20 in. for foot-

rest.

Spruce—1 pc. 1½ by 12 in. by 11 ft. for seat.

One spool (either wood or metal) 3 in. long, 5 in. in diameter, with 3/4-in. hole for the shaft.

A discarded auto steering wheel with piece of shaft 12 in. long.

Flat iron-18 in. of 1/16 by 2 in. for

turntable brace and steering-gear support.
Round iron—20 ft. of ½-in. round iron
for braces and runners.

Two pulleys 1/4 by 1 in. (with screw

eyes) for steering gear. Manila rope—8 ft. of ¼-in.


Flathead iron screws, 24 of 1-in.


Carriage bolts: $6-2\frac{1}{2} \times \frac{1}{4}$; $2-3 \times \frac{1}{4}$; $4-3\frac{1}{2} \times \frac{3}{8}$; $4-4 \times \frac{3}{8}$; $2-6 \times \frac{3}{8}$; $1-10 \times \frac{1}{2}$. Flat iron washers for all bolts.

If running boards are to be added: 2 boards 3/4 by 31/2 in. by 10 ft.; 8 ft. of 1/2-in. round iron; bolts for the braces and boards.

Tools. Usual woodworking tools and hack saw, drill, countersink, center punch, machinist's hammer, and an anvil or suitable substitute.

Method. The two sleds are made first. They are alike except for the middle brace of the front sled, which is twice as wide as the other two braces. Lay out and cut one runner on 1 by 4 in. board. Use this as a pattern for cutting three more. Bore 1-in. holes for ends of wooden braces, spacing centers 1 in. below top of runner and 10, 18 and 26 in. from rear end.





How the sleds are constructed. Note that the front sled has a middle brace 3 in. wide

To insure uniformity, clamp two runners together and bore holes at same time.

Cut five wooden braces from 1½ by 2 in. by 7 ft. piece. If lathe is at hand, cut each 16 in. long and turn 1 in. on each end down to 1 in. in diameter; otherwise cut 14 in. long, bore a 1-in. hole in each end about 1½ in. deep, and use a hardwood dowel. In the latter case, both ends of the dowel will have to be held in place with a screw. If the ends have been turned, only one screw is needed through the runner into the brace. The middle brace on the front sled is similar, but 3 in. wide.

Lay out the turntable as shown, being sure all measurements are full. The lower half is bolted to middle brace of front sled with two 3½ by 3% in. bolts. Find the exact center of this half of the turntable and bore a ½-in, hole through it and the brace to receive the lower end of the 10 in, bolt.

For the rear sled, lay out two rocker supports on the 2 by 7 in. piece. Locate center of hole before cutting. When both supports are cut, clamp them together and bore holes for the rocker journal. This journal must be either turned down on a lathe or else carefully worked down with a chisel. It is not in the exact center of the 3 by 4 in. crosspiece, but 1/2 in. below center horizontally and on center vertically. The fit should not be loose, neither should it bind. Four 4 by 3/8 in. bolts fasten the rocker supports to the sled. Clamp the supports to the braces to prevent slipping, and bore holes through both at once.

Remove turntable, rockers, and cross braces from runners. Drill and countersink a hole for a 1-in, screw from the top of the runners into each cross-brace hole. Turn runners upside down and cut a groove 1/2 in, wide and 1/4 in, deep the full length of the bottom. Heat the end of a 1/2-in, round iron rod and flatten for 2 in. At this end also curve the rod to fit end of runner. Continue curve around entire toe of runner and along bottom. When heel is reached, allow about 2 in. and cut off. Heat the heel end, flatten, and bend to fit around heel of runner. Drill and countersink two holes in each flattened end of iron. Repeat this operation for each runner, then proceed with the general assembly. The iron runners, however, are not (Continued on page 104)

FEBRUARY, 1935

PRESSING A RUBBER BULB PROPELS THIS INGENIOUS

Toy Submarine



THIS amusing little submarine can be operated in an ordinary tub or a bathtub full of water. It will move forward on the surface, submerge, travel under the water, and rise again.

The hull is made from a small tin can about 2 in. in diameter and 3 in. long, with both ends removed. If such a can is not obtainable, you can make one from the tin of a larger can.

The cone-shaped ends, the conning tower, and the periscope are made as shown. The small tin tubes are formed around a nail of the proper size. The nail is then removed and the seam soldered. The 4-oz, lead weight is suspended 1 in, below the hull, otherwise the boat will be unstable.

The rubber tubing should be as small and light as possible (about 1/8 in. outside diameter) and 3 or 4 ft. long. Tubing such as that used on trick roses is very good. Novelty stores usually have them for sale. If one tube is too short, join two of them together. The bulb that is ordinarily attached to the tubes is rather small, but it may be used if a hole is cut in it. A bulb from an atomizer is better. The valve should be removed and the tubing attached as shown. Other details of construction are made clear in the drawings below.

The tube on the submarine to which the

rubber tubing is connected extends to the top of the hull, and the only other opening into the boat is the propulsion tube. Thus, to submerge, air is drawn out by means of the bulb and water enters through the propulsion tube at the stern. The vessel will settle lower and lower until finally the periscope goes under. If you wish, you may submerge until only the top of the periscope is in view.

through a propulsion tube moves the "sub" for-

ward. At left: Diving under a wooden "ice floe"


To bring the submarine to the surface again, simply pump air in by squeezing the bulb while the thumb is held over its open end. Then, before releasing the bulb, remove the thumb, and before squeezing it again, replace the thumb. When drawing air out, the operation is reversed.

To propel the submarine forward on the surface, set the rudder as desired. Next, compress the bulb and draw air out of the boat until the deck is awash. Then press the bulb steadily. As water is forced out of the stern tube, the boat will rise and move forward at a fair rate of speed. Keep your thumb on the bulb opening and allow the bulb to expand; then repeat the operation.

The most interesting trick is to propel the boat forward without rising to the surface. In order to do this, submerge until resting on the bottom. Then force air into the boat until it just starts to rise


and move forward, but release the pressure before it has had time to rise to the surface. Allow the boat to sink, and repeat the operation.

Paint some wooden blocks white, as shown in one of the illustrations, to represent an ice floe, and you can have a lot of fun trying to pass under the floe without bumping the periscope. If you come to a patch of open water, pump air in very slowly to bring the submarine straight up.—Paul R. Rannie.



HOW TO REPAIR BROKEN DRESSING-SET COMBS


Valuable combs and other articles in a matched dressing set can often be repaired, when broken, by using two short brass escutcheon pins, brads, or pieces of wire as dowels. Two holes are first drilled in one part of the comb. Short metallic points are inserted temporarily so that when the two parts are brought together marks will be made in the undrilled portion as guides for drilling the other holes. Cut the heads from two short brass brads and use them as dowels. Place a little transparent cellulose cement on both the dowels and the broken edges, and force the parts tightly together. The cement should be allowed to dry undisturbed for several days.—E. A. Bower.




Holes are drilled in the parts, which are then assembled with brass pins and cement

OFFICE STAPLER TACKS LABELS ON WOOD

An ordinary office stapler, when removed from its base, may be used for quickly fastening address tags to wooden crates or boxes and also for tacking up bills or notices. The wire staples are easily forced into the wood and hold the paper or cardboard securely.—Emil Pearson.





POPULAR SCIENCE MONTHLY



NLY a lathe is needed to ornament

segments of moldings glued around the

base are cut from turned rings resembling

arcs of 3-in, radius on a piece of plywood. If a bandsaw is at hand, and several trays

are to be made, tack a dozen or more

thicknesses of three-ply together with the pattern on top (nails driven into the waste

wood), and cut the batch at one time.

Sand the faces smooth, sponge with water to raise the grain, and sand smooth again

For a really fine paint job, brush on two coats of lacquer; and when dry,

scrape level with a square-edged cabinet

scraper, finishing with split 6-0 sandpaper

used wet. Then give one more coat of

color, to be rubbed down, first with the

sandpaper, then with pumice stone and

ings. Mount disks of wood on a face-

plate for turning the fronts. It is neces-

sary, of course, to be accurate in turning

the profiles, so that the segments will

match at the joints. When all are turned,

the rabbets are being turned, and trim

the insides. Scrape the rabbets with a

1/4-in, chisel. The finished rings can be

pried out of the chuck with a chisel pushed

Make a chuck to hold the rings while

While the bottom dries, make the mold-

water applied with a felt pad.

saw out the waste centers.

For the bottom scribe an 11-in. circle, draw eight equidistant radii, and strike

round picture frames.

when dry.

the edges of this colorful tray. The


Never Say a Job's Too Hard

Suppose you wanted a tray like this, but did not have a spindle shaper for making the molded edge. Would you give it up? The author of this article didn't. He simply used his lathe for turning the moldings.

> Use the chuck, with the addition of guide blocks, as a miter box to cut the segments. Insert the half-rings with the rabbet out and the grain running the long way.

Scrape the paint from the bottom along the edges, exposing 3/16 in. of wood. If thick casein glue is used, the sections can


be pressed in place, and no nailing or clamping will be required. Complete the tray by painting the molding as desired.




The rings are held in a wooden chuck for turning the rabbet and trimming the inside



Six blocks are then added to the chuck to make it into a miter box for the moldings






CORD FOR CRAFTWORK DYED WITH SPONGE

WHEN lengths of cord are to be dyed for ship model making or any form of craftwork, dip one side or end of a sponge in the liquid and draw the cord through this portion by means of a needle. It should pass out through the dry part of the sponge, which will remove all surplus coloring matter. This is a neat, clean method and is particularly useful in dyeing cord for square-knot work, and for coloring or applying a protective liquid to fishing lines,-Wellington Kirk.

TINSEL FUSE PROTECTS MODEL RAILROAD

ALL model railways should have their electric current supply systems protected either by a circuit breaker or by a fuse. Circuit breakers, however, cost money, and if the model railway is much used, even the expense of replacing plug fuses becomes quite an item. The illustration shows how to construct a fuse for model railways, that, once installed, can be renewed at virtually no expense.

First connect in the circuit a grid leak clip such as can be obtained at any radio store. Also get a grid leak of the tubular type with metal ends. Any radio service man is likely to have plenty of discarded ones in his scrap box. Remove both metal end caps by applying a little heat, as these are usually fastened with a shellac-like cement. Take a strip of Christmas-tree tinsel or tinfoil a bit longer than the tube portion of the grid leak and put it in so that the ends will be held in place by the end caps. The pressure will insure a good contact. If the fuse blows too easily, fit two pieces of tinsel or a thicker strip of tinfoil.-WALTER FLINT, JR.



The fuse is a strip of tinfoil inserted in an old radio grid leak of the tubular type

Check Your Shop Lighting

HEN you tackle a job in your home workshop, do you make frequent mistakes, bruise and cut your fingers, and emerge in an hour or two with a headache? If you do any or all of these things, the chances are that there is some-

thing wrong with the shop lighting system.
"Oh, I doubt that," you may say to
yourself. "Besides, I have a big bulb right over my bench, and the shop looks to be

pretty well lighted."

All right, test the light for yourself and see just how good it is. If it is nighttime, stop reading right away and take this magazine to the basement, or wherever you have your shop. Lay it open on your bench so that the chart on the opposite page is in the position where you do most

of your work. This chart has been especially worked out by POPULAR SCIENCE MONTHLY to serve as a test of home work-

shop illumination.

Now lean over until your head is at your normal reading distance from the chart, and try to read the smallest type—that in the upper right-hand corner. Then look at the small drawing directly at the left of the type. Can you make out all the lines, distinguish the separate parts, and read the dimensions and identifying letters?

If you can do all this correctly and easily, without any special straining, your bench is very well lighted at this particular point. There may be other things wrong with the lighting, such as glare, the casting of violent shadows, and the lack of proper reflectors and shades, but the

amount of light certainly is sufficient, If you don't have much luck with the first sample on the test chart, try the second. Study both the drawing and the accompanying type. If both are easily read, the illumination at this point of your

bench is good.

Try the third division of the chart. It can be read comfortably in what may be called "fair" illumination, but this is not good enough for a workbench, especially when accurate or delicate work has to be done, such as fitting furniture joints or making models. Neither is it adequate for working from small drawings of the type published in magazines and books or for studying blueprints that contain fine lines and intricate details.

Many home workshops do not have even this degree of illumination. If you find that you have to go as far as the fourth test specimen to make out the letters and figures quickly and clearly, there is no question about the inadequacy of the illumination. It is poor. In fairness to yourself, you should do no further work at the bench until you have improved the

You may use the chart in the same way at your machines, if you have any, or in other positions in the shop. Provided you are conscientious in using it, the chart will give a rough-and-ready but satisfactory check. For a more accurate and scientific

test, lighting engineers use a sensitive instrument known as a "sight meter." Your own lighting company will probably be glad to send a representative to your home with one of these meters to test all your lighting facilities, if you wish.

Plenty of light, properly distributed, is the best insurance against accidents, bungled work, and damage to eyesight in the home workshop, according to J. M. Smith, a Cleveland illuminating engineer.


Most workshops are underlighted, particularly those in which dark-colored tools and materials are used. Engineers measure lighting intensity in foot-candles. In too many shops, the value of the light on a workbench top is scarcely more than 1 or 2 foot-candles, whereas the recommended minimum is 15. Outside sunlight reaches values of many thousand foot-candles, so that you need have no fear of getting too much light. The new so-called "science of seeing," which lighting and vision experts have developed within the past few years, has revealed that it is practically impossible to illuminate a room too brightly, if the light is properly distributed;

This movable unit can be used for most shop lighting of a general nature. The fixture

ring is merely hung on a hook where desired

It is a great strain to work in any shop lighted like the upper one at the right. The bench should be illuminated, as shown in the lower view, by two modern 14-in. domes with 150-watt lamps

You Will Do Better Work . . . Save Yourself from Eyestrain...and Reduce the Risk of Accidents



with New Test Chart

and that increasing the amount of light actually prevents the eyes from becoming tired as rapidly as with lower intensities.


Even worse than too little light is glaring light. A 10-watt bulb, unshaded and suspended in front of the face where its rays shine directly into the eyes, can be painful and will cause partial blindness no matter how much other illumination is present. Glare, then, is to be guarded against. In fact, it is the principal bugbear of modern lighting systems, and sometimes is difficult to eliminate. In addition to direct glare from a lamp, reflected glare from polished metal surfaces must be avoided.

Shadows, too, have to be taken into consideration. In some types of shop work they are necessary to reveal objects in three dimensions; but when most of the work is concerned with length and breadth only, shadowless lighting is preferable. When shadows are desirable, they should be soft and luminous.


"How can I meet all these conditions?" you ask, perhaps thinking it next to impossible to do so.

Take a concrete example: Suppose that you have a workbench 3 ft. high and measuring 3 by 8 ft. on top, and that the room has a ceiling 7 ft. above the floor. This is a good average for basement shop conditions. You desire to light the bench in the most approved manner.


A sufficient amount of light, Smith cal-



You will find it a pleasure to work with shop machines that are equipped with their own lights in suitable reflectors. The milling machine above has an adjustable unit costing \$1.50 for the parts. It is adaptable to most machines. In the oval is a 150-watt lamp mounted on a swinging arm for illuminating lathe work properly



This chart will show whether you have excellent, good, fair, or poor light in your shop



culated when the problem was presented to him, will be provided by two 150-watt, frosted-bowl lamps in standard 14-in, R. L.M. domes, spaced 5 ft. apart and 2½ to 3 ft. above the surface of the bench. R.L.M. is a trade designation for the type of dome illustrated, although what it really stands for is "recommended by lamp manufacturers." These lighting units should be placed so that their centers are 6 in, back of a vertical line extending from the front edge of the bench, and 2½ ft. on either side of a line drawn across the center of the bench. They measure about 1 ft. high over all.

The R.L.M. domes are metal reflectors enameled green on the outside and white inside. They are scientifically shaped for the most efficient distribution of light. The porcelain, which is baked on, is easy to clean; and it and the bulb should be kept clean at all times if you want the most light for your money. R.L.M. reflectors are made (Continued on page 95)

Privateer Model



By Captain E. Armitage McCann

The author puts the finishing touches on the model of the Swallow he designed especially for Popular Science Monthly. The view in the oval shows the method of rigging the bowsprit



THE RAKISH LITTLE

Swallow

UR model of the Swallow, a privateer of 1812, is now ready for the rigging. We have described the making of the hull, deck fittings, and spars for this smart little topsail schooner in three previous articles.

This type of vessel was the fastest craft afloat at that time. Though very loftily sparred, they were small vessels, so the spars and cordage were lighter than that of a full-rigged ship. This should be kept in mind.

As with a real vessel, the first thing to be shipped is the bowsprit. The heel goes through the bulwarks, and the square end is set between the posts on deck. Pass the gammoning (lashing) around the 'sprit and through the hole in the stem about five turns, with cross turns between the 'sprit and the stem.

As there is no bobstay, the bowsprit shrouds come low on the hull (see the rigging plan published last month). The after ends are spliced or seized to bolts in the hull. Deadeyes are turned into the outer ends, connecting with others fastened to the bowsprit at the after ends of the bees.

Four thicknesses of cord are required, as indicated in the accompanying list, although this may be reduced to three sizes by cutting out the size marked "c." For sail gear and seizings, use "A" sewing silk. Black cord will be required for standing rigging, and white or light brown for running rigging—that is, ropes which reeve through blocks. Where splices are

72

mentioned, you can actually splice the thicker grades or seize the ends back (a seizing is a binding). With the thinner grades, a hitch is sufficient, as a rule.

To set up the rigging, deadeyes are used as shown in a detail drawing near the end of this article. Chain plates made like No. 1 are the most correct; No. 3 is the simplest, and No. 2 is the kind I used as a compromise. It is formed of one ring around the deadeye, squeezed together underneath to lie in the notch in the channel. The botton link is a link from a piece of chain, also squeezed together. The middle link is a piece of wire rove through both and soldered. The deadeyes must lie snug on the channels. A small escutcheon pin holds the lower end down.

Now ship the foremast, being careful that it is in line with the stem and at the right rake aft. For the shrouds take a piece of cord, seize a deadeye in one end, pass the other between the crosstrees, around the lowermast and down again on the starboard side, and seize in another deadeye. Put knots in the ends of pieces of c-cord, pass the ends through the hole in the top deadeyes (facing the left eye

when looking outboard), through the corresponding lower deadeye, and so on. Haul them down tight together, but do not fasten. Do the same on the port side. When all four are tight with the mast upright and the deadeyes are at the same level, hitch the ends around the shroud above the deadeyes.

As there are three shrouds to a side, pass the last one up one side and down the other; or, better, make a cut splice and pass that over the masthead.

Do the same at the main, but use only one pair each side.

The forestay goes over the forward crosstrees, around the lowermast, and down the other side. The ends go through the bees and are seized tightly to bolts in the hull, close to the bowsprit. If you are showing the hanks (rings) for the foresail, these go on before reeving through the bees. The two parts are seized together above the jib boom and at the top.

The mainstay is spliced around the lowermast head, close under the cap, and is seized back to the eye in the forecap. The preventer stays go around the masthead as for the fore, but in the ends are

spliced 3/16-in. blocks connected with similiar blocks strapped to bolts in the deck at the waterways. When the foresail is set, the lee preventer stay is slacked up.

The ratlines (steps) are of fine sewing silk, a full 1/8 in. apart, clove-hitched to each shroud. I use a bent needle for this, working from left to right.

Before shipping the booms, pass a knotted cord through




Diagram showing what the belaying pins are used for. Each number represents a line on the main rigging plan published last month

one end of the jaws, splice in the topping lifts, and seize on the sheet blocks. The seizings pass through the slots in the cleats. Double 3/16-in. blocks are used for the upper, and single for the lower. Put the jaws to the masts, pass the ends of the cords through the other holes in the jaws, and knot them. Reeve the topping lifts through blocks seized under the trestletrees and splice blocks in their ends; through these reeve thin cords, one end of which goes to the bolts in the channels and the other through the outer sheaves in the fife-rail posts.

The fore-sheet block hooks to the ring on the traveler and hitches around its own parts. The main sheet hooks to the ring in the taffrail, each end belaying to a cleat in the knees at the corners.

The foregaff has a double block at the jaws and another to the eye on the mast. The tackle of b-cord reeves through these and down through the inner sheave in the fife rail, to port. The peak halyard starts at the end of the gaff, through a double block at the masthead, through a block halfway out, then up, and down to the fife rail to starboard.

The main is the same except that the peak halvards have two blocks on both gaff and mast, and the sides are reversed. Both have vangs to steady them from swinging. These are spliced or seized around the gaff and lead with a single block and runner to bolts in the waterways. Throat downhauls are needed to keep them in position-from jaws to fife rails. They should each have peak downhauls also.

The jib boom reeves through the cap and has its heel lashed on the cleat on the bowsprit. The martingale boom, commonly called the dolphin striker, hooks to an eye under the cap, has an eye on either side for stays to reeve through, and a shoulder at the end. For the martingale and backropes to hold it in position, splice a single cord (a) into the bight of another cord (b), with the eye of the latter just big enough to go on the end of the dolphin striker. Put this on, take the single cord and seize it around the end of the jib boom very tightly, then draw each leg of the backropes back to eyes in the hull and seize; or, better, make eyes in their ends and tighten with lanyards.

Materials for Rigging and Finishing

CORD: 15 ft. black, about as thick as 20-gauge (B. & S.) wire and designated throughout as size a; 20 ft. black, 24-gauge, marked b; 10 ft. black and 16 ft. white, 26-gauge, marked c; and 12 ft, white, 30-gauge, marked d. (If desired, the d-size may be used for both c and d.) Wire: 2 ft. No. 32 magnet wire for footropes; 4 ft. No. 30 tinned wire for jackstays, etc.; 2 it, No. 20 copper for chain plates, foresail traveler, etc. Chain: 16 in, with from 11 to 13 links per

inch for cables; 31/2 in, with 17 or fewer links per inch for topsail halyards.

BLOCKS: 3/16 in., 3 single, 7 double, designated as size f; 5/32 in., 8 single, 6 double, size g; 1/8 in., 38 single, 3 double, size h; 3/32 in., 32 single, size j (for gun tackles); 1 sister block, marked hj; bull's-eye, 1/8 in.

DEADEVES: 20 of 3/16 in., 12 of 5/32 in., and 4 of 1/8 in.

Tubing: 4 pc. 3/32 in, inside diameter and ¼ in. long for cable pipes and pumps.

Pins: 60 common pins 1/2 in. long for making eyebolts, and additional for nailing and other uses; 20 No. 20 escutcheon pins for chain plates and rudder.

Anchors: 2 with wood stocks, 1 in. long. FLAGS: 3 as described.


MISCELLANEOUS: Black, white, and red paint; brown stain, varnish, glue, brads,

martingale boom,


The fore-topmast may go on next. Don't forget the fid, or piece of wire through the heel to prevent its slipping down. Here the stays go on first, splicing around the mastheads and leading through holes in the jib boom, through eyes on the dolphin striker, and back to bolts in the hull where the ends are seized back.

The ring for the jib stay must go on the boom before the martingale. This is a ring to slide on the jib boom, with a smaller ring soldered above it. The jib stay splices around the masthead, reeves through the little ring just mentioned, through a hole in the jib boom, and has a sister block turned into its end. This is connected with a single block hooked to an eye in the cap (underneath), the end coming inboard to one of the forward belaying pins. This may be omitted and the stay lead without the ring through the jib boom and through an eye in the

Next, the topmast shrouds, one pair



Stern view showing the jolly boat and the type of base used by Captain McCann. The model is set on miniature graving-dock blocks and is shored on each side to take strain off keel



Supplementary rigging diagram, numbered to correspond with the plans previously given

each side, are seized to the masthead. They lead through holes in the ends of the crosstrees and are seized to the eyes in the futtock-shroud bands. These should have ratlines.

The topmast and topgallant backstays come down as the lower shrouds to their respective deadeyes-5/32 in. for the topmast and 1/8 in. for the topgallant backstays.

The main topmast is similar, except that there is a long topmast, no topgallant mast, and only one shroud and one backstay to a side. If you are using hoops, there must be some on this mast for the gaff topsail. The stay goes from the masthead to a bolt abaft the main cap.

The lower yard is suspended with a sling and held to the mast with a truss. The former is a long strap with a bull'seye seized in the bight. This is then passed around the mast and through the the other bight, to lie close above the yard. An eye is seized in the bight of another cord with a long end to go over the cap. It is passed through an eye spliced in the short end and seized. The bight of this and the bull's-eye are drawn together with a lanyard so that the yard lies immediately below the futtock band when drawn to the mast with the truss. This is of a-cord with a short end having an eye and a long end that goes around the yard and mast. The end leads on deck to draw the yard close to the mast or slack it, as required. These fittings may be much simplified if desired.

At the yardarms the brace pennants are spliced on first, then the topsail-sheet blocks if any, then the topping lifts. A neater alternative is to splice the sheet blocks into the lifts. The forebraces have long pennants (Continued on page 96)

ELECTRIC BANJO CLOCK BUILT AT LOW COST

ITH a few tools and ordinary skill, anyone can make a beautiful electric banjo clock. A suitable movement may be purchased or, as in my own case, removed from a small, inexpensive bedroom electric clock.

The dimensions of the wooden parts, as given on the drawings, are those I used, but you may make your clock larger or smaller. A slightly larger dial would be desirable, if one could be obtained.

After the various units have been made as shown, fasten C to D with small brads; then fasten C and D to B by means of a screw and a couple of brads. Have the back of the box and the clock container absolutely flush. Fit E inside the lower end of D and fasten it with fine brads. Through this sink two screws

through the top of F. Also carve the lower ornament G and fasten it to F from the inside. At this stage both D and F are open in front. Inside these two boxes, glue some narrow strips at the sides, top, and bottom, about 3/16 in. from the edge. Find some suitable colored pictures to fit these open spaces. Back the pictures with cardboard, cut them to shape, and lay them on top of the strips. Cut glass to make a covering for the pictures, making the glass just small enough to fit inside the box and over the pictures. Glue narrow strips of molding around the edges for a frame, mitering the corners carefully.

Now attach A and fasten a small gold eagle to it. One can be ordered at any jewelry store, but I carved mine from wood and at-

How the individual wooden units are made. Glass-covered pictures conceal the front of the parts marked D and F

tached the outspread wings firmly with pins.

Use a plastic wood composition to fill in all the crevices, and sandpaper the case well. Apply a coat of walnut varnish stain, sandpaper it, and repeat three or four times, or use any other type of finish you prefer. Give the eagle a coat of bronze or gilt. Now fit the movement and bring the electric cord out through the back of the clock.

I screwed an eyelet into the back in order to suspend the clock, and also placed two rubber knobs at the back in each lower corner so that the cord could pass down in back. If it is desired to place a scroll on each side of D, they can be easily cut from thin brass. I put them on but later removed them, as I liked the general appearance of the clock better without.—John Neil Tiffany.





LeVern T. Ryder (at left), president of the Guild, presents a miniature gavel to the president of the American Hardware Manufacturers Association. Right: Shop of Charles L. Hitt

The National Homeworkshop Guild Sets New Goal for its Great Leisure-Time Program

HERE do you stand in relation to the Nation al Homeworkshop Guild? Are you a member of one of its 128 affiliated clubs? Has a Guild Club been organized in your town?

You owe it to yourself to answer these questions at once. If you have any interest at all in the home workshop hobby—and you must, or you wouldn't be reading this department—you can double the pleasure and satisfaction you get out of it by becoming affiliated with the Guild. It represents the greatest step forward that has ever been taken in behalf of amateur craftsmen.

It gives them a chance to get together and compare notes, to learn new methods, to participate in exhibitions and contests, and to do a thorsend and one things that haven't been possible in the past. You are simply missing a bet if you don't join a home workshop club.

Now there may not be a club in your locality. You can find out from the list in the right-hand column. It gives all the cities and towns in which Guild clubs have already been organized. If there is a club nearby and you do not know where it meets or who the officers are, send a self-addressed stamped envelope to the National Homeworkshop Guild, 312 Harper Avenue, Rockford, Ill., for that information



One of ten silver trophies to be awarded in the National Contest, each accompanied by \$100 in cash

In case you do not find your city or town listed, the thing to do is to get a few of your friends to join with you in starting a club of your own. Any five or more men or women over sixteen years may organize a club and apply to the National Guild for a charter. None of the clubs now in existence has had the least difficulty in getting started or in finding a place to meet, and many of them have doubled and redoubled their member-

The advantages of becoming affiliated with the Guild have been pointed out in previous articles, but LeVern T. Ryder, president of the national organization, will be glad

to outline them in greater detail if you will fill out the coupon at the end of this article. You will also receive a bulletin telling how to obtain names of prospective members, where to hold meetings, how to call and conduct the first meeting, how to prepare a constitution and by-laws, how to choose officers, and how to obtain adequate publicity. Practically all the problems that are likely to arise in organizing a club have already been solved for you. All you need do is find a few congenial neighbors who are interested in some branch of craftwork, It doesn't matter if some of them are without home workshops and have little experience or skill. The Guild is for beginners as well as advanced amateurcraftsmen. (Continued on page 76)



WANTED

A Craftsman's Club

In Every Town

Miles City, Mont.
Middletown, Conn.
Mobile, Ala.
Moose Jaw, Sask., Can.
Mooristown, N. J.
Mount Vernon, N. Y.
New Britain, Conn.
New Egypt, N. J.
New York, N. Y.
Norwood, Ohio
North Manchester, Ind.
North Tonawanda, N. Y.
Oakland, Calif.
Oklahoma City, Okla.
Orange, Mass.
Patchogue, L. I., N. Y.
Patillas, Porto Rico
Peekskill, N. Y.
Philadelphia, Pa.
Port Leyden, N. Y.
Poughkeepsie, N. Y.
Provo, Utah
Red Wing, Minn,
Richmond, Ind.
Richmond, Ind.
Richmond, Va.
Rockford, Ill.
Roseburg, Ore.
Saginaw, Mich.
San Diego, Calif.
Scranton, Pa.
Seattle, Wash.
Sharon, Pa.
Sharpsburg, Pa,
Sheridan, Ill.
Silverton, Colo.
Smith Center, Kans,
Snoqualmie, Wash,
Spokane, Wash,
Springfield, Mass,
Stroudsburg, Pa,
St. Charles, Ill.
St. Joseph, Mo.
St. Louis, Mo.
St. Louis, Okla,
Sterling, Ill.
Syncuse, N. Y.
The Dalles, Ore.
Topeka, Kans,
Tucson, Ariz.
Tulsa, Okla,
Two Rivers, Wisc,
Vineland, N. J.
Warren, Ohio
Washington, D. C.
Waukegan, Ill.
West Springfield, Mass.
Wethersfield, Conn,
Wichita Falls, Texas
Wood-Ridge, N. J.
Yakima, Wash,
Yreka, Calif.
Zanesville, Ohio



The local clubs are busy with their preparations for the National Exhibition and Contest to be held in Chicago, March 25 to 30. One of the larger clubs has already informed the contest committee that it expects to have more than thirty entries ready. Even the smaller clubs hope to enter at least one project in each of the first nine divisions of the contest because that will give them a better score in figuring their total points for the grand sweepstake prize of \$200 and a silver cup. Cash prizes totaling \$2,000 and ten silver trophies will be given in the various divisions of the contest,

The Guild was organized for the benefit of the amateur craftsmen of the United States, but many inquiries have come from foreign countries. One group of Americans and Englishmen in China asked to be considered for membership. It was finally decided by the national board of directors that clubs organized in Canada would be recognized by the Guild on the same basis as those in the United States. The first club to be chartered under this extension of the Guild's field of activities is the Moose Jaw Homeworkshop Club of Moose Jaw, Saskatchewan, Canada.

LOCAL CLUB NOTES

With its usual progressiveness, the Topeka Homeworkshop Club of Topeka, Kans., has led the way again by being the first local club to publish a bulletin of its own, The first issue is a four-page folder called "The Topeka Homeworkshop Club's News Bulletin." It contains the following introductory note:

"The Board of Governors has decided to put out an issue of the News Bulletin as an experiment for the purpose of presenting our meeting dates, place of meetings, and other information and news of general interest to our members. It is planned to substitute this publication for the present method of mailing cards and by calling on the phone. * * * There are a number of members who are very in-

Clubs Just Started

THE following new clubs have been organized and granted charters by the National Homeworkshop Guild since the January issue of POPULAR SCIENCE MONTHLY was published:

Fort Wayne Civic Homeworkshop Club, Fort Wayne, Ind.

Greater Lawrence Homeworkshop Club, Lawrence, Mass.

Highland Homeworkshop Club, Louis-

ville, Ky. Manitowoc Homeworkshop Club, Man-

itowoc, Wisc.

Moose Jaw Homeworkshop Club,
Moose Jaw, Sask. Canada.

North Shore Craftsmans Club, Waukegan, Ill. Saint Louis Homeworkshop Club. St.

Saint Louis Homeworkshop Club, St. Louis, Mo.

Twin City Homeworkshop Club, Sterling, Ill.

These clubs are in addition to those listed in previous issues. All new clubs will be announced in these columns as soon as possible after being chartered.

terested in the club, but for various reasons are unable to attend all meetings, and some are unable to get some parts of the meeting through no fault of their own, therefore the Board believes that this plan should be invaluable to these members."

Another editorial tells how the club started about a year ago with twenty members and has grown to approximately seventy-five members, with applications at each meeting.

At a recent meeting of the club, P. A. Van Es discussed the hazards of electricity and explained how the proper installation of equip-

ment saves money on the electric light bill. Seventeen members and prospective members of the Holton Homeworkshop Club of Holton, Kans., were entertained at a Dutch luncheon by the Topeka Club at the Topeka

ADVISORY COUNCIL

Professor Collins P. Bliss

Dean of the College of Engineering,

New York University

Professor Clyde A. Bowman Dean of the School of Industrial Education, Stout Institute, Menomonie, Wisc.

Harvey Wiley Corbett Architect, New York City

Dr. Hugh S. Cumming Surgeon-General, United States Public Health Service

Maj.-Gen. Benj. D. Foulois Chief of the Air Corps, U. S. Army

Capt. E. Armitage McCann Founder, Ship Model Maker's Club

Dr. Francis G. Pease Astronomer, Mt. Wilson Observatory

Frank A. Vanderlip Banker and Publicist, New York

Chamber of Commerce. This followed an exhibit staged by three Topeka firms, a picture show, and a hobby talk.

To obtain old toys that could be repaired for Christmas distribution, the Holton Club offered a prize to the boy or girl who collected the largest number. Both Boy Scouts and Girl Scouts cooperated.

Thomas B. Owens, president of the Homeworkshop Club of Cleveland, reports that the club now has a permanent home—a room about 16 by 32 ft. on the third floor of the Film Building.

"We now have a place to hang our hats," he said, "and our charter is hanging on the wall for the first time. We feel quite jubilant. Our meetings were held in temporary quarters up to now. We can now go after a larger membership and have a more active and interesting club. Our present job is to get some furnishings together. Meetings are being held every week because of the competition announced by Popular Science Monthly. That to me is one of the greatest things, and it has put enthusiasm into all of us. No matter who may carry off the honors of the big show, we hope for its success."

W. M. Garrett, secretary of the Capital Homecraft Club of Washington, D. C., reports that the attendance is very gratifying in spite of the fact that the club is so young. The membership has practically tripled since the first meeting.

The Iroquois Homeworkshop Club of West Springfield, Mass., draws its membership entirely from a large local manufacturing company. It was started by five men in the research department,

"Since we are selecting the members rather carefully at the start," writes R. E. Nest, the president, "we hope to have a 100 percent active membership and to cover many arts and crafts."

The Tri-State Hobbiests' Homeworkshop Club of Evansville, Ind., gave a demonstration of wood turning and furniture construction recently in the shop of a local department store. Clinton Hillyard made a floor, lamp from laminated black walnut and maple before a group of interested spectators. Among the projects exhibited by members of the club at the same time were a violin constructed by William Perry; a lacquered gun cabinet and walnut coffee table by E. B. Carpenter, secretary of the club; a walnut clover-leaf table and miniature covered wagon with hand-carved oxen by Mr. Hillyard; book ends of elephant design and two other pieces of wood carving by Thomas G. Standing; and a scale model of the Santa Maria, by C. H. Ayer.

The Middletown Homeworkshop Club of Middletown, Conn., recently witnessed an instructive demonstration on the use of hand tools by a representative of Stanley Tools, manufacturers of hand and electric tools, who are sponsoring the club woodworking division of the National Guild Contest. The club completed several hundred toys for Christmas.

Lathe, band-saw, jointer, and planer demonstrations have been given before the newly organized Civic Homeworkshop Guild of Fort Wayne, Ind. The club is growing rapidly and will soon pass the fifty mark.

Although it has not long been organized, the Atlanta Homecraft Club of Atlanta, Ga., has already held one exhibit in a downtown store window. Its members were kept busy just before Christmas making and repairing toys for needy children.

The Greater Lawrence Homeworkshop Club of Lawrence, Mass., broke a record by starting with sixty-six members.

	HOMECRAFT CLUB
THIS WILL	MTRODUCE:
BHOMB.	
WHO IS HER	LE AS MY GUEST
JIGNED	

Guest cards like this are useful in following up visitors who may later join the club


FREE BULLETIN TELLS HOW TO START CLUB

WHY not have the honor of organizing a home workshop club in your own community, if one is not already in existence?

The best method of starting a club is outlined step by step in a free bulletin you can have by filling out the coupon below. Send for it at once.


c/oF	nal Homeworkshop Guild Topular Science Monthly Burth Avenue, New York, N. Y.
idea as worksh this i	interested in the home workshop club and wish to know what the National Home- top Guild will do for me. Please send me nformation in the large self-addressed amped envelope I am inclosing.
Name	#6
Addres	8
City	(Please print very clearly)





BUILD YOUR OWN SHIP MODEL

With These New, Improved, Simplified Shaped-Hull Kits



Sugar pine shaped hull—main cuts already made. Easy to finish. Top printed for location of masts, deck houses, etc.

Clipper Ship "Sea Witch" \$1.50
Postpaid

13 inches long—8 inches high. Famous and beautiful American Clipper. Kit contains every part needed including blue print, and pamphlet of instructions. Top deck of shaped hull stamped for location of masts, houses, etc. Kit contains paints, glue, chain, deadeyes, anchors, flags, printed bow and stern name plates. \$1.50 delivered.




U. S. S. Indianapolis


\$1.50 Postpaid

Complete Kit for 12 inch model of the famous cruiser from which Pres.

Roosevelt viewed the fleet. An excellent, graceful, racy model, easy to make with simple hand tools. Kit contains everything needed including paints, glue, anchors, propellers, rudder, blue print, pamphlet of step-by-step instructions, etc. \$1.50 postpaid.



S. S. Manhattan - - - - \$1.00 Postpaid



Everything you need to make a 12 inch model of this largest and finest American built liner. A sharp pocket knife is practically the only tool you need. Kit contains paints, glue, blue print, pamphlet of instructions, 40 completely finished life-boat davits, 2 propellers, 2 anchors, 1 rudder. All main cuts in the sugar pine hull already made.

DEALERS!

Write for Terms on These Attractively Packaged New Kits

Model Makers USE THIS COUPON

Fill out and mail this coupon together with remittance, and the complete Kit or Kits you want will be shipped immediately, delivery paid by us.

POPULAR SCIENCE MONTH 381 Fourth Avenue, New Yo		2-35
Send me prepaid the Kit or Kit enclose payment.		I
SEA WITCH	\$1.50 Postpaid	
☐ INDIANAPOLIS	1.50 Postpaid	
☐ MANHATTAN	1.00 Postpaid	
NAME		
ADDRESS		
CITY	STATE	

THE MONTH'S BEST


Auto Ideas

Time-Saving Suggestions for Car Owners Made by Our Experienced Readers

WHEN a wheel which must be removed sticks so badly that it resists all of the usual wheel-pulling methods, I have found that the following procedure invariably works: First, I jack up the wheel on the opposite side of the car. This places a large proportion of the car's weight on the wheel to be removed. Then, after unscrewing the hub nut just enough to bring it out flush with the threaded end of the axle, I strike the axle end several sharp blows with a heavy hammer. I have yet to find a sticking wheel that won't yield to the pressure and jarring.—A. D. H.




AFTER rain had twice frozen inside of the door-handle lock on my car, I hit on the idea shown in the drawing below. Cutting a four-inch length from a piece of half-inch diameter flexible rubber hose, I placed a one-inch slit in one side, locating it to coincide with the door-handle shaft. In cold weather, when there is the chance that snow or rain will freeze in the lock, I simply stretch the tubing to open the slit and slip it on.—B, S.



Rubber tube, slit and stretched over car's door handle, keeps rain from freezing in the keyhole

Winter Car Washing

IF YOU have ever washed your car in cold weather, you are familiar with the chapped hands that usually result. After trying rubber gloves and finding them cold and much too fragile, the writer hit on the idea of wearing a pair of cheap cotton gloves over the rubber ones. The rubber still prevents the water from chapping the hands but the cotton adds the necessary warmth and protects the rubber.—F.V.A.



S SLEDGE

NUT BACKED OFF FLUSH WITH END OF AXLE

OF AXLE

A wheel that sticks can be loosened by raising opposite side of car and striking axle with hammer

Home Vulcanizer That Is Easily Made



NEAT hot patches with ordinary cold cement can be obtained with an inexpensive home tire vulcanizer made from a discarded electric iron, a twoinch square block of wood, a C-clamp, and a two-foot length of iron pipe. First of all, the handle is removed from the iron and the section of pipe bolted in place. Clamps made from strips of iron can be used in mounting the pipe. The assembly then is bolted to the





Illustration above shows how to make a home vulcanizer and, left, method of using it is clearly shown

bench with U-bolts in such a way that the bottom of the iron faces up and is about one foot from the bench top. To repair a tire, simply apply the cold patch in the usual way, place the patch face down on the iron, and clamp it firmly with the block of wood and the C-clamp. Turn on the current for three to five minutes and a hot patch will result.—C. A. P.

Headlight Pilot

WHEN driving a car equipped with a foot-operated dimmer switch it is often difficult to tell whether your headlights are up or down. To warn me when my headlights are up, I bought an ordinary radio pilot light for fifty cents and mounted it on my instrument panel. The electrical connections necessary were particularly simple, consisting of one wire from the pilot light to the up terminal on the headlight side of the switch.—G. M.



This easily installed pilot light on dashboard tells the driver whether lights are up or down



Piston Ring Tool

If YOU plan to replace the piston rings in your car and haven't a ring contractor, an efficient and inexpensive substitute can be made from a flat strip of sheet iron or brass. As shown in the illustration above, the strip is cut approximately one-half-inch wide and slightly longer than the total compressed circumference of the piston rings. When the two

shoulders, formed at the ends of the strip, are pushed together with a large pair of pliers, the loop contracts, compressing the piston ring just enough to allow it to slip into the cylinder. With a little practice, this tool can be used as conveniently as one bought for the purpose.—F.B.



Editing Your MOVIE FILMS

By Frederick D. Ryder, Jr.

THE day you start making your own home movies tell a story instead of being little more than an animated scrapbook, you'll find that your friends will take much greater interest in seeing your pictures. Furthermore, the process of editing your films into a connected story form is easy and fascinating work.

cinating work.

Good film editing starts with the picture taking. No one can edit a story into a reel of film that's worth while if there are no scenes to represent some of the most important things that happened, as well as lively shots of les-

ser importance to sustain interest in the story and round out the narrative.

On a family outing, for example, you might take a shot of packing things into the car, another through the windshield as the car started, a third as the family debarked at the outing place, several more of the various activities, one of mother and the girls arranging the "eats," and so on. Then you would have enough material to be edited into a connected and interesting story of the whole outing.

In taking movies, never worry about the sequence of the various shots. The primary function of editing is to get them in the proper order by cutting and splicing.

The secondary function of editing films is to note what is missing and figure out ways to supply the deficiency. If, for instance, you forgot in your hurry to shoot any scene of the actual start of your outing, you are quite justified, as the film editor, to give yourself orders, in your capacity as cameraman, to go out and get that scene at the first opportunity. The next time the same members of the family happen to be going anywhere in the car, you can shoot a scene of the start, and this can be spliced into the reel of the outing. If the details are correct, your friends won't know the difference, and in time you yourself will forget that it wasn't the real thing.

Editing your films also means figuring



The splice shown at the left is imperfect, as indicated by the light area, but that at the right will last as long as the film

out suitable titles to be made by methods already described (P. S. M., Aug. '34, p. 90). Top-notch editing also requires figuring out all sorts of little explanatory shots that can be made later on. For example, a friend of mine took some pictures on a trip during one of the hottest weeks of last summer. His first thought was to do the obvious thing and include a title telling the thermometer reading. Then he had a better idea, His camera

focused down to a distance of one foot, so he took a large thermometer and made a closeup of it while he held a match a few inches under the bulb and the mercury crawled nearly to the top. He spliced this in right after a title reading "AND WAS IT HOT!" Then he followed it with a close-up of one of the members of the party in his shirt sleeves, fanning himself with a newspaper as the perspiration dripped off his forehead. This shot, too, was taken in chilly weather weeks after the trip. The perspiration was merely water from a dripping wet towel with which the subject's face was mopped just before the button was pressed on the camera.

There is virtually no limit to


the possibilities of this particular phase of film editing except your own imagination and ingenuity.

Another man I know has saved every foot of film he has ever taken-bad shots as well as good-on the theory that some of the shots will be useful. Recently he was editing a reel of night scenes, and dug out of his stock a shot his wife had taken of a parade. It had been put in the discard because she had accidentally closed the lens diaphragm all the way, and the film was badly underexposed when considered as a daylight picture. Titled as a night parade, it became an effective addition to the other night scenes!

The mechanical equipment required for film editing need

not be expensive nor elaborate, unless you wish to go in for the more costly types of apparatus. The essentials are a film splicer, two hand-crank film-winding heads, some means of examining the film through a magnifying glass, and a way to hold the various strips of film while you are working out the proper arrangement.

A serviceable film splicer can be obtained for about a dollar. You can get a splicer mounted (Continued on page 81)



Another type of rack consisting of key hooks screwed into an old drawing board. It is best for long strips

Try a snapshot like this *Tonight*

HERE'S ALL YOU HAVE TO DO

Use Kodak "SS" Film. Set your camera for 1/25 second—Open the lens to f.6.3. Put 2 Mazda Photoflood bulbs in lamp A—1 in lamp B. Distances as indicated. Sight the subject, click the shutter—and you've made the picture.

THERE'S A NEW OPEN SEASON FOR SNAPSHOTS. Now you can make snap-shots indoors—at NIGHT! A new world of picture opportunities . . .

Just use any camera with an f.6.3 (or faster) lens, loaded with Kodak Super Sensitive Panchromatic Film. This high-speed "SS" Film does the trick—it's three times as sensitive as ordinary film under artificial light. Two or three Mazda Photoflood bulbs give ample light.

Hold the camera in your hands as you would outdoors, set it for 1/25 second, open the lens to f.6.3. Sight the subject, click the shutter. You've made a snapshot. Indoors...at NIGHT.



ALL YOU NEED FOR SNAPSHOTS AT NIGHT




KODAK "SS"—the lightningfast film, with the green lightning flashes on the familiar yellow box—the film that, indoors or out, in any light, improves picture quality.



MAZDA PHOTOFLOOD BULBS give brilliant light . . . last for two hours, enough for many pictures. Cost but 25c.





KODAK SIX-20

with Kodak Anastigmat lens f.6.3 is ideal for night snapshots. For pictures 2½ x 3½ inches, price \$17.50. Kodak Six-16, with f.6.3 lens, for pictures 2½ x 4½ inches, \$20.

ONLY EASTMAN MAKES THE KODAK

FREE . . . 32-PAGE

Here's a book you'll want in your library. Complete details about indoor pictures with Photoflood and Photoflash bulbs. Tells you how to make outdoor night pictures of lightning, lighted buildings, fireworks. How to make moonlight photos. Write to Eastman Kodak Company, Rochester, New York.



Address	 		

WHEN IS PIPE SMOKING ECONOMICAL?

Count your hours of smoking before you conclude you are saving money

Some pipe smokers have punished themselves needlessly in their desire to economize by spending less money for tobacco. Buying lower priced tobacco, they have thought to save money. Often the saving is only in imagination. For example, a 15¢ tin of Edgeworth will provide more actual hours of smoking than many cheaper tobaccos. If you doubt this, make the test yourself. You will find that, using an average size pipe, a pipeful of Edgeworth will give you fifty minutes to an hour's pleasant smoking. In actual experience you may find that the cheaper tobacco really costs you more in money while it gives you less in satisfaction.

Edgeworth is delightfully mild. Its rich tobacco flavor is the reason many a man smokes a pipe. A much longer

time is required to makeEdgeworththan is needed to make cheaper tobaccos, because every need of the pipe smoker is considered. At 15¢ a tin, Edgeworth is a very low-priced pleasure. Its use is genuine economy and also insurance of pipe happiness.

Many lovers of Edgeworth buy it in the vacuum packed tins, because the fac-

tory flavor and freshness are retained in these tins indefinitely, no matter what the climate.

Edgeworth is made and guaranteed by Larus & Brother Co., Tobacconists since 1877, Richmond, Va.


BOX KEEPS ENLARGING PAPER HANDY

WHEN a number of photographic enlargements are to be made, all of the same size, a box of the type illustrated below will be found a great timesaver. The ef-fort required to make a few of these boxes to fit the most used sizes of bromide paper will well repay. The sloping sides make the pack of paper splay out sufficiently to enable the

top sheet to be quickly grasped. The hinge is a continuous strip of leather.


When painted a flat black, inside and out, the box will be found adequately tight, even in full daylight, for a reasonable length of time. Of course, common sense dictates that the darker the place in which it is kept, the better.—Ross Wheelton.





The box has sloping sides so that the top sheet of paper can always be quickly grasped. The lid, which has a long leather hinge, is reasonably light-tight

LENS HOOD MADE FROM OLD INNER TUBE



ing directly on the lens of a camera. A flexible hood for this purpose may be made in less than five minutes from a discarded automobile inner tube. This hood will also serve as a holder for color filters and screens.

To make the hood of the correct shape to afford maximum protection without obstructing the line of sight of the lens, proceed as shown in the diagram. Make a paper pattern for cutting the rubber. Use an ordinary rubber inner-tube patch for cementing the two edges of the hood together; then paint the entire hood a dull black. The smaller end of the hood will fit snugly on the projecting shoulder of the lens and will support the hood firmly

Color filters or screens may be inserted in the hood from the end or more handily, through a slot cut just ahead of the camera lens itself. The latter method offers an additional advantage in that unmounted, and therefore less expensive, filters and screens may be used .- W. E. STEWART.

PHOTO AWARDS

THE winners of our November, 1934, photo contest will be announced in the March issue.

Photographing Shiny Objects

NE difficult problem for the amateur photographer is to photograph an object with strong highlights such as cut glass or polished metal.

The most suitable material for taking a picture of this type is modern roll or film-pack film of either

the verichrome or supersensitive panchromatic type. Cut film is not quite so good, and glass plates are very poor.

The lighting should be as even and full as possible so as to get the high-lights well distributed and all of the surface well illuminated. The exposure should be a trifle under rather than over the correct value, and the print should be made on soft paper. Be careful, also, not to overdevelop the negative. All details will then be clear.



camera, as at the left, or carried in

camera case or pocket

EDITING MOVIE FILMS

(Continued from page 78)

on a long board with a film wind at each end, plus a magnifier with a light behind the film, for as little as six or seven dollars. Better models of splicers or complete editing units can be obtained at various prices up to thirty-five dollars or more.

Splicing film consists first in trimming the ends true and with the proper overlap. Then the emulsion is scraped from the film edge that faces up, special cement is applied, and the other film is set in place, back down. Pressure need be applied to the joint for only ten or fifteen seconds as the film cement sets very rapidly. When properly made, the joint is even stronger than the film itself.

A FAULTY splice that splits apart while you are projecting the film always comes from one of four causes. If you fail to get all the emulsion off, the joint will let go. Too little cement will cause trouble. So will lack of proper pressure while the cement is setting. Finally, if you work so slowly that the film cement is partly dry before the film ends are put together, the joint will be weak.

One of the illustrations shows two film joints. The right-hand one is perfect. The one at the left, made in the same splicer with a bit of delay in closing the joint, reveals a light area at one end. This indicates that the film is not cemented together in that area. Such a joint may get through the projector a few times without mishap, but is sure to let go when, in the end, one of the loose edges catches on something.

Film joints do not weaken with use. I have made endurance tests on joints equivalent to running through the projector once a week for twenty years, yet with no signs of weakening.

Two excellent ways are illustrated for holding short pieces of film while you are doing the rearranging and splicing. If you do any large amount of editing, you will find that a number of scenes in short strips, when left on the bench, will soon get into a hopeless tangle. Aside from the time wasted trying to pick out the right one each time, some of the film is sure to get badly scratched.

One of the racks is merely a frame at the back of the table with a crossbar to which a number of wooden snap clothespins are attached. The other is a board with rows of key hooks. The separate scenes are coiled into little rolls, placed on the hooks, and labeled with paper tags if desired. The clothespin method is best and quickest for short scenes, but it is not so good for long strips.

An ideal arrangement would be a rack of clothespins for the short pieces, and a board, smaller and with fewer hooks than that shown, for holding the relatively fewer number of long strips.

CELLULOSE FILM KEEPS AIR FROM DEVELOPERS

TO PREVENT the deterioration of photographic solutions left in developing tanks or other open containers, a good method is to float on top of the liquid a sheet of transparent wrapping material of the cellulose film type. Cut out a piece slightly larger than the surface of the liquid so that the edges will fit tightly against the sides of the tank and form a good seal. No air can then reach the developing solution.—H. S.

ATTACHING OBJECTS TO GLASS

WHEN any small object is to be photographed on glass in order that it will not throw a shadow, it is usually more convenient to place the glass in a vertical position. To attach the object to the glass, use a small piece of chewing gum.—O.B.

TAKE SNAPSHOTS



It's easy...
get DOZENS
of pictures with
THIS LAMP



B marks the genuine

INDOORS!

What a picture! How often have you said that about indoor scenes—and wished they were outdoors? Now indoor scenes are easy to snap.. thanks to supersensitive film and G-E MAZDA Photoflood lamps.

They're inexpensive too, for G-E MAZDA Photoflood lamps are good for two hours of picture-taking...last for dozens of pictures. (Great for home movie making, too!)

FOR SNAPSHOTS you need a camera with a fast F/6.3 lens,* supersensitive film and a few photoflood bulbs in bridge, table or floor lamps. Arrange your lights for a pleasing effect, then click the shutter as you do outdoors. You've taken a picture...indoors AT NIGHT!

Your druggist or camera dealer can supply you with film and lamps. General Electric Company, Nela Park, Cleveland, Ohio.

* Box cameras and slow lens folding cameras can get good pictures with time exposures of one or two seconds.



FOR BABIES . . . PETS . . . ACTION


Get the picture instantly with G-E MAZDA Photoflash lamps. Operate in any light socket or from flashlight batteries. No noise or dust. Enable even box cameras to get lively night shots. Each lamp gets one picture. Retails for 15 cents.

GENERAL ELECTRIC MAZDA PHOTO LAMPS

FREE FOLDER. "How to Snap Pictures at Night"... tells which lamp to use and where to put it... filled with helpful information. P.S.M.P.35

General Electric	Company,	Dept. 166	Nela	Park,	Clevelan	d, Ohio
Name						
Address	********					
City				State.		

TINY MARINE STEAM ENGINE



made 50% with

NICHOLSON

FILES-

A model has been cynically defined as a small imitation of the real thing. The tiny marine steam engine shown in actual size above is more than a model. It is the real thing, capable of driving a six foot boat faster than you can row a skiff.

Mr. Willis Brow, expert mechanic, says, "I made this engine from brass tubing and scrap metal, doing over 50% of the work with Nicholson Files.


"It was delicate work, exacting work, and I used Nicholson Files because I believe they are uniformly high in quality, sharp, durable. In short, the best file value money can buy."

Get the files experts use in their home workshops. Buy Nicholson Files for your model work. Their high quality never fails you. At hardware stores everywhere. Nicholson File Company, Providence, Rhode Island, U. S. A.

Genuine NICHOLSON FILES



A FILE FOR EVERY PURPOSE



FICTION'S MOST FAMOUS SHIP

The $\mathcal{H}ISPANIOLA$

OF "TREASURE ISLAND"

A THE request of many readers, we are interrupting our series of historic American ships to include a water-line model of the *Hispaniola* as the seventh Popular Science Model-of-the-Month Club project. Those who have read Robert Louis Stevenson's immortal "Treasure Island" will need no urging to build this little shelf model of the ship described in that book. Aside from its associations with literature and adventure, however, the ship is one to appeal to any model maker.

For the plans from which this model was designed, we are indebted to the Metro-Goldwyn-Mayer Picture Corporation, which built a full-size Hispaniola for use in producing the current screen version of "Treasure Island." The plans were drawn by Jim Havens, a marine expert of that company.

Our model is built of easily obtained materials to the (Continued on page 89)



SPLIT REED (make three) STERN O See bulletin for dimensions


SPLIT REED E, TWISTED WIRE

The assembled model and, at right, how the hull block is shaped and recessed to receive the bulwark pieces B

NOTES ON CONSTRUCTION

A, B, C, D, E, H, and P are balsa, F, G, K, and L are 1/64 in. thick fiber. I and J are slivers of split bamboo about 1/64 in. square. Parts m, x, y, z are round wood; π is stiff wire; o and w are pins. The cabin windows are split reed. The rigging is No. 100 black cotton. The dolphin striker is fine wire.

Painting: Hull, medium brown. Decks and inside of bulwarks, light buff. Fittings and spars, dark brown.



Quicker, Cleaner, Cooler Shaves INGRAMS





THOUGH EVERY SHAVE'S



Try Ingram's Shaving Cream tomorrow morning, and enjoy a shave that's quick, clean and cool . . . without a trace of sting or burning.

Lather-up, and see! Special ingredients in Ingram's cool the shave and tone the skin—keep your face comfortable while shaving ... protected against rawness when you've finished. Ingram's lather is finer, too. It clings closer, wilts whiskers quicker, and stays moist all through the shave.

Even if you liked the shave you had today, try Ingram's and get one you'll like better! Any drug store.

Ingrams Shaving CREAM

respond to the second of the s


TRY THE WORLD'S COOLEST SHAVE

BRISTOL-MYERS CO., Dept. H-1 110 Washington St., New York, N. Y. I'm hot for cool shaves! Send me a free 10-shave tube of Ingram's.

Name____

City____State___

Two Whirling Thermometers Measure Humidity Accurately



UMIDITY—the amount of water vapor in the air—is such an important factor in maintaining comfort and good health that more attention should be paid to its control. Here is an easily constructed instrument (sling psychrometer or hygrometer) that will indicate the percentage of relative humidity.


Obtain two similar thermometers and fasten them together, back to back, with wood screws. Under the bulb guard of one thermometer stuff a small wad of cotton. Drill a ½-in. hole through both thermometers at the top. Fashion a handle about 6 in. long and fasten this to the thermometers with a wood screw. Insert a washer between the handle and the thermometer, and do not tighten the screw, as this is a swinging joint,

Moisten the wad of cotton with a few drops of water. Then whirl the assembly for half a minute and note the temperatures on both thermometers. The wet bulb should now read a lower temperature than the dry bulb, due to the fact that heat is required to evaporate the water. On the chart at the end of this article, locate the dry bulb temperature at the bottom. For example, this might be 70 deg. LoMore weather articles coming! If you have written, please be patient . . . and watch for the March issue.

cate the wet-bulb temperature at the top, where it is indicated by the diagonal lines. Assume this as 61 deg. Now trace these two lines until they intersect. From this point follow the nearest curved dotted lines out to the right of the chart, where the percent of humidity may be read. In this case it is 60 percent. This is within the comfort zone in the chart and indicates good humidity. The shaded area is the comfort zone for winter, and will tell whether the water pan on the







GIVE

YOUR HOUSE A GIFT THIS YEAR



ANY improvements you make in your home will be appreciated by the whole family all year round. This year your local Better Housing Program will make it easier for you to finance such improvements . . . Masonite PRESDWOOD will make it easier to effect them.

This all-wood material is grainless. Will not warp, chip, split or crack. Obtainable in boards 1/8", 3/16" and 1/4" thick. Both moisture and fire resisting. So workable that even amateurs can perform major jobs with it.

Give your house the "once-over"! Think of the waste space that could be converted into attractive, livable rooms. A spare room in the attic, a game-room in the cellar. A den, workshop, play-room . . . think of the pleasure you would enjoy from these and other additions to your home.

PRESDWOOD is obtainable from leading lumber dealers everywhere, very attractively priced. Send the coupon below for samples, and free booklet.

MASONITE CORPORATION PS-2-35
111 W. Washington St., Chicago, Ill.

Gentlemen: Please send me a sample of PRESDWOOD, and free booklet.

Name_____

City____State__

HOUSE Our BLUEPRINTS.

A Gold Mine of Home Workshop Ideas

BEFORE you start a new project in your home workshop, make it a point to study our list of blueprints for suggestions. The following is a partial list. In general appearance it looks the same as the list published last month, but there are actually eighteen projects that have not appeared in any previous list, and new blueprints are being added from month to month.

Our blueprints are each 15 by 22 in. and cost 25 cents a sheet (except in a few special cases). Order by number. The numbers are given in italic type and follow the titles. When two or more numbers follow one title, it means that there are two or more blueprints in the complete set. If the letter "R" follows a number, it indicates that the blueprint or set of blueprints is accompanied by photographically illustrated instructions which supplement the drawings. If you do not wish this supplement, omit the letter "R" from your order and deduct 25 cents from the price given. Instructions alone are 25 cents each.

Many other blueprints are available. Send a stamped and addressed envelope for a complete list

FURNITURE

Chests, Treasure, 78\$.25
Coffee Table with Spiral Legs, 245A	.25
End Table, American Empire Style, 241A	.25
Floor Lamp with Tripod Base, 243A	.25
Footstool, Upholstered, 240A	.25
Magazine Rack, Ladder-Back Style, 250A	.25
Mirror Frame with Split Turnings, 246A	.25
Sewing Cabinets, Two, 31	.25
Smoking Stand, Modern Design, 238A	.25
Stool, Scoop-Seat (chair height), 242A	.25
Table, Four-Leaf Card, 239A	.25
Tables, Tile-Top (wood and metal), 249A	,25

SHIP AND COACH MODELS

Construction kits are available for some of these models. See page 102

Aircraft Carrier-U.S.S. Saratoga (18-in.)	
and flush deck destroyer (654-in),	.75
Battleship-U. S. S. Texas (3-ft, hull), 197-198-199-200	1.00
Bottle, Clipper Ship in, 121-122	.50
Clipper Ship (201/2-in. hull), 51-52-53-R	1.00
Clipper, Simplified (91/2-in. hull), 219	1.00
Cruiser Brooklyn (8-in.), 236	.25
Cruiser Tuscaloosa (1134-in.), 234	.25
125-126-127-R	1.00
Galleon Revenge (25-in.), 206-207-208-209 Hartford, Farragut's Flagship (331/4-in.	1.00
hull), special prints 221-222-R	1.50
Mayflower (171/2-in. hull), 83-84-05-R	1.00
Decorating Boxes, etc., 202-R	.50
Motorboat, 29-in. Cruiser, 63-64-R	.75
Motorboat, Working Model (20-in.), 196 Liner—Aquitania (9-in.), 225	.25
Liner-Manhattan (12 in. long), 204	.25
Liner-St. Louis (11-in.), 231	.25

Privateer of 1812—Swallow, a Baltimore clipper (13-in, hull), 228-229-230	75
Santa Maria (18-in. hull), 74-75-76-R	1.00
Stagecoach with horses, 144-145-146-R	1.00
Steamboat, Mississippi (1954-in.),94-95-96-R Steamships Savannah (3 in. over all) and	1.00
"Treasure Island" Ship Hispaniola (7-in.),	.25
Viking Ship (201/2-in.), 61-62-R	.75
Yacht Rainbow (7½-in. hull), 233 Yacht Sea Scout (42-in. racing), 106-107-R Yacht (20-in. racing), 48-R	.25 .75

RADIO SETS

All-Wave Portable (battery), 217-R	.50
Amateur Short Wave Receiver, 155	.25
Amateur Radio Transmitter, 183-184 Amplifier, Three-Stage Audio-Frequency, 42	.50
Five-Tube Short Wave (A.C. or D.C.) 223	.25
Full Electric Headphone Set, 130	.25
One Tube (battery operated), 103 Screen-Grid Set, 109	.25
Short-Wave Converter Unit, 137	,25

MISCELLANEOUS

Acrobatic Monkeys Toy, One-Legged Table,
and Hat and Coat Rack, 248A
Bird House, Log-Cabin, 244A
Doll's House, Colonial, 72
Doll's House Furniture, 73
rie Rack, Extension Book Rack, and
Turned Box, 247A
Toy Birds and Animals, Jig-Sawed, 56
Toy Drill Press, Lathe, Saw, etc., 113
Toy Dump Truck, Fire Engine, etc., 101

BOATS

DOALD	
*Canoe, 16-ft. Canvas Covered Kayak, with sail. etc., 192-193-194-R.	1.00
*Duck Boat, Folding, 170-R	.50
*Outboard Racer, 101/2-ft., 114 lb., 211-212-R *Sailboat-Motorboat, Combination (15 ft.,	
cat rig), 131-132-133-R	
Marconi Rig with Jib for Above, 133A *151/2-ft. Runabout or "Sportboat" (outboard	.25
or inboard motor), 175-176-177-R *13-ft. Utility Rowboat (can be sailed or	1.00
used with outboard motor). 224-R	

Note: Full-size patterns for any boat marked with an asterisk (*) will be drawn to order for \$1.50 extra. Simply add this amount to the cost of the blueprints. About one week is required to fill orders for patterns.

Popular Science Monthly 381 Fourth Avenue, New York

Send me the blueprint, or blueprints, numbered as follows:

I am inclosing dollars cents

Name

Street

City and State

Please print your name and address clearly.

MODEL OF A

Queen's Sedan

Chair

ARE you one of the millions of movie goers who have been attracted by the gorgeous costumes and settings of the many recent historical pictures? If so, you can reconstruct for yourself on a miniature scale one of the most picturesque conveyances of olden times—a sedan chair used by Marie Leszczynska, wife of Louis XV of France. Our Blueprints Nos. 123 and 124, price 50 cents, contain plans for a 1/12-in. scale model standing about 73% in. high.



HOW TO RESTORE ALARM CLOCKS TO SERVICE

LEANING a clock is frequently the only repair required to restore it to service. It is a simple process, as you may find out for yourself by practicing on your alarm clock

the next time it stops.

If, for example, you have one of the popular large alarm clocks, first loosen the three small screws at the back near the rim, and twist the movement in a clockwise direction until the screws slip through the enlarged portion of the slots. Next, remove the two winding keys and the four slotted nuts on the back, and slip the movement from this part of the case. Slip a pair of diagonal cutting pliers under the minute hand and pry it off. Then remove the other two hands in the same

The dial is removed by straightening the ends of the four lugs that pass through holes in the frame of the movement. Now pull out the small brass wedge that holds the end of the hairspring on the balance wheel, and turn the wheel until the end of the spring slips out of the slot, and also out of the slot in the regulator lever. Loosen one screw at either end of the balance-wheel staff until it

can be removed.

Dissolve some mild white soap chips in water, add ammonia, and suspend the move-ment in the solution from a wire for about five minutes. Then rinse it thoroughly in gasoline. Brushing with a small paintbrush will remove any remaining dirt. The balance wheel should be cleaned in the same manner, but be very careful not to bend the hairspring. It is a good idea to dry off the gasoline with a fan, or by placing the movement in the sunshine.

If the points of the balance wheel pivots are dull or rounded off, they should be sharpened. The shaft can be placed in a chuck, if a small lathe is available, and the pivots ground to a fine point with an oilstone. An alternative method is to place the balance staff in a pin vise and rotate it with one hand while grinding with the stone in the other hand. A small slot can be filed at the edge of a bench, and the end of the shaft rotated in the slot, with enough of the point protruding to grind. It is also well to clean out the depressions in the two screws in which these pivots rotate.

O REASSEMBLE the parts, first replace The balance wheel, making sure that the pin on the wheel slips into the slot in the lever. Then thread the end of the hairspring through the slot in the regulator lever and through the slot where it is clamped with the small brass wedge. Before clamping the end of the spring, hold the wheel so that the pin and the slot are in a straight line with the balance-wheel shaft and the lever shaft. Allow the spring to move freely, and then clamp at this position. If the clock does not tick evenly, the end of this spring should be moved a very little in either direction until it does.

A few drops of light machine oil should be placed on the mainspring and on the alarm spring, and a small drop of very light oil, preferably clock oil, on each bearing. Also put a drop on the balance-wheel pin, and a drop on each arm of the escapement. Use a piece of wire, about No. 22, for applying the oil to the bearings. Now the other parts may be assembled in the reverse order from which they

were taken apart.

In order to get the alarm set at the correct position, put on the alarm-set hand first. Then turn the minute-hand set knob on the back in the backward direction until the alarm-set hand begins to turn backward. Turn until it is at some convenient position, such as three o'clock; then put on the hour and minute hands at the three-o'clock position. The clock now can be placed in the case and will be ready for use.-Bud Fisher.



FREQUENTLY

says

JAMES MELTON

Famous Radio Star

NEVER start work on a model," says James Melton, famous radio star, "without first making sure that every one of my edged tools is razor sharp.

"I am working now on a scale model of my yacht 'Melody.' On this job, as in the building of any planked model, I have to make innumerable notches and joints and these must be cut with the utmost accuracy to assure a tight fit. I keep my Carborundum Stone within easy reach and give my cutting tools a few strokes on it at frequent intervals. I find the few minutes spent on this precaution are saved many times over in the course of a delicate shaping job, and

Sharpening Stone.

I can work with much greater confidence, knowing that there is no danger of splintering or other damage due to dull tools."

Send for sample sharpening stone and 48-page booklet.

This 48-page book by E. Erickson, well known expert, has 17 large illustrations of the right way to sharpen each edged tool. A little study of this book and every tool you own can always be just right.

It has a "How to Build" section with photographs and diagrams of articles to be made, Instructions are simple and easily understood. The exact amount of material for each article is listed. It is full of hints that will make working in your shop easier and help you do a more workmanlike job.

With this book you get a handy pocket sharpening stone—ideal for pocket knives and small tools. They are both yours for 10 cents in coin or stamps to cover postage.



Town.

......

State

TO GET A STRONG HOLD OR TIGHTEN LOOSE PARTS Sugertade SMOOTSLON

THERE is nothing else like Smooth-On No. 1 for solid anchoring, and in repair work, a Smooth-On job, costing only a few cents, restores full usefulness of many household fixtures, utensils and tools that would otherwise have to be discarded and replaced at many times the cost of the repair.

Smooth-On No. 1 for tightening handles, locks, casters, stripped threads and nuts, anchoring or resetting bolts in concrete, stopping leaks in gas, water, steam or smoke pipe lines, at cracks, or sand holes in boiler radiator sections, at seams in tanks

Use it also on your car for stopping leaks in the radiator, hose connections, gas tank, oil and exhaust lines, for patching cracked water jackets and crank and gear cases, for tightening loose hub caps, mud guards, lamp and tire supports, etc.

Smooth-On No. 1 is simple to apply, expands to everlasting tightness in hardening into metal, and when correctly used makes a quick, inexpensive and permanent repair every

HOME - AUTO REPAIRS WITH SMOOTH-ON Be prepared for emergencies by keeping Smooth-On No. 1 handy. Buy in 7-oz., 1-lb. or 5-lb. can from your nearest hardware store.

SMOOTH-ON MFG. CO. Dept. 58. 574 Communipaw Ave. Jersey City, N. J. Please send the free Smooth-

On Repair Book.

FREE BOOK

	Name
OPS LEAKS	Address
SMOOTHON	2-35
DIENTS IRON	

Do it with SMOUTH O


BUILD YOUROWN
RACER!

Racing offers good money and plenty of thrills. Our brand new book tells how YOU can inexpensively build speedway racers; gives pictures, working drawings, full description of racers. Midgets, dirt track cars fully described. \$1 postpaid; money back if not satisfied. RAY F. KUNS, Dept. D-4, Madisonville, Cincinnati, Ohio

SPECTACULAR

High Frequency

EXPERIMENTS



Made with Aid of Junked Ignition Coil

By KendallFord

No. 14 rubber-covered wire from which the insulation has been removed for a space of ½ in. on each turn, as shown in Fig. 2. The wire is first wound on the form, the spaces to be bared are marked with a sharp knife, the wire is removed, and the insulation cut away. Secure the wire by removing the insulation from the end and passing the wire through

a small hole in the cardboard form. Insert the extended end of the first-made or secondary coil into the same hole in the bottom of the primary coil, and glue in place. Then solder the lower end of the secondary coil to the lower end of the primary coil.

For the condenser obtain fourteen pieces of glass, 5 by 7 in. Old photograph plates from which the emulsion has been removed

ERE is a high-frequency outfit capable of giving a good 3-in. spark and providing an endless number of weird and interesting experiments, yet it can be built in a few hours time and almost entirely from salvaged materials.


Obtain a mailing tube approximately 2 in. in diameter and 12 in. long. Cut two circular blocks of ½ in. wood to fit into the

ends of the tube, and bore a ¼-in. hole through the center of one of the blocks. Glue a short piece of ¼-in. round wooden rod in the center of the latter block and allow it to extend ½ in. from the surface as a dowel. Glue one block in each end of the tube, shellac the tube, and allow it to dry.

If a mailing tube is not available, a satisfactory substitute may be made by making a form as shown at Fig. 1, wrapping it with several layers of thin cardboard, and securing the end with glue. No nails or screws should be used in the construction of the high-frequency coil,

Wind the cardboard tube to within ½ in. of each end with No. 30 double cotton-covered wire, which will require approximately 350 ft. or a fraction over ½ lb. Insert a ½-in. brass rod, 4 in. long, in the top end of the coil form, and solder one end of the coil to it. Fasten a small metal ball to the upper end of the rod.

For the primary coil, obtain a cardboard tube 3 in. long and from 3 to 4 in. in diameter. A section of a salt or oatmeal box makes a good form. Cut a circular block of wood to fit into one end, drill a 1/4-in. hole through the center, and glue in place. Wind the form with ten turns of



How the primary and secondary are wound on cardboard tubes; the condenser and spark gap; and the wiring diagram

are excellent, but any scrap pieces of glass will do. Cut thirteen pieces of brass, copper, or tinfoil to the size and shape shown in Fig. 3. Drill holes in the tabs at the end of the sheet for connecting screws as shown. In stacking the condenser, place a sheet of glass on a flat surface, then a sheet of foil on the glass, another sheet of glass, then a sheet of foil with the tab at the opposite end. Continue until the condenser is assembled as in Fig. 3. The foil should be placed on the glass so that there is a margin of 1/2 in. all the way around. Bind the condenser together with friction tape.

The details of the spark gap are shown in Fig. 4. Two brass posts are mounted on a

A Low-Cost Outfit

EXPENSE need no longer stop you from building your own high-frequency apparatus. Mr. Ford, who is a master at making fine electrical equipment from odds and ends, has designed this outfit so that it can be made at trifling cost. His plans are offered in response to the great interest shown by readers in our recent article on a much larger Tesla coil (P. S. M., Dec. '34, p. 65), which required a high-voltage transformer.

block of well-seasoned wood, and the adjustable electrodes made from pieces of 1/4in, round brass rod soldered to 1/8-in, pieces, The latter are held by means of No. 6-32 set

A vibrator type Ford ignition coil will be required to excite the high-frequency coil. One may be obtained from any auto wrecking yard, but make certain that the condenser within the coil is not damaged. If the coil gives a hot spark at least 1/2 in. long, it will be satisfactory.

The diagram of connections is shown in Fig. 5. The wire from the spark coil to the primary of the high-frequency coil should be flexible and should terminate in a spring clip to enable its being connected at any turn of the primary coil. The spark gap should be separated not more than 1/16 in. Connect the primary to a transformer or battery of from 6 to 10 volts, and vary the number of primary turns in the circuit until the longest spark is obtained from the discharge ball at the top of the coil. If the coil is operated in semidarkness, the effects are most spectacular, due to the fine corona discharge that surrounds the upper coil but is not visible in a strong light.

RUBBER-STAMP PRINTING


A good imitation of printing can be obtained with a rubber stamp such as is used for impressing names on envelopes. Regular printing ink must be used. It is rolled out on a sheet of glass, which is used as a stamp pad. Only a thin film of ink is necessary. To prevent the rubber of the stamp from rotting because of the oily ink, soak it for several hours in a hot gelatine solution. Then wipe off the surplus and coat with a saturated solution of ammonium or potassium bichromate, and allow this to dry in sunlight for a day before using.—K. L. ROBBINS.

NONSLIP COAT HOOKS

WIRE coat hooks sometimes allow clothing hung on them to slide off and fall to the floor. A good remedy is to slip over each hook a short length of small rubber tubing, preferably of the ribbed type, so that it will form a tight fit.-E. A. B.

New Scroll Saw

Has Increased Efficiency - New Features



SPECIAL **FEATURES**

of new **Delta Scroll Saw**

- 1. Enables you to run fine blades at full motor speed without danger of breakage;
- Tilting table turns 90° in either direction;
- Adjustable blade tension;
- Two convenient guide positions for sawing from front or side of machine;
- 5. Four speeds without moving

and many other novel and useful features.

MOTOR DRIVEN Woodworking TOOLS

New improvements and new features make the complete 1935 Line of "Delta" Motor-Driven Tools of unusual interest to all Woodworkers. The "Delta" line



Circular Saws, Band Saws, Scroll Saws, Drill Presses, Woodturning Lathes, Boring, Routing, Sanding, and Mortising At-tachments—and a complete line of

NEW BOOK for Woodworkers

32-page book "Practical Delta Projects" -crowded with new and "out of the ordinary" things to make-with many photographs, working drawings and easy-to-understand illustrations. Simple, complete instructions make every project easy to follow. Every woodworker should have this book. Send 10c with coupon. 1935 Delta catalog mailed postpaid.

Delta offers New Line of Quality Tools

The new "DeLuxe" Scroll Saw is but one of the many new improvements and tools announced this year by Delta engineers. This year the Delta line of motor-driven woodworking tools is more complete than ever before. Delta standards of efficiency, quality and convenience have been strictly maintained—and Delta prices still kept at their low levels. Good compact motor-driven tools are within the reach of all. Every woodworker will find the new 1935 Delta line of unusual interest.

Mail Coupon for Catalog


The 1935 catalog of Delta quality motor-driven tools The 1935 catalog of Delta quality motor-driven tools is now off the press. It is crowded with photographs and information about the new line of 1935 Delta tools. It shows how Delta tools are built to stand the grind of production work, and yet are so low priced as to be within the reach of all.

Send coupon so your name will be placed on the mailing list to receive the 1935 Delta catalog without delay. Enclose only 10c at same time for a Book of Practical Delta Projections.

Book of Practical Delta Proj-ects, 32 pages of new and novel things to make, with many blue prints, working drawings, photographs and illustrations—and complete

Dept. B235 3775 N. Holton Street Milwaukee, Wisconsin

	DELTA MANUFACTURING CO., Dept. B-235 3775 N. Holton St., MILWAUKEE, WISCONSIN I enclose 10c (stamps or coin), for which please send me one copy of "Practical Delta Projects". Also place me on your mailing list to receive 1935 Delta catalog of quality motor-driven woodworking tools.
į	Name Age?
	Address
i	CityState
,	






Permanent - Waterproof

Plastic Wood is the scientific marvel of the age—wood in putty form that dries to hard permanent, water-proof wood.


It adheres to any clean dry surface—wood, metal, glass, stone, porcelain—can be painted, varnished or lacquered. Plastic Wood can be worked with any wood-working tools, can be planed, sawed, sanded, turned on a lathe—will hold screws and nails firmly—will not chip, split, crack or crumble.

Sealing around pipe holes—Plastic Wood can be used to quickly hide the ugly holes around pipes. Keeps pipe moisture from running down and rotting floor—prevents



dust, ashes, insects, from coming through. For fastening bathroom fixtures: When

bathroom fixtures
become loose, Plastic Wood can be
readily and economically used to set the
fixtures permanently fast and give
a perfect appear-



shop and factory. Sold at all paint, hardware and department stores.

Plastic Wood also comes in White which is ideal for bathroom repairs.





HESTS are among the oldest and most romantic types of furniture. The one illustrated is of medieval, iron-bound design and is intended for holding the family silver. The knives, forks, and spoons are kept in a tray supported on cleats, while bowls, pitchers, and other vessels are stored in the bottom of the chest. Instead of a tray, a box made especially for flat silver and lined with tarnishproof cloth may be bought at a department store or from dealers in silverware. Tarnishproof cloth, which


may be obtained by the yard, should also be used for covering the chest sides, bottom, and underside of lid.

The actual construction is very simple. A good grade of white oak is recommended. The front, back, ends, and bottom should preferably be glued up of two boards. These parts are then planed and squared to dimensions. The ends are joined to the front and back with a dado-and-rabbet joint as shown in the plan view. This joint may be made either by hand or machine, but in either case

it is advisable to cut the dadoes first and then plane the rabbets to fit these. The bottom is joined to the sides and ends with a groove-and-rabbet joint, which is made in the same way. It is inserted at the same time the front, back, and ends are glued, but no glue should be applied to the bottom or the grooves into which it fits in order that the bottom may shrink or expand a little.

The lid should be glued up of at least three boards so that it will not warp. It is fastened to the back of the chest with three hinges 1½ in, wide and 1 in. long. A frame of ½ by 1¼ in. strips is made to fit into the top of the chest. It is screwed to the underside of the lid to that this closes very tightly.

The decorative metal fittings may be 16-gauge brass, copper, iron, or monel metal. Cut the pieces oversize and hammermark them with a ball-pein hammer. A cardboard pattern is then laid on the metal and its outline marked with a scratch awl or other sharp steel point. The holes for the screws are drilled, after which the outline is sawed with a jeweler's saw, and smoothed and rounded with a file. Bend these parts at right angles to fit around lid and sides as shown in the sectional view, and drill 3/16in. holes for the screws, which (Continued on page 89)



CHEST FOR SILVERWARE

(Continued from page 88)

may be obtained with square heads, either machine made or hand forged. The fittings should not be applied, however, until the chest has been stained and finished.

If the tray is to be made, it should preferably be dovetailed at the corners. The plywood bottom is fastened with glue and screws. The partitions and racks should be spaced to suit individual requirements and preference.

The chest is placed on a stand made of four turned legs, four rails, and four stretchers. It fits into a rabbet cut in the edge of the rails and the ends of the legs. These rabbets should be cut before the stand is glued together. Note that the rails are set flush with the legs, but that the stretchers join them in the center of the square part. The joints may be either mortise-and-tenon or dowel joints. A bead is made on the rails and stretchers with a scratch stock, as explained in previous articles, before they are glued to the legs.

The chest may be given a weathered oak or a brown oak stain. If the latter is used, a striking effect may be produced by filling the pores with white (natural colored) filler. The filler is thinned with benzine or turpentine until of the consistency of cream, painted on liberally, and worked thoroughly into the pores with a brush. It is allowed to dry until it turns flat, and the surplus is then rubbed off across the grain with a piece of burlap. After being wiped clean with a soft cloth, the filler is left to dry for twenty-four hours. Then one or two coats of very thin shellac are applied. Rub the shellac smooth with No. 2/0 steel wool and finish with a coat of liquid wax. Let the wax dry several hours before rubbing to a polish with a clean, soft cloth.

List of Materials

No. of Pieces	Description	T	w	L
4	Legs	1.56	1.56	14
2	Rails	36	3	1014
2	11	12	1	1114
2	Stretchers	32	11/	101/
2	Stretchers	23	117	1117
2 2 2 2 2 2	F	24	172	11.72
2	Front and back	98	11/3	2013
2	Ends	98	111/2	1138
1	Bottom	58	1138	1978
1	Top	3/8	13	213/2
1	Frame	1/2	134	4154
2	Tray sides	34	23/5	19
2	" ends	36	216	11
2	" partitions	34	214	10%
ĩ	" bottom (plywood)	1 36	11	19
î	Cleat	12	12	4134
-		72	22/	41.74
3	Metal straps		272	016
1	" strap		4.72	9.52
.0	" straps		6/2	1598
1	Escutcheon		2	23/2
3	Butt hinges (brass)		13/2	1
1	Chest lock (key-pin ty	pe)		
Norsished s	: Dimensions are given in		es and a	are fin-

MODEL OF HISPANIOLA

(Continued from page 82)

scale of approximately 1 in. equals 25 ft. Either pine or balsa wood can be used for the hull, although the latter is easier to carve.

A construction kit with all the necessary balsa wood, fiber, split bamboo, wire, paint, and other materials, and a full-size blueprint and detailed instructions may be obtained for 50 cents (see page 102). These kits have been specially designed for the Model-of-the-Month Club, but other readers can obtain them, while the supply lasts, for the same price.

The full-size blueprint, detailed instructions, and itemized list of materials are also available separately for 25 cents. Order Blueprint No. 237.

Members of the Model-of-the-Month Club are entitled to receive a copy of the instructions free, provided they send a self-addressed, stamped envelope.

NEW

HANDBOOKS AT BARGAIN PRICE

Think of it—only \$1.00 each for these NEW cloth-bound Manuals. This low price is temporary; we may have to raise it later. Not just books of WORDS, but diagrams, drawings, directions, showing each stage of the job. Full-sized books, about 200 pages each. Sold separately—take your choice.

Auto Kinks Car owners and service man's handbook of working diagrams, pictures, instructions, now reprinted in book form from Popular Science. The best ideas from among thousands. Will save many dollars and keep your car in tip top shape through many jobs you can now do easily. Cloth bound \$1.00.

Wonders Through The Microscope Turn an inexpensive microscope on hundreds of specimens within a stone's throw of your front door and you step off into a new world of wonders. Complete Manual for amateurs. How to use equipment, secure and preserve specimens, take photomicrographs, etc. Numerous illustrations. Full cloth bound \$1.00.

Fix It Yourself A new edition of a famous book, showing with diagrams and directions, how to fix and repair furniture, electric outlets, windows, doors, leaky pipes, floor boards, chimneys, boilers, weather proofing, painting and hundreds of other construction and repair jobs. Full cloth bound \$1.00.

Astronomy For Amateurs E asy ways to know the heavens with simple, home-made equipment, charts and guides. Opens up new worlds of wonderment—a gloriously fascinating and instructive hobby for the whole family. Many illustrations. Full cloth bound \$1.00.

Radio Experimenter and Builder Latest long and short wave facts and diagrams that will suggest improvements to make and new sets to build; Trouble shooting; How to service and repair, etc. Cloth bound 256 pages, \$2.00. Book Of Formulas For household, shop, laboratory. Formulas, recipes, methods and secret processes. Make your own beverages, glues, cements, cleaners, polishes, enamels, paints, cosmetics, dyes, inks, toothpastes, soaps, silver and nickel plate, metal alloys, photo chemicals, oils, lubricants—and scores of articles for home use or for founding your own business through making and selling. Full cloth bound \$1.00.

The Home Chemist How to set up and operate an inexpensive home laboratory with odds and ends of material available in every home. Many thrilling, practical, useful experiments and tests, entertaining, instructive, valuable, pointing the way to research and new discoveries. Many diagrams and illustrations. Full cloth bound \$1.00.

Manual Of Ship Model Making How to make any model. Here are clearly diagramed the many shortcuts, kinks, and time-saving methods of experts. Complete plans and specifications for a gorgeous galleon, clipper ship, etc. Almost 100 illustrations. Full cloth bound \$1.00.

Woodworker's Turning and Joining Manual The simplest, most practical ways to make end tables, chairs, benches, highboys, book-racks, cabinets, all kinds of furniture, in your spare time. A revelation of simplicity and helpfulness. Many illustrations. Full cloth bound \$1.00.

Making Money With Your Camera How to put your hobby in the money making class. Salable pictures to take for publication, or for sale to manufacturers—how and where to sell, etc. Cloth bound 256 pages, \$2.00.

How To Build Cabins, Hunting and Fishing Lodges, Bungalows Diagrams, plans and instructions anyone can follow. Build it yourself! Now you can put up a fine cabin or small bungalow, without previous experience. How to estimate the material; cut, join, assemble and finish everything. Illustrated with plans and diagrams of most popular cabins and bungalows. Full cloth bound 256 pages, \$2.00.

SEND NO MONEY

When the books arrive pay the price shown per book plus a few cents postage. Money refunded on books returned within 5 days of receipt.

POP	UL	AR	SCIENC	EMON	THLY,381	Fourth	Ave.,	New	York,	N.	Y
Send	me	the	Manuals	checked	below.						

Formulas \$1.00 Microscope \$1.00 Auto Kinks \$1.00 Home Chemist \$1.00

Ship Model \$1.00 Woodworkers \$1.00 Fix It \$1.00 Astronomy \$1.00 Radio \$2.00 Camera \$2.00 Cabins \$2.00

When the books arrive I will pay the postman price shown beside each book ordered plus a few cents postage. You are to refund what I have paid if I return the books within five days of their receipt.

P.S.-2-35

NAME	
ADDRESS	
CTTT	

An exceptional insurance value at reduced rates that offers you a THREE-FOLD saving. It costs us less to handle one \$5,000 unit than five \$1,000 units—that's the FIRST saving to you. This \$5,000 SPECIAL FULL LIFE Policy is designed for those of gound health and in non-hazardous occupations, giving you a still more favorable rate—that's the SECOND saving. The THIRD substantial saving is made possible by Postal's DIRECT-BY-MAIL method of doing husiness. Postal has no agenta—you deal DIRECT and save on agent's commissions.

That is why Postal's \$5,000 SPECIAL FULL LIFE Policy costs you only \$87.90 a year at age 30; \$101.85 at age 35; \$120.40 at age 40; all ages, 20 to 60. And you can pay in quarterly installments if you wish. Remember this is a standard LEGAL RESERVE Policy that offers lifetime protection with no future increase in rates and is not to be confused with "Term" or "Modified Life."

This unique policy pays you TWO dividends annually—no other policy that we know of does that. If you leave the dividends to accumulate, policy will become FULLY PAID UP or will mature as an ENDOWMENT, payable to you.

Postal Life is a 29-year-old, safe company that has

payable to you.

Postal Life is a 29-year-old, safe company that has paid over 40 million dollars to policy holders all over the United States. Mail coupon. No obligation.

POSTAL LIFE INSURANCE CO.-C. H. Jackson, Pres. Dept. 729, 511 Fifth Avenue, New York, N.Y. Please mail me free details of your \$5,000 policy.

Exact date and year of birth.........

Full address

BUY DIRECT AND SAVE

1935 MODEL ATLAS "UNIT PLAN"

Metal-Working Lathe designed so units may be added

Here's a lathe that meets every need economically. As your shop grows you can add to it. UNIT by UNIT, until you have a fully equipped, back-geared, screw-cutting lathe, capable of every kind of lathe work —as fine a tool as a man could wish for.





Back-geared; serew-cutting; automatic, reversible feeds. Sixteen speeds from 28 to 2,072 R.P.M. Cuts 4 to 72 threads per Inch. Will do ANY job within its capacity accurately and easily. TWO WEEKS TRIAL, money-back guarantee. Easy Terms, Full line of attachments at reduced prices.

ATLAS PRESS COMPANY

1855 N. Pitcher St., Kalamazao, Mich.



FREE Catalog

Please send cuta-tog of ATLAS metal and wood lathes; drill presses; attachments; arbor

Name

Address

..... State. City...

OLD TOY REBUILT INTO STREAMLINED TRAIN

(Continued from page 63)

tween roof and floor (inside) is 11/4 in. Use narrow spacing blocks (1/8 or 3/16 in. wide) at the pivot end of each car. Place these far enough from the ends so they will not be in the way of the shields and so they come between two windows. Build up the back of the rear car and front of the locomotive with blocks from which the tail and nose may be shaped. Glue these parts together.

Jig-saw the plan and elevation of the nose and tail to remove most of the excess wood; then shape to the proper contour with a sander or file. Also, since the cars are narrower at the top, sand the edges of the roof and floor sections slightly to get the proper streamline taper. Nail small wooden strips, 3/16 in. square, along all top and bottom edges on the inside of each car, set 1/32-in. in, to serve as supports for the window material which goes back of the sidepieces.

THE best way to mount lights in the cars is to drill holes up from the bottom large enough to push the lights up into them. The sockets for these lights are carried on a thin strip of brass mounted along the center bottom line. Connect this strip to the hinge plate of the car and wire the center screws of the sockets to the third-rail shoe. Use 6volt tubular radio lamps in series with a 100ohm resistance so the lights can be used with from 12 to 15 volt power. Higher voltage lamps can be used if desired, but these are larger in diameter.

The detail of constructing the front end of the locomotive can be seen in the illustrations. A strip of brass 1/4 by 1/32 in. is run all the way around the front, and a 1/4 by 1/4 by 1/32 in. angle is framed under the roof of the cab to hold the nose to the rest of the car and give support against collisions. Cut away all excess wood back of the nose (the exact shape is not important) to form an opening for the motor. The bumper bar is made of 1/16-in. square brass and is soldered against the 1/4 by 1/32 in. brass strip that circles the front.

The radiator grating is made of 1/32-in. brass wire, cut to length, U-shaped, and driven in like staples. The cross members and frame are soldered on. The cab windows are recessed to leave the frame of the windows in relief. The cab roof is an extra piece of wood ½ in thick, shaped to the proper lines. It is attached to the body by two machine screws (6-32 flathead) tapped into the brass strip that supports the motor.

The headlight is made from a 5/8-in. square piece of brass 11/8 in. long. This is drilled out to receive the light and socket and is rounded off at the top. A hole is drilled in the top, near the front, to receive a 1/4-in. telephone lamp cap with a clear lens. This takes care of the vertical shaft of light. The headlight is then mortised into the cab roof and attached with a 2-56 flathead screw from the underside of the cab roof. This screw also carries a spring which grounds the light to the motor-supporting strip. The center screw of the socket is wired to the motor's third-rail shoe.

HE ventilators on the cab roof are cut ■ from ¼-in. outside diameter brass tubing and inserted in holes drilled to fit. They are 1/4 in. long and cut off on an angle on top, the slope being 1/8 in.

A few final details can be added, if desired. Each car should really have at least four ventilators, two at each end. They are semicylindrical in shape, 1/2 in. long, 1/4 in. wide, and about 1/8 in. high. The tail of the train and the nose each carries two classification lights. These parts may be molded of plastic wood (Continued on page 91)



LUGS in any lamp socket. Charges any auto-type battery overnight. Creates no radio interference. Uses no expensive bulbs, "dry units" or messy liquids. Has only One moving part, replaceable for \$1.00, after thousands of hours' use. The Fastest, most Efficient and Longest-Lived home charger made. Ideal for Battery Station, Garage, Trucks, etc. Money-back guarantee. Nearly one million sold since 1920 at \$19.50 list. now, only \$16.95 postpaid (or at your dealer), complete with ammeter, 10-foot cables, dash plug, etc. Write for introductory prop-

THE AUTOMATIC ELECTRICAL DEVICES CO. Dept. 13 324 East Third St. CINCINNATI, OHIO



Annoying Interference in All-Wave Reception

with the RCA NOISE REDUCING ANTENNA


Remember: Any standard radio performs better with a scientific antenna; any short-wave radio must have a scientific antenna.

Ask your dealer or service engineer for a Certified Installation. Send to RCA Parts Division, Dept. S, Camden, N. J., for the FREE Booklet:

"ANTENNA FACTS"







WEAVING MATERIAL

Bamboo, Rattan, Reed, Colored Baffla, China Grass, Chair Caning, Chair Frames and Stools. Basketry, Furniture and Raffia Wearing. Send 18c for Catalog, Instructions Free,

AMERICAN REEDCRAFT CORPORATION Dept. P.S. 130 Beekman Street, New York City

KNOT HANDICRAFT

For this fascinating pastime we have a large collection of materials described in our booklet "B" sent free.

KNUTTERS

Beginners' Instruction Booklet and Samples sent for life, See page 64 Vebruary 1834 issue of P. S. M. P. C. Herwig Co., 268 Washington St., Brooklyn, N. Y. SQUARE KNOT HEADQUARTERS



RAFTSMEN—here are the books you have been waiting for. Just crammed full of interesting and valuable information. Seventytwo pages in each book with over a hundred illustrations and charts. You'll get all the pro-fessional methods and short cuts of power tool operation written in simple non-technical language. If you really want to know and enjoy all the different operations of your power tools—buy one of these books. There are four in the series-The Bench Saw, Jointer and Shaper, The Drill Press, The Lathe, The Band Saw and Jig Saw.

Send 50¢ for each book or \$1.50 for set of four. Also for free 40 page Driver Power Tool Catalog.

WALKER-TURNER CO. INC.

225 Berckman St.

Plainfield, N. J.



New Streamlined

ELECTRIC TRAIN



At last! The streamlined Electric Train you have always wanted at a fraction wanted at a fraction
of the usual cost.
Needs no tracks or
transformer—a big
saving, Runs equally well indoors or
outdoors or ordinary
dry cells. The Silver
Bullet is finished in
. Complete kit—rewhile many 256 chas

black and silver—neat and flashy. Complete Rit—re-quiring but a few minutes to assemble—only 25¢, plus 10¢ portage & packing. Bush your order to:—

Dept. 25

INTERSTATE ELECTRIC COMPANY Madison, Wisconsin

This is written in one inch — the smallest advertisement accepted in this magazine.

Small advertisements of one or two inches produce results of many times their cost for hundreds of companies or individuals who have novelties, scientific or mechanical equipment, tools, games, puzzles, etc., to sell, and for firms looking for agents, inch advertisements like this cost \$45.60. They pay well because they are seen and read by 400,000 wide-awake men every month. Interested parties are irrited to address the Advertising Department, Popular Science Moethly, 381 Foorth Ave., New York, N. Y.

OLD TOY REBUILT INTO STREAMLINED TRAIN

(Continued from page 90)

composition. The actual lights can be represented by glass beads. Also add a brass wire handrail at each door. This can be made from 1/32-in. diameter wire.

Assemble all the cars and try the parts to be sure they work properly. Then disassemble and paint. This is best done by spraying on two coats of high-grade lacquer. Use a rich tan for the roof and floor sections, also the truck and motor skirts and the top and bottom of the shields. Paint the inside a glossy white. The grating on the nose, including a strip ¼ in. wide all around it, is painted a canary yellow. Be sure to fill all cracks with composition wood before painting.

If any furniture is to be placed inside the cars, it should be made and inserted before the sides are put on. A floor plan with all internal details may be obtained at the ticket offices of the railroad.

THE sides of the car are made of heavy pressboard, although lightweight brass could be used, if desired. They are 134 in. wide and shaped at the nose and tail to fit the body lines. The heavy lines on the assembly drawings give their outlines. Lay out all windows as indicated on the drawings and photographs. Note particularly that the drawings show the left-hand side of the train, looking toward the locomotive. The right-hand side is slightly different in respect to the windows of the first car, and the third car has no rear door on that side, as can be seen in the photograph that stretches across the second and third pages of this article. When the sides have been laid out, cut them accurately with a razor blade or chisel.


It is necessary, in addition, to cut out pieces of black 4-ply Bristol board as long as the sides and 13/16 in. wide, and lay out the windows as on the sides, but 1/32 in. smaller all around. These serve as window frames. Cut pieces of transparent cellulose wrapping the same size as the window-frame strips to represent glass. Paint or spray the sidepieces with two coats of canary yellow lacquer.

In mounting, place the cellulose film between each side and window-frame piece so the frames are properly aligned. Glue and nail in place. Reënforce the sides at all ends with lightweight shim brass, U-shaped, and crimped in place. Brass beading 1/64 in. thick by 1/16 in. wide is run around the top and bottom edges of the car. Drill this strip every half inch with a No. 60 drill before attaching it with small escutcheon pins. Paint this strip red before applying so it forms a stripe between sides, roof, and floor.

The cars are now lettered in a rich tan or brown, preferably of the kind called "Japan The name UNION PACIFIC apcolors." pears above the windows on each car. These letters are 1/4 in. high and slightly wider than 1/4 in. The front car carries the number M-10000 on both sides and the wording UNITED STATES MAIL RAILWAY POST OFFICE in two lines on the left side only. The middle car is labeled COACH and the rear car COACH BUFFET. Paint a narrow brown line around each door.

The lettering is most important. If poorly done, it will spoil the effect of an otherwise thoroughly workmanlike model. The task can be somewhat simplified by borrowing type of about the right size from a print shop. The type is inked by means of an ordinary stamp pad and then used to mark the letters on the train. After the ink has dried, the letters can be carefully painted over.

Now check over all the details. Give the motor and trucks some oil, and let her run. You will have a model to be proud of, and one that all your friends will admire.



IN YOUR OWN WORKSHOP

Recently the manufacturers of CASCO Waterproof Glue made cash awards to the 25 homecraftsmen who submitted the best woodworking projects built with CASCO Glue during 1934.

Now these prize-winning articles have been collected in the form of a most interesting and instructive book which contains actual photographs and descriptions of these outstanding woodworking projects...inlaid card and game table, model hollow hull sail boat, unique tilt table made from cigar box wood, modern beverage set, beautifully patterned wood turned vases,

lamps, smoking sets, cigarette boxes - and many others ranging from delicate wood jewelry to portable camp refrigerators.

CLIP

THIS

NOW

FOR

YOUR

FREE

The object of this book is to guide the homecrafter in the utilization of inexpensive pieces of wood and veneer, to build with the help of CASCO Glue, beautiful and durable articles of permanent value.

This fine book costs you nothing. Send for your FREE copy now - there's a real treat in store for you.

Ī	THE CASEIN MFG. CO. OF AMERICA, INC. 350 Madison Avenue, New York, N.Y. Please send me Free copy of the new CASCO Project Book.
١	Name
ľ	Street
۱	CityState
ı	- Nok it on

SAVE 2C penny postcard

Something new in Portables

CORONA SILENT

Here's the typewriter for you! Has everything-new silencing principle, effortless Smith Floating Shift, piano key action, interchangeable platens, standard keyboard, sturdiness, speed.

200 words a minute

written on Corona Silent by speed expert at N.Y. Business Show. Learn about this handsome Corona and the two other fine Corona models.

FREE TRIAL-EASY TERMS

Here's the coupon!

LCSMITH & CORONA TYPEWRITERS INC 721 E. WASHINGTON ST., SYRACUSE, N. Y. Send me free folder describing the new Corona Silent, Corona Sterling, Corona Four.



No more "dead" batteries . . . use all the "juice" you want for car radio, heater, defroster and other accessories. Install the new KRW

Auto-Charger and insure positive zero-weather starting. Plugs into any light socket and charges while your car is idle. Fits ALL cars; installs neatly beneath dash with only one drill hole. May also be installed in garage for charging battery without removal from car. KRW Charger has many exclusive features: operates on both 25 and 60 cycles; 50%larger trans-

former yet uses only 50 watts; patented Thermal Relay prevents current flow-back if power fails; two charging rates, 2 and amps., with automatic safeguard against overcharge. No liquids, bulbs or moving partssimple, compact, complete . . . and uncondi-tionally guaranteed for one year. Prompt shipment on receipt of check or money order. Write for circular.

everywhere.




UNIQUE CAMERA CASE

(Continued from page 65)

counting from the first. In every other row, the outside working cord is double-looped over the outline cord to hold it in place and to give an even edge to the strip. This is shown at the left in Fig. 2.

After the thirty-five rows have been made, extra cord for the sides of the case must be added. Four doubled strands of brown cord, each 10 ft. long, are looped over the outline cord at each side. Continue by knotting the widened strip for thirty-five more rows, after which you can return the outline cord to the middle blue strip. Knot enough of the latter, about eight rows, to form the bottom of the case. This can be measured, over the camera, as shown in Fig. 3.

You can now return the outline cord to the outside, knotting in the brown cords until the case is finished. After knotting nine rows, drop a knot on each side, in the center, in making each row. This will form an in-



The case is sewed together with the regular knotting cord threaded through a large needle

verted "V." To the two middle strands, knot the middle of a 3-ft, length of brown cord, as in Fig. 4. With the latter, make simple hitches around each of the working strands (Fig. 5). This forms a part of the design for the front of the case. Continue with square knots in the center and at the sides of the design, forming the rough shape of a heart outlined in brown. The ends of the brown cord are knotted together at the back of the case, and made secure with household (cellulose type) cement, as shown in Fig. 6. Continue with square knots until the strip is finished.

In ending the strip, bring the outline cords to the middle, and over them make hitches with the working cords. The final knots are then lightly cemented and the cord ends severed with a razor blade.

A length of the blue cord, threaded in a large darning needle, is used to draw together the sides of the case. You can then take it to the glove counter of any clothing store and have a snap fastener applied at a cost of about ten cents. When the flap is fastened down, it should come at the top part of the brown heart design.

The shoulder strap is made with two lengths of brown cord, one 32 ft. long and the other 9 ft. Both are run through one side of the case at the top. Use the shorter strands as filler cords, and over them make regular square knots with the long cords. The making of such a strap, which is very simple, has been previously described (P. S. M., July '34, p. 76). After it is knotted to the desired length, which is about 4 ft., it is tied into the other side of the case.

WAXING SQUARE-KNOT CORD

To give knotted cord articles a high polish, first run the cord through a cloth pad which has been treated with paste furniture wax. After the article has been knotted, rub the surface with a cloth.-K. M.



With an easy-playing Conn band instrument, you can be ready for band or orchestra in 4 to 6 weeks. A sure road to popularity if you start on a Conn. Choice of the world's greatest artists. Magnificent tone, Many exclusive features-yet they cost no more.


Write for Free Book

Ask to see the marvelous new models now being dis-played by Conn dealers, Hometrial, Easy payments, Write us for free book on whichever instrument interests you most. Mention instrument.

C. G. CONN, Ltd. 232 Conn Bldg., Elkhart, Ind.










FORMS TO CAST LEAD SOLDIERS, INDIANS, TRAPPERS Hunters, wild and Farm Animals. 244 Wonderful "True to Life models. Easy and inexpensive to make, I furnish all necessar naterial. Send to Stamp for Illustrated Catalogue.

Henry C. Schiercke, Ghent, New York



Did You See Page 89?

If you are a handy man, if you would like a useful and profitable hobby-you will get a thrill from the announcement of the \$1.00 Handyman's Modern Manuals on page 89.

FREE BOOK Explains Thrills With Microscope



ollensak

600 POWER MICROSCOPE

Triple Objective Brownscope "Professional" \$8.50 The new super-power 100X to 600X Brownscope. Substantially and precisely made. Heavy tilting base with lever for locking it any angle. Large concave mirror. Precise rack and pinion focusing with TWO adjusting wheels. Power 100X to 600X in six steps. Power is varied by retailing the dustproof 3 objective nose-piece or by adjustment of the eyepiece. Nickeled tube and machined brass parts. Comes complete with wood carrying case and handle, prepared and plain slides, instruction book, and elaborate 6 piece set of dissecting instruments mounted in carrying case. Only \$8.50 postpaid.

274 Hudson Ave., Rochester, H. Y.

Address Dept. 62 Optical Catalog Free BROWNSCOPE CO. 234 FIFTH AVE. NEW YORK

Laboratory Supplies at School Prices!

You can buy from us the same high quality laboratory supplies we furnish schools and colleges — AT 0 UR SCHOOL PRICES.

Send 10c for new 32-page catalog listing more than 1,500 items of chemicals, apparatus, glassware, micro-scopes, books and accessories. Deduct price of catalog from payment for first order.



Source of Scientific Supplies N. Y. Biological Supply Co., Box 10, 34 Union Sq., N. Y.



SPECIAL COMPLETE BIOLOGICAL SLIDEMAKING OUTFIT

Sent postpaid. Money-back guarantee. Get our free catalog of low-priced "MICRO" pure stains, balsam, slides and covers, text books, dissecting implements, slide boxes, etc. Insist on "MICRO" pure chemicals from your dealer or write us direct,

A. E. WAELDIN,
Dept. 1, 117 Fulton St., New York City

PRECISION-75-500 POWER MICROSCOPE ONLY \$3.75

Reveals wenders of invisible world in minute detail, magnifying the object many times. Features:
double rack and pinion focusing; adjustable stand
which tilts at any angle; large platform; removable slide clips; lever which holds microscope in
any position; excellent optical system of
PRECISION quality. Fine, staunch, durable construction. Complete with necessary
equipment such as prepared, plain slides, dissecting needle, etc. Send 83.75 plus 25c for postage to
PRECISION OPTICAL CO.

Dept. P. 991 East 163 Street, New York



PLANT PARTNERSHIPS FOUND WITH MICROSCOPE

(Continued from page 39)

green chlorophyll that you have encountered in the cells of other plants, for the fungi are entirely devoid of this important plant substance; and for this reason, they are doomed to perpetual stealing of their food in readymade form.

The gills are perhaps the most interesting part of any mushroom or related fungus. It is the gills that produce the all-important spores, which travel on the winds and in the bodies of animals to other places favorable for the starting of new colonies. Such places are not numerous, considering the earth's land area, so that each mushroom or other fruiting body must produce millions or even billions of them. It is to provide a great area in a compact space that the gill formation has been developed by the mushroom.


*HE spores may be produced in a variety of ways. Among the most common is the system of club-shaped basidia that cover the surfaces of the gill plates, like masses of tenpins standing with their sides touching. The basidia of the common mushroom usually produce two to four nearly spherical spores each, the spores growing from little tips that project from the tops of the club-shaped structures. The spores ripen, fall off, and are caught by the wind and carried away. Another common method of producing spores makes use of long, tubular pods, or asci, in which the spores grow like rows of beans or peas. When the spores are ripe, the pods burst and liberate them. These different methods of spore production have given rise to the names Basidiomycetes and Ascomycetes respectively. Several other methods of bearing spores are known.

With your microscope, you can see the spore-bearing basidia or other organs. Remove some gill plates from a mushroom, and tear them into small pieces in a drop of water on a slide. Lay a cover glass over the drop, and examine carefully at 200 diameters or so. Here and there you will find a piece of gill tissue that is arranged so that you can see the rows of basidia massed compactly on its surface. If the specimen has reached the spore-releasing stage, you can observe the countless numbers of spores that have been given off. To collect the spores alone, lay the cap from a mushroom on a piece of glass or paper, and place under a bell jar. The spores will collect on the support in a pattern determined by the arrangement of gills,

LICHEN generally is a union of an alga A and a member of the Ascomycetes. Sometimes, when examining a lichen under the microscope, you can see the tiny spore-pods or asci. Incidentally, only the fungus part of the lichen seems to have the power of reproduction.

Although the fungus spore serves the same purpose as the seeds of higher plants, it differs greatly from them. A seed contains a tiny embryo plant, while a spore is simply a cell that possesses the power to grow into a plant. When a mushroom spore, for instance, alights on a moist layer of rich soil where growing conditions are right, it develops into a tiny speck of mycelium. This grows and penetrates the surrounding soil. Its job is to absorb food from the soil, to expand and to produce the fruiting bodies or mushrooms, When mushrooms are grown commercially, the beds become interwoven with the mycelium threads. The bed material is compressed into bricks and sent to other growers who, by planting bits of the brick, can start new beds.

Your fascinating examination of fungi need not end with an investigation of the common mushroom. There are hundreds of other kinds of fungi or molds, (Continued on page 94)



NEW GEM

WITH CARRYING CASE OF WALNUT INCLUDED

Buy Microscope Equipment from a Scientific Instrument House—American doctors use more Bausch & Lomb Microscopes than any other make because of their superior resolving power—sharp clearness of fine details. Scientists prefer magnifications of 75 to 300 diameters with high resolving power rather than higher magnifications with details blurred. Photomicrographs through a Bausch & Lomb Microscope show exceedingly fine detail.


Most Complete Line of Microscope Equipment for the Amateur—Nothing like it anywhere, for quality and variety. The Gem (shown above) \$14.50, magnifies 75 to 172 diameters; with added objective (\$2.50) to 300 diameters. Model R, 75 to 300 diameters, finer optical system, with \$7.50 book (455 pages, 352 illustrations,) walnut case, complete for \$21,00. Photomicrographic Outfit, \$12.00. New Gem Science Kit for mounting specimens, 49 pieces in case, \$9.50. Micro Projector, throws enlarged image on screen from any amateur microscope, \$18.50.

MAIL THIS COUPON TODAY

Bausch & Lomb Optical Co. 101 Bausch St., Rochester, N. Y.

Please send Microscope literature free and name

Name	
Address	



MAKE MONE

Casting Lead Toys

ILLUST.

воок

Make castings of lions, tigers, soldiers, athletes, airplanes! Paint them in bright lifelike colors. Cast all the toys you
want. Junior Caster is a complete
outfit for casting and coloring the
largest, finest toys. You can sell
the finished toys and make money.
Full details in FREE 24 page illustrated book. lustrated book.

Complete Outfit, \$2.50 Includes set of moulds for making 3 different figures. Al-so mould handles, clamp, large supply of lead, ladle, 4 cans of paint, 2 brushes.

Extra Moulds, 95c Choice of 128 Models

All the different toys can be made with one outfit, by simply buying extra moulds. Each mould makes 3 dif-ferent large figures.

See Junior Caster at your nearest Toy Dealer, or Hard-ware or Department Store. If they can't supply you or-der from the coupon below.

JUNIOR CASTER Rapaport Bros., 705 W. Ohio St., Chicago Enclosed find Money Order for \$.

JUNIOR CASTER Standard \$2.50 (Postpaid) want the model checked: Wild West Cowboys
U. S. Soldiers U. S. Machine Gunners
Send FREE BOOK

Name

Address

JUNIOR CASTER



A mechanic insists on a Jacobs chuck because he makes his living from the work he turns out.

In the home workshop, you'll get the most fun out of your work if you, too, use the best.

When you see a Jacobs chuck on a tool, you know the manufacturer is building real quality into his machinery.

THE

JACOBS MFG. CO. HARTFORD, CONN.

PLANT PARTNERSHIPS FOUND WITH MICROSCOPE

(Continued from page 93)

which you can find almost anywhere. A photographer one experienced considerable trouble because a tank in which he rinsed films and plates became filled with masses of threadlike material. Examination showed that the material was a fungus plant, thriving on the gelatin that dissolved out of the film and plate coatings. This fungus proved to be a beautiful object under the microscope.

Fungi studies can be carried on at any time of the year. In winter, mushrooms can be purchased from stores. A trip into the woods will provide bits of decayed wood that will produce abundant crops of fungi when placed in a warm, moist place; and lichens that can be stirred to life by similar treatment.

*HE problem of making temporary slides of fairly thick sections can be solved by a method developed in one of the government microscopic laboratories. This method consists of spinning a paraffin ring on a glass slide, to make a shallow cell. Paraffin can be used when the mounting medium is water or some substance that does not dissolve it.

Materials required include a spinning wheel, whose construction already has been described in this series, and a slender wax candle. You will have to make such candles yourself, for

it is difficult to purchase them.

To make a candle, obtain a piece of brass pipe about one-fourth-inch inside diameter and six inches long. Plug one end with a piece of wood or a cork. In the center of this cork, on the end that is in the pipe, fasten loosely a pin or small nail, and tie to it one end of the heavy cord that is to serve as a wick. The nail or pin must be so loose that it will pull out of the cork when the latter is removed. With the wick running up through the tube, fasten the latter in an upright position, with the corked end downward, and pour melted paraffin into it. When the paraffin is on the point of becoming solid, adjust the wick so that it will be centered.

WHEN the wax has cooled, remove the cork from the lower end, and hold the wick in one hand so that the mold dangles below. With a gas or blowtorch flame, gently warm the mold evenly over its surface, until it drops off under its own weight. When carefully done, only a thin layer of wax will be lost. Straighten the candle while it is still pliable, and lay on a flat surface to cool.

To spin a paraffin ring, place a slide on the wheel of the spinning machine, light the candle, let it burn for ten or fifteen seconds, blow out the flame and immediately touch the wick to the slide, which has been set spinning. The molten wax of the wick will flow out on the glass and cool instantly, forming a ring that can be built up to any practical thickness. Cells thus formed have re-


mained intact for years,

The inexperienced microscopist frequently has difficulty with air bubbles. He discovers what he thinks to be a new kind of cell or animal, only to learn in the end that it is a tiny air bubble that is drifting across the field of view. Sometimes these bubbles, acting as tiny lenses, produce beautiful effects. One of the first things instructors of classes in microscopy teach their students is to recognize an air bubble. It is a good idea for every beginner in microscopy to follow this rule, and study bubbles before turning his magic lenses on anything else. Production of air bubbles is easy, frequently exasperatingly easy. Simply drop a cover glass carelessly on a drop of water placed on a slide, and you generally will imprison at least one bubble. Water from a half-filled flask that has been shaken vigorously may provide an abundance of tiny bubbles, when a drop of it is placed immediately on a slide and cover glass added.





625 N. Broadway, St. Louis, Mo., U. S. A.



🔀 18" SHIP MODELS

Kitinchudes allmaterials for building hull, rigging, fittings also clear postpoid full-sized drawings for your choice Flying Cloud, Constitution or Spanish Galleon, Order now. Catalog 15c.

ROY HANCOCK

Build a model like this. 323 S. Beuglas Are., Partsmouts, Va.

Are You A Model Railroader?

If you are, you need my 76 page hand book and catalog. It gives complete information on getting started, track laying, signalling, control, etc. Also prices all parts, track, signals, control units, etc. A veritable cyclopedia of data; conversion tables, screw sizes charts etc. sizes, charts, etc.

Price only 25c postpaid W. K. WALTHERS

1570 W. Pierce St.

Milwaukee, Wisc.





SHOP LIGHTING TEST

(Continued from page 71)

by various manufacturers. You may hesitate at the first cost of installing them, but they will last for years.

"Why not use a single 300-watt lamp over the bench, and save the cost of one reflector and socket?" you may ask. The reason for using two lamps of equal size is that they give nearly shadowless lighting, which is best for most bench work, whereas a single bulb throws confusing shadows.

WHEN the lamps are placed higher than 21/2 ft. above the bench, they can be suspended directly over the front edge. Also, if much work is to be done in a vise that projects out from the bench, the lamp should be placed a little farther forward than the 6-in. position.

For lathes and similar machines, a single 150-watt lamp unit, suspended a little to the right of the faceplate end of the headstock spindle, generally is satisfactory. It is con-venient, you will find, to mount a lathe lamp on a swinging arm, and provide some means of adjusting the height as well as the lateral position.

Smith suggested a way in which a single lighting unit employing an R.L.M. dome can be made to do the work of several. Obtain a key socket, preferably one made of porce-lain, that is threaded for a standard fixture ring. With the ring screwed securely in the socket, the unit can be suspended from a small hook; and the hooks can be distributed over the shop so that the light can be moved where it will do the most good. Of course, you will have to provide sufficient wire to permit shifting. Use rubber-covered cord and a rubber-jacketed plug. A lamp of this type is better, in most cases, than the more fa-miliar but generally less efficient extension unit.

It is convenient to have a localized source of light on drill presses, band saws, jig saws, and almost every other shop machine. Then there is no trouble in directing light where it will do the most good. A 25- to 40-watt bulb is large enough for machine lights. It must be shielded by a reflector that will direct the light on the work, yet will not be too

The unit illustrated in use on a milling machine has a reflector of the approved type. Made of metal, with baked-on enamel finish, it fits snugly about the bulb and has no use-less bulk. The shade shown is priced at 90 cents, and the chromium-plated socket, cord, and plug cost 35 cents additional. The unit is fastened by a ball-and-socket arrangement that formerly was part of a 25-cent clamp for portable fixtures such as those sometimes employed by photographers. However, you can make a simple bracket by bending a narrow strip of metal around the socket, clamping it with a small bolt running through holes, and drilling the protruding 2- or 3-in, portion so that it can be fastened by a bolt already on the machine, or one put there for that pur-

Another convenient lighting gadget for the shop is a small bulb attached to the end of a flexible lamp cord so that it can be let into holes and restricted places where light from ordinary sources cannot be directed. A 6-volt radio dial lamp, energized by a doorbell transformer, will serve nicely

Another still more portable unit consists of a flash-light bulb on the end of a pair of flexible wires, connected to a standard battery case. For similar purposes a useful lamp is the 3- or 6-watt S-6 Mazda, which operates on 110 volts. It is somewhat larger than the other two lamps mentioned.

Finally, the illumination can be improved by painting the interior a light color. It will show dirt more quickly, but that will serve as an indicator to warn you when a house-

cleaning is in order.

THOUSANDS LEARN MUSIC WORLD'S EASIEST WAY

No Expensive Teachers....No Bothersome Scales....No Boring Exercises

BEGINNERS PLAY REAL MUSIC FROM THE START

Yes, literally thousands of men and women in all walks of life have learned music—have won new friends, become socially popular—this quick, modern, easy as A-B-C way.

You, too, can learn to play—to entertain others—to pep up any party—just as these thousands of others are doing. And you can do this without the expense of a private teacher—right in your own home. You don't need to be talented. You don't need previous musical training. You don't have to spend hours and hours playing monotonous scales and humdrum finger exercises. You start right in playing real little tunes. And sooner than you expected you find yourself entertaining your friends—having the best times you ever had.

Easy as A-B-C

LEARN TO PLAY Violin Guitar Saxophone Ukulele Organ Ukulele Tener Banjo Hawaiian Guitar Piane Accordion Or Any Other Instrument

The U. S. School method is literally as easy as A-B-C. First, it tells you how to do a thing. Then it shows you in pictures how to do it. Then you do it yourself and hear it. What could be simpler? And learning this way is like playing a game. Practicing becomes real fun instead of a bore as

it used to be with the old way.

Prove to yourself without cost how easily and quickly you can learn to play. Send today for Free Demonstration Lesson and Explanatory Booklet. See the simple principles around which this method is built. If you really want to learn music—if you want to win new popularity—enjoy good times galore—mail the coupon below. Don't delay—act NOW, U. S. School of Music, 82 Brunswick Bldg., N. Y. C.

U. S. SCHOOL OF MUSIC

82 Brunswick Bldg., New York City

Send me your amazing free book, "How You Can Master Music in Your Own Home," with inspiring message by Dr. Frank Cranc; also Free Demonstration Lesson. This does not put me under any obligation,



GLUING GUIDE and sample of CASCO GLUE

"Unlike ordinary glues and pastes, which harden merely by evaporation, CASCO sets chemically like concrete"

CASCO

GLUE

That's the big secret of CASCO's greatstrength. It glues everything to stay glued. Heat, moisture or rough usage have no effect on CASCO. TEST IT AT OUR EXPENSE

Jot your name and address on a penny postcard asking for free sam-ple of CASCO Waterproof GLUE. You will also receive the CASCO Gluing Guide, telling how to build or repair

everything - quickly -and permanently.

Hardware, Paint, Lumber Dealers Sell CASCO THE CASEIN MFG. CO. OF AMERICA, INC. 350 Madison Av., New York



9" x 3" Workshop" Lathe complete with re- \$94 versing motor, switch and drive, as shown... \$24.00 down payment, \$7.00 per month

THE 93%" swing by 3' bed "Workshop" Lathe is a Back-Geared, Screw Cutting Metal Working Lathe. Can also be used for wood turning and machining compositions. Has automatic longitudinal power feed to carriage, graduated com-pound rest, micrometer collars on compound rest and cross feed screws. Cuts screw threads 4 to 40 per inch.

A genuine South Bend Lathe practical for all fine, accurate ork, Write for free 32-page illustrated catalog 5-B.

SOUTH BEND LATHE WORKS 819 E. Madison St. South Bend, Ind.











Built by the world's largest manufacturers of Jacks and Exhibited in the Hall of Science at A Century of Progress

3 inches high when closed. Finished in Red, Blue, Green or Orange en-amel. Chromium plated Lever Bar.

CANADA OR ABROAD, 35° Price 25° POST SEND IN THE COUPON (Please Print)

TEMPLETON, KENLY & Co. (Est. 1899) 1020 South Central Ave., Chicago, Ill. I enclose for (check color) Simplex Screw Jacks at 25c each. Money to be refunded if not more than satisfactory.	☐ RED☐ ORANGE☐ BLUE☐ GREEN
Name	

CRAFTY CRAFTSMEN USE LE PAGE'S 3 Kinds **Built for Strength**

LE PAGE'S LIQUID GLUE-The "all-purpose" glue, put up in handy cans that are part of the equipment in every woodworking shop. Its slow setting qualities allow time to make joints secure and exact, Ready to use-always.





LE PAGE'S WATERPROOF GLUE -A special glue for use on jobs exposed to the elements or moisture. While it isn't ready to use, it takes but a few minutes to add cold water and mix. Put up in several sizes-you may want to use it any time.


LE PAGE'S TESTED GLUE -This is termed a hard glue, in flake form, tested and standardized for strength. Where glue is to be used in large quantities you may prefer to use it. If you insist on using the glue pot, ask your dealer for LePage's No. 60 in onepound packages.



RUSSIA CEMENT COMPANY

Laboratories and Factory • Gloucester, Mass.

RIGGING THE SWALLOW



The 2-in. long jolly boat, the 1-in. long anchors, and method of rigging the tiller

with single blocks, the whip of which fastens to the eye in the end of the channel, and the hauling part goes through a block strapped to the other eye, then in to the pinrails. The topping lifts are single, passing through blocks seized to the spreader at the masthead. The ends have single blocks and whips to the deck and pinrails. The stunsail booms can now be rove through their irons to extend a little beyond and have their inner ends lashed to the yards.

The topsail yard is held to the mast with a lashing through two eyebolts in the saddle and is raised with a chain tie passing through a hole at the masthead and down abaft to a double block, with another in the waterways on the port side, so that the end comes up to the pinrail. At the yardarms, brace blocks are strapped on first. The ends of the braces are seized to the eye of the mainstay, lead through the yardarm blocks, back through double blocks strapped to eyes at the sides of the main cap, and to the pinrail. The lifts are single, spliced to the yardarms, and seized to the eyes of the rigging. Sheet blocks are used as before,

The topgallant yard has a similar parrel to the topsail yard. The halyard is a rope from an eye in the yard, through a hole in the masthead, and down on the starboard side to a single and a double block. The lifts and braces are as before.

I gave my model such sail gear as would be left rove off during a short stay in port. The topsail sheets start with an eye splice, reeve through the yardarm blocks mentioned, along under the yard through blocks strapped to them amidships, and down with single blocks and whips to eyes in the deck, the end going through the forward posts of the fiferail. The clew lines start at the heel of blocks strapped under the topsail yard, through hook blocks hooked to the sheets, back through the upper block, and to the pinrail. The topgallant gear is similar, except that the clew lines are single. Two buntline blocks can be seized to the topsail-yard jackstays, and one to the topgallant.

The staysail and jib halyards have their ends seized to the eye of the forestay, lead through blocks hooked to the top hank, and back to blocks seized under the crosstreesstaysail to starboard and jib to port. The downhauls hitch to these blocks and lead through blocks seized to the stay at the jib boom and in to the forward pinrails.

The gaff-topsail gear consists of a halyard, the end of which is seized to the eyes of the rigging, goes through a hook block, back through a hole in the masthead; and to the deck. The downhaul hitches to this block and leads through a small block at the cap to the deck. The sheet also hitches to the block, leads through a hole in the gaff end, through a block under the gaff, and to the deck.

The ringtail, if used, is set like a stunsail. The yard hoists on the peak downhaul to the peak, and the boom lashes to the main boom. or has an iron like the other stunsails.

Coils of rope on the belaying pins give a good finishing touch. (Continued on page 97)



and op Postpaid U. S. A. ith 3 whee

Order on 5 day trial . . . satisfa e tion grave, etc. Prepaid \$5.00. guaran- CHICAGO WHEEL & MFG.CO. teed. 115]S. Aberdeen St., Chicago, III.



MODEL

The complete line for Ship **Model Builders**

These two new books with 96 These two new books with 96 fully illustrated pages on SCALE SHIP MODELS. RACING MODEL VACHTS, SPEED BOATS, MINIATURE STEAM ENGINES, BLUEPRINTS and ENGINES, BLUEPRINTS and present day liners and warships. Your copies inailed promptly. Send 25c coin or stamps.

BOUCHER PLAYTHINGS MFG. CORP. 126 Lafayette St., New York, N. Y., Dept. P. S.



SHAW JUNIOR BAND SAW

Six inch Band Saw cuts stock 21/2 thick. Tilting Table 6"x7", 3/16" or ¼" Saws, Roller Guide, one piece iron frame. Send \$1.00. Bal. C.O.D.

COMPLETE \$4.98 SHAW TOOL CO.

HIGHPOWEREDTELESCOPE

es, Brass bound, paid, C.O.D. 24c \$169

BROWNSCOPE CO. 234 FIFTH AVE. NEW YORK



AUTOMOBILE COMPASS

Have you ever taken the wrong road and traveled many miles before discovering your mistake? This new AIR-PLANE TYPE COMPASS constantly tells your direction of travel. Sticks to windshield. Base 15" diameter. ONLY \$1.95 POSTPAID. including Congeniator. SATISFACTIONGUAR-ANTEED or your money refunded if returned within ten days.

AGENTS WANTED!

HULL MFG. CO., Box 246-E2, WARREN, OHIO



Better Built-Lower Prices Rowboats, Fishing Boats, Outboard Motor Boats, SnipeSail Boats and Canoes. Save Money—Prompt Ships Factories.

THOMPSON BROS. BOAT MFG. CO. PESHTIGO, WIS. CORTLAND, N. Y.

UD MODEL EITTINGS

Build this BALTIMORE CLIPPER

Construction set and fittings for T'P'S'L Schooner-typeBaltimore Clipper.
Fittings for all popular models, including
Flying Cloud, Bluenose, Hartford, California, Cargo steamer, Trawler, Preston, Texas, Dinna, Sea Scout, etc. Send
life for illustrated catalog.

A. J. FISHER, 1002-2 Etowah, Royal Oak, Mich.

Always mention POPULAR SCIENCE Monthly when answering advertisements in this magazine.

NOW YOU CAN DO IT!

Build most anything—a Swayne-Robinson 200 Series Lathe is a precision tool, husky and de-pendable. It is a workshop in itself adaptable for all general work and jobs such as: Drill press, mill-ing machine, boring mill, etc. Write for details on this low cost, accurate Lathe.

SERIES 200 LATHE is completely equipped as illustrated: Timken bearings, hollow spindle, 4 speeds, 8" swing, 18" between centers, only \$39.50.



ONLY \$39.50

SWAYNE ROBINSON & CO.

280 Main Street Richmond, Indiana

"A workman is known by his tools," Where fine cablinet work is done, in the great industrial plants too, Jorgensen Clamps are standard—imitations are not accepted. For the Home Shop Jorgensen recommends: Pony Fittings—go on %-ineh pipe—make clamps of any length, handle all sizes, Fittings for 2 Pony Clamps, \$3.00 plus postage on 6 lb, Handscrews and miniature "C" Clamps for small work. 2 No. 1 Handscrews (10" jaws, open 6") \$2.80. Malleable "C" Clamps 15c each and up.

CATALOG FREE ADJUSTABLE CLAMP CO.

"The Clamp Folks"





WORLD NOVELTY CO., Dept. 125,

SHIP MODELS Complete Kits from \$1.00 Up

Complete Kits from \$1.90 Up
The quick and easy road to ship
modeling is to get one of our accurate scale construction sets. With
them you can ecocentrate on the
interesting part of the model. Similar sets for models of Flying
Gloud, Destroyer Preston, Constitution, U. S. S. Texas, Whaler
Wanderer and many others. Also
semi-databach hulls undail sorts of
materials and fittings such as
blocks, desdeves, anchors, steering wheels, gum, lifeboaks, etc.
Large 64 page photographically ilinstrated booklet, describing the
above sent postpaid upon receipt



shove sent postpaid upon receipt
of Ike (coim), Many persons on receiving this booklet, have discovered how simple and anjoyable is ship model making. He sure to
get your booklet before starting your model, Model Ship Supply Co., Dept. S. Mineola, N. Y.

50 JIG SAW Post I

FREE! Adapters, 12 assorted Blades and Booklet, "Make Your Own Jig Saw Puzzles."
Order now or send 3c stamp
for NEW 1935 24 page, Catalog
fully describing all our ognativ lowpriced power tools and accessor exincluding Shaper, Lathe, Drilliprens,
Sander, Line Shaft, etc., etc.

The Puzzlemaker" Cuts Wood 2" Thick JAH METAL PRODUCTS CO 490 St. Paul St., Rochester, N. Y.


RIGGING THE SWALLOW

(Continued from page 96)

These should, of course, be the actual ends of the ropes, but I find it easier and neater to belay the ropes by taking a turn under the pin, then throwing a hitch (with the tweezers) over the pin, and cutting short. I then make coils of the same size rope on a stick, tie them with one turn of silk, and glue them in position.

Two wood-stock anchors about 1 in. long are needed, with chain cables of about eleven links to the inch. The rings of these are hung to the catheads with the stoppers. Cords, with a knot, go through the catheads, through the ring, and fasten inboard to a cleat or ring in a timberhead. The flukes are held level with the rail by the shank painters cords or chains around the crowns, fastened to bolts in the waterways.

The cables lead through the hawse pipes along the deck, under the ends of the cable bitts, over the uprights, under the ends, and along the deck to the chain pipes. The stop-



pers are short ropes with a big knot in the ends, seized to bolts in the deck. The chains are lashed to these to hold them back.

This vessel should have several boats, but they clutter up the deck so much that I gave her only the jolly-boat under the stern. It is 2 in. long and 5% in. in beam, and is hung with a double block hooked at each end, the fall being rove through these and the sheaves in the stern davits and belayed to cleats or to the pinrails. To make her hang properly, suspend a weight from the boat and then dope the falls until stiff.

The tiller ropes start from a bolt at the side, through a block seized to the tiller, back to a bolt at the side, through a ring under the tiller, and the same on the other side, thus forming an endless tackle.

These vessels were not entitled to pennants, but usually flew them, so I gave her a red and white one. The ensign of the 1812 period has thirteen stars and thirteen bars. These hoist on halyards of thin silk.

The trucks are little balls. I bored mine first, then shaped them with a file, and applied gold leaf. You can add a small weathervane arrow at the main if you like. A jack can be flown on a short staff at the bowsprit cap. This is stepped in two little staples at the side of the cap.

The base can be any of the approved forms. I used graving-dock blocks. are driven through two of these, up through the keel and into the hull. The blocks are then screwed to the baseboard, which is 41/2 by 13 in. The other blocks are merely fitted in place and glued. A shore will be needed on either side to take the strain off the keel. I bored right through the base, at an angle, then pushed them up and toenailed them.

Remember that the water line must be horizontal; that is, the keel will be 5/16 in. higher at line III than at line XI.

This completes our little Swallow model.

Accept this Sensational 10 Day Trial Offer FREE Mail coupon for details

. . . . Send No Money

Genuine Brand-NEW ROYAL PORTABLES

For the first time, you may obtain a genuine, new, latest model Royal Portable on 10 days free trial.

Lowest Prices and Monthly Terms Unusual new sales plan places amazing convenience of the Royal Portable easily within reach of readers of this magazine. Try a Royal Portable at no expense to you. Even if you have never typed, you can use one instantly. If not pleased in every way, it may be returned without question.

Learn Touch Typing Royal's "Simple System prepared by expert instructors, will enable you to acquire professional typing speed and facility in spare time at home. "Astonishingly quick results."

This is Your Opportunity Typing Course
.. CARRYING
CASE included in This Offer

world's largest organization devoted exclusively to the production of an office typewriter. Will last a lifetime.

Act at once! Offer not guaranteed after February 15th

Royal Typewriter Company, Inc., Dept. P S -2 2 Park Avenue, New York City

Please send me complete information concerning Royal's special new sales plan on latest model Royal Portable Typewriters with details of 10-DAY TRIAL OFFER FREE,

NAME.....

STREET.....

CITY____STATE___

HAMMARLUND Radio Equipment

Receiving and Transmitting Condensers, Chokes, Coils, Coil Forms, I. F. Transformers, Sockets, Shields, and the Low-Priced "STAR" CONDENSER.





HAMMARLUND MANUFACTURING CO.,

-Check here and attack 10c for 16-page Ham-marlund 1935 Short-Wave Manual, illustrating and describing most popular S-W circuits of past year, with schematic and picture diagrams

—Check here for FREE information on XP-53 Ceil Forms and Colls.

-Check here for FREE General Catalog.

Address

Success ecrets of STORIES THAT WILL HELP YOU GET AHEAD



Amazingly Easy Way to Get Into

I'LL FINANCE YOUR TRAINING

Don't spend your life never sure of a job. Now . . . and forever . . . say good-bye to lay-offs and uncertainty. Let me teach you how to prepare for positions that lead to salaries of \$35 and up a week in Electricity—NOT by correspondence, but by an amazing way we teach right here in the great Coyne Shops that makes you a practical electrician in 90 days! Getting into Electricity is easier than you imagine for right now I am making an offer no other school ever dared to make. I'll finance your training—you can pay me back in easy monthly payments—starting 60 days after your 12 weeks' training period.

LEARN BY DOING—IN 90 DAYS BY ACTUAL WORK-In the Great Coyne Shops

I don't care if you don't know an armature from an air brake—I don't expect you to! It makes no difference! Don't let lack of money stop you. Most of the men at Coyne have no more money than you have. That's why I have worked out my astonishing offers. Mail coupon below for all the facts.

MANY EARN WHILE LEARNING

Many of my students work part time to earn a good part of their living expenses. When you graduate I'll give you lifetime employment service. And, in 12 brief weeks, in the great roaring shops of Coyne, I train you as you never dreamed you could be trained... on one of the greatest outlays of electrical apparatus ever assembled.. real dynamos, engines, power plants, autos, switchboards, transmitting stations... everything from door bells to farm power and lighting.. full sized... in full operation. full operation.

ELECTRIC REFRIGERATION AIR CONDITIONING

Right now I am including my big new Electrical Refrigera-tion and Air Conditioning Course without extra cost so that your training will be complete and you can get into this marvelous, rapidly expanding field.

GET THE FACTS Coyne is your one great chance to get into Electricity. Every obstacle is removed for you don't have to pay for your tuition until after you graduate then you have over a year to pay it in small payments starting 60 days after your 12 weeks' training period. This school is 35 years old—Coyne training is tested—proved beyond all doubt—endorsed by many large electrical concerns. You can find out everything absolutely free. Simply mail the coupon and let me send you the big, free Coyne book of 150 photographs...facts...jobs...salaries...opportunities. Tells you how many earn expenses while training and how we assist our graduates in the field. No obligation to you. So act at once. Just mail coupon.

Big Free Book! Send for my big book containing 150 photo-plete story—absolutely FREE. H. C. LEWIS, President

COYNE	ELEC	TRICAL	SCHO	OL

500	s.	PAU	LINA	ST.,	Dep	rt.	25	5-7	3,	CI	HIC	A	G	۰,		ш
Do big as Co lea	os. g, fre well endit	Mr. I be cat l as a	Lewis alog a all det ig Co dso ab	eet. D : Wit nd all ails o	hout detai a yo and	ol ils	of R	efr	ion iph ige	se oyr rat	nd ner ion	III I	se Ser	y y	ici Al	ir ir
N	ame			****	****					100	27		100	13		
A	ldre	ı														

City.....State.....

THINK THIS OVER

The other day when I was opening up my morning mail I found a little folder enclosed with my life insurance premium notice-a polite request for the name of anyone who I thought would be interested in selling life insurance. I did know of a young man who I believe could make a go of it, so I filled out the blank and sent it along.

Having finished my routine mail I settled down to read a batch of "Secrets of Success" stories that had come in that morning. Well, believe it or not, but there was the most unique and varied collection of ideas for making money that I had seen for a long time. Those readers had good, workable ideas on everything from insect culture to sculpturing in concrete. I almost forgot that I was a hard-boiled contest editor-I had become so interested.

But I am only human, and I supposed my mind wandered for a moment, but I got to thinking about that little life insurance folder again. Did I know of anyone who I thought could make good selling life insurance? Why I knew of hundreds of them—only I was not free to send their names! Practically every one of those entrants in the "Secrets of Success" contest had just the very qualities that make a successful life insurance salesman —initiative—originality—energy. Now I wonder if this same thought has occurred

to any of you? Life insurance selling has always offered exceptional opportunities-from now on even greater possibilities await the wideawake salesman. Conditions during these past few years have done much to make people realize the importance and the desirability of life insurance. From all indications, the life insurance business is about to enter a period of greatly increased prosperity. Thousands of policyholders, who found their life insurance an invaluable asset during the lean years, will soon be ready to buy more, now that they are getting back on their feet. Thousands of others, who wish they had fortified themselves with this safe form of investment, will be in the market as times continue to improve. It certainly looks as though life insurance is going to be a mighty good thing to sell.

Of course, it is not my idea to persuade anyone who is happy in his job, and making a satisfactory living, to "chuck" it and go into the life insurance business. But, judging from the ideas that come, in these "Secrets of Success" stories, all of these readers are giving some mighty serious thought to the business of earning more money. Sometimes, when we are thinking very hard about some knotty problem, it is easy to overlook the simple solution. Perhaps life insurance is the solution for you. So take this suggestion merely as a reminder to check up on what life insurance has to offer you.

Become a Radio Expert

Learn profitable trades by practical about methods, Erroll with those,—oldest, largest trade school in the West. 30,000 gradel qualify as a radio repair man; televisionexpert; sound expert; traster; station technician; electrician and for many other jobs, recent and beard while learning. Biggestopportunity in 1905. For red time we will allow coach radiosed force to Lee Angeles. See free book which gives full details about different jobs you can q for, complete course of instruction and photographs of school of tions. Bign and mail coupon.

ns. Sign and mail coupon.

NATIONAL RADIO & ELECTRICAL SCHOOL
Dept. 2-PSR, 4006 So. Figueroa St., Los Angeles, Calif.
Please send meyour big Pres Book on Television, Taiking Pictures,
Radio and Electricity. Also details of R. R. fare offer,

Address



LEARN AT HOME

Are you adult, alert, ambitious, willing to study? Investigate LAW! We guide you step by step furnish all texts, including 14-volume Law Library. Training prepared by leading law professors and given by members of bar. Degree of LL. B. conferred. Low cost, easy terms. Send NOW for Free, 64-page "Law Training for Leadership."

LaSalle Extension University, Dept. 283-L, Chicago

Become Talented Artist with BIG INCOME

At last . . . an inexpensive and thorough home-study Art Course. Teaches commercial art, cartonains, lettering—anatomy, perspective, advertising layout, short cuts and many tricks of the art profession. Prepared by: Alexander Murray, famous Art School instructor, You do not have to be gifted with natural talent to make rapid progress. Over \$15 clear, concise instruction plates assure easy development. Course complete (no more to pay) only \$1.95. Postpaid for cash—or send no money, pay postman plus postage.

FREE 125 sheets of high grade drawing paper in-cluded with each order, at no extra charge.

MONEY-BACK GUARANTEE Order a Course for inspec-tion. If not delighted, re-turn it and your money will be promptly refunded.

Get started at once—turn your spare time of today into BIG MONEY tomorrow.

EDUCATIONAL SUPPLY CO., Dept. 271-B, Racine, Wis.

BOOK REE Send

Play Piano By Ear Play popular song hits perfectly, Hum the tune, play it by ear. No teacher self-instruction. No tedi-ous ding-dong daily practice less

ny mastered.

At Home in Your Spare Time Send for FREE BOOK. Learn many styles of bass and syncopation-trick endings. If 10c (coin or stamps) is enclosed, you also receive wonderful booklet. "How to Entertain at Piano"—and many new tricks, stunts, etc. School

Dept. 703, Niagara Falls, N.Y.

for this Free Book

TTRI-STATE COLLEGE

B. S. Degree in 2 years, World famous for technical 2-year courses in Civil, Electrical. Mechanical, Chemical, Radio, Architectural, Aeronautical Engineering; Business Administration and Aecounting. Equivalent in technical hours to 4-year course. Those who lack high school may make up work. Low tuition. Low living costs. Located in picturesque hill and lake region. Students from every state and many foreign countries. 51st year. Enter Sept., Jan., March and June. Write for catalog.

525 College Ave.,

Angola, Ind.

POPULAR SCIENCE MONTHLY

STARTS BUSINESS WITH STAMP COLLECTION

WHEN the firm by whom he was employed became bankrupt, a young business man whom I know was thrown out of work and most of his savings were swept away. Being interested in philately he decided to turn his hobby



to good account by establishing himself as a dealer in postage stamps.

His stock in trade consisted of an accumulation of duplicates, mostly of little value; an amateur's knowledge of stamps and the stamp trade; a fair business training and two hundred dollars cash, available for the venture.

He first budgeted his capital about as follows: advertising \$40.; stock and supplies, \$90.; postage, printing and other office necessities, \$20.; reserve balance, \$50. A room in his home was turned into an office; a rented typewriter completed his equipment. He, of course, was

his own stenographer.

For advertising he selected one popular trade weekly and one boys' weekly. He inserted a small classified advertisement in each for four issues. The advertisements featured an offer to send, postpaid, a packet gloriously designated as a "humdinger", consisting of 100 assorted foreign stamps, a perforation gauge and a small pocket album, all for ten cents. He purchased from a wholesale house sufficient quantities of each item to make up 250 packets. These cost him six cents a packet. The balance of his stock and supplies budget he invested in stamps of better grades, approval sheets and books, and minor accessories.

By the time the first advertisement appeared the humdinger packets and a quantity of approval sheets were ready. Replies came in encouraging numbers, and in each envelop ten cents was enclosed. When he mailed the humdinger packets, he enclosed in each one a prize packet of five stamps with pictures of animals, birds or boats-these being chosen to appeal to juvenile collectors. The individually typed letters, that accompanied each mailing, requested the recipient to send the names and addresses of three other collectors. When the returns from this prize packet appeal were complete a mailing list of five hundred active collectors had been accumulated, including the names obtained from the Humdinger offer. Both of these offers had been made merely for advertising purposes so of course but little cash profit resulted.

The profitable business soon began to arrive in the form of orders for better grade stamps selected. The demand for books of better grade stamps increased. Some of these were available in the stock already purchased; others he obtained on credit from a wholesale house. Although some of the collectors, to whom stamps

Secrets of Success These "Live" Lines of Work Will Need

Trained Workers Throughout Your Life

How far you go in the business or industrial world depends more upon how you use your spare time than your working hours. You can learn how to do an ordinary job in a short time; and if that is all you know, that is where you stay.



But if you use part of your spare time to learn how to do the next higher job, that's where you will go before long. Get specialized training, and then you can be sure of getting the better job and more pay that you want.

Turning Spare Time into Dollars

Architecture

The country's population increases at the rate of 900,000 persons a year — more than we have homes for. Now that the Federal Government is backing several gigantic persons projects and lend. housing projects, and lend-ing money to thousands of individual home owners, the increasing building activities will quickly bene-fit architects, contractors, draftsmen, and members of all the building trades— providing almost number-less jobs, both now and for years.

Electricity

Electric power, light, and communication are indispensable in our everyday life, and the constant new uses for electricity insure that it will be a growing industry for a generation to come, offering well-paid employment to millions of trained men and women. If you are booking for a real opportunity in manufacturing, transportation, communication, power plant work, etc., train for one of the better electrical positions. communication are indisHalf the men and women employed today are working at jobs that did not exist 30 years ago. Every line of work described here will need trained workers throughout your lifetime.

All are either basic lines, like Architecture, Business, Drafting, Electrical and Automotive Engineering; or new developments like Diesel Engineering and Air Conditioning, that have already built up a popular demand.

Therefore you can safely make any one of these "live" lines your life work.

Diesel Engineering

Already Diesels are fast replacing steam and gasoline en-gines in locomotives, ships, industrial and commercial power plants, motor cars and trucks, aircraft, and tractors— throwing out of employment thousands of men operating old-type engines. By getting into this new line now, you young men can grow up with it into important jobs; you older men can eash in on your experience in operating and maintaining engines. maintaining engines.

Automotive

An army of shop workers, service men, sales-men, chauffeurs, etc., makes possible the con-venience and service we get daily from car or bus, truck or tractor. In 1935, over 25,000,000 cars, trucks, etc., will be in use, em-ploying hundreds of thou-sands to supply servicing and repairs, three batter and repairs, tires, batter-les, etc. Of all machines in common use, the auto-probably demands the most attention and care—chiefly from trained workers.

Drafting

The draftsman is the first hired and the last fired, because every man-made thing starts on the draft-ing table. His working drawings boss all types of workers; while his con-tacts and training lead him direct to the big-pay jobs. He has his pick of hundreds of specialized lines, and every improvement or new device creates new jobs and opportunities for him.

Business

General managers, auditors, private secretaries, salesmen, office workers, are needed in every type of company. In good times and bad, accounts must be kept, correspondence handled, the firm's affairs and employes directed and supervised. Business pays well for trained ability, and offers rapid advancement to those fitted for greater responsibilities.

Air Conditioning

Modern air conditioning enables us to control indoor tem-perature and humidity automatically and insure pure air. People are demanding these healthful comforts; so, to keep on the pay roll, builders, heating and ventilating experts, plumbers, etc., must master air conditioning; while begin ners have the opportunity to "get in on the ground floor" of a big and booming industry,

Train at Home for the Job You Want

You can get ready for a well-paid position in your choice of these seven "live" lines through home study in your spare time. All instruction material furnished. Individual help whenever needed. Employment service (endorsed by employers) when training is completed—no extra charge. Start now to fit yourself for a line of work that will provide good jobs all your life. Mail coupon TODAY for Free Bulletin. No obligation.

American School, Drexel Ave. at 58th St., Chicago, U. S. A.

The American School was chartered as an educational institution, not for profit, in 1897. Exempt from Federal income tax. Special instruction material prepared by over 200 well-known Educators, Engineers, and Executives, and adopted by many schools.

Dapt. 182,



many schools and colleges, U. S. Navy, and Province American School, Dept. G-246, Drexel Ave. at 58th St., Chicago Tell me how to get ready for well-paid position in line checked X:

☐ Air Conditioning
☐ Architecture

☐ Automotive Eng.
☐ Business Mgt.
☐ Electrical Engineering

☐ Diesel Engineering ☐ Drafting & Design

Name......Age





McCarrie School of Mechanical Dentistry 500 M. Bearbern St., Chicago, Hinnis | 207 N. Broad St. Dept. 618



Learn to Make

\$40,\$60,\$75 a WEEK Ill train you at home in spare time



H. Pawcett. Rd., Ladner,



found myself without a job, but I was well pro-tected with N. R. L. training. I swung right to full time Radio serv-leing and made over 85,000 in a little over 2 years.



Get my FREE book about the opportunities in Radio. Mari the
coupon now. Get the facis about
this field with a future. N.R.L.
training fits you for jobs making,
selling, servicing short and long
wave Radio sets, to have your own
business; to operate Radio apparatus on board ships, in a broadcasting or commercial land station;
for television, aviation, police Radio
and many other branches. My
FREE book gives full information
and tells how you quickly learn
at home in spare time. Stop
struggling along in a dull job with
low pay and no future. Start training now for the live-wire Radio
field. I have doubled and tripled
salaries of many.

Many Make \$5, \$10, \$15 a Week Extra While Learning

Hold your job. I'll train you in a few hours of your spare time a week. The day you enroll I'll send you instructions which you should master quickly for doing 28 Radio jobs common in most every neighborhood. I give you Radio equipment that teaches you to build and service practically every type of receiving set made. Fred J. Dubuque, 19 Church St., Oswego, N. Y., wrote: "I have made about \$1200 in a little over two years' spare time Radio work."

Get my Book-FREE-Now

My book has shown hundreds of fellows how to make more money and win success. It's FREE to any ambitious fellow over 15 years of age. Investigate. Find out what Radio offers; about my Course; what others who have taken it are doing and making, and the many other N.R.L. features, Mail coupon NOW.

J. E. Smith, Pres. National Radio Institute Dept. 5BP3 Washington, D. C.



Secrets of Success STARTS BUSINESS

WITH STAMP COLLECTION (Continued from page 99)

were sent on approval, were dishonest or careless in making returns, most of them were profitable customers who spent from a few cents up to two or three dollars at a time. Later he added special packets, made up by countries and sets to his stock. The unsatisfactory customers he weeded from the list and experience soon taught him how to reduce other leaks.

In a few months the business was earning a satisfactory profit. On one red-letter day, he sold a miscellaneous lot of about 8000 different stamps for \$300.

This sale was particularly interesting because of the fact that it brought a return, fifty per cent greater than the entire amount originally invested in the business. That, you will agree, was quite a record to set up within a few months of the launching of the enterprise. Of course, such a large sale is uncommon but the number of sales to small collectors has increased steadily until quite a sizable volume has been reached.

This business, which started so modestly, enabled this young man to become master of his own time. The work is congenial, interesting and instructive, and has proven more gratifying than the position he lost .- J. H. H., Narberth, Penna.

Cash Prizes

THIS department will give \$5.00 for every true success story submitted by readers of Popular Science Monthly, and which is accepted for printing in this magazine.

Manuscripts will be judged on the individual merits of the case and circumstances involved. Only stories in which the author's success, or that of some one known to the author, has been gained by some method of educational guidance, fitness for the job, or application to the work will be considered. We are not looking for the "get-rich-quick" type of story.

Manuscripts must be confined to 500 words or less. They must be true and, if accepted, authors must be prepared to give us signed statements to the effect that they are true. Manuscripts submitted and printed become the property of this magazine, and we are not responsible for the return of rejected stories unless postage is provided for this purpose. Address contributions to Success Story Department, Popular Science Monthly, 381 4th Avenue, New York City.

€ How To Secure A **Government Position** Tells About These and Other Positions

Tells About These and Other Positions
RAILWAY POSTAL CLERK
\$1850 to \$2700 a year
POSTMASTER
\$1200 to \$2500 a year
POST OFFICE CLERK
\$1700 to \$2100 a year
R. F. D. MAIL CARRIER
\$1800 to \$2300 a year
FREE BOOK tells how I can help
you get a Government Job. For 8 years I was Civil Service
Examiner—have helped thousands. If
eitizen 18 to 50, you may qualify. Get ready NOW for a Government position, Send for free book, Write or mail coupon
TODAY.

A. R. PATTERSON, Civil Service Expert

A. R. PATTERSON, Civil Service Expert
162 Case Bidg., Rochester, N. Y.
Pleasesendmeyourfreebook "How to Secure a Government Position." Name

Have You Tried GUNCRAFTING?

Spend a part of your leisure hours in the fascinating hobby of amateur gun-crafting — learn how to beautify, improve, and preserve your choice guns. You can make your guns fit you like a custom-made arm.

Complete information about guncrafting is only one of the advantages of membership in the National Rifle Association. Send six cents in stamps, today, for full information and a sample copy of THE AMERICAN RIFLEMAN, the only magazine devoted exclusively to guns and guncrafting.

NATIONAL RIFLE ASSOCIATION
Washington, D. C. 871 Barr Building



RADIO ENGINEERING

RCA Institutes offers an intensive course of high standard embracing all phases of Radio.
Practical training with modern equipment at New York and Chicago schools. Also specialized courses and Home Study Courses under "No obligation" plan. Illustrated catalog on request.

RCA INSTITUTES, INC., Dept. PM-35 1154 Merchandise Mart, Chicago 75 Variok St., New York Recognized Standard in Radio Instruction Since 1909

100% Improvement Guaranteed

We build, strengthen the vocal organs— not with singing feasons—but by fundamentally acoust and scientifically correct eitest exercises, and absolutely generalise to improve any singing or speaking voice at feast 200%. Write for wenderful voice book—sent free, Learn WHY year can now have the voice you want. No literature sent to anyone under 17 unless signed by parent.

FREE BOOK ON MIND TRAINING

An instructive book which explains an amazing system of mind training already used by more than 750,000 people.

Let us send you a free copy of "Scientific Mind Training." It will show you bow and why Pelmanism is the only system of teaching for developing all the mental powers at the same time. Endorsed by such distinguished men as Sir Harry Lender, the late Jerome K. Jerome and Edgar Wallace, Frince Charles of Sweden and hundreds of others. Write TODAY to

THE PELMAN INSTITUTE OF AMERICA 271 North Ave. New Rochelle, N. Y.



This may be your BIG OPPORTUNITY

Become an expert PHOTOGRAPHER, Growing demand for trained men and wom-en. Wonderful meney-making opportuni-ties. Lifetime career. Learn quickly. COM-MERCIAL, NEWS, PORTRAIT or MOTION PICTURE PHOTOGRAPHY, Personal attendance or Home Study courses, 25th pear, Free Booklet.

PHOTOGRAPHY New York Institute of Photography
10 West 33rd St., (Dept. 49) New York

Always mention POPULAR SCIENCE Monthly when answering advertisements in this magazine.

PLAY TUNES

the First Week

YOU'LL BE AMAZED at how quickly you master an easy-playing, sweet-toned Buescher Saxophone, Surprise your friends...play tunes in a week . . soon join a band or orchestra. You go places when you play a Buescher, choice of leading artists on the air!

FREE TRIAL; Easy Payments on saxophone, trumpet, trombone, clari-net—any instrument for band or orches-tra. Write now for now free Buescher Book, Mention instrument which interests you.

BUESCHER BANG INSTRUMENT CO. 213 Buescher Bidg., Elkhart, Ind.

BUESCHER_



· · · BRANCH · · · MANUFACTURERS

On small or large scale for our NEW LINE of Cast Metal 5 and 10c Novelties, Toy Automobiles, Ashtrays and other all year sellers. No special place or experience necessary as we furnish full instructions with moulds and cooperate in selling, also buy finished goods. Chance of a lifetime for man with small capital to get into this new and profitable industry. If you mean strictly business and are over 21, write AT ONCE for details as we are now closing arrangements for 1935 business.

METAL CAST PRODUCTS CO.

1696 Boston Road



Learn Public Speaking

At home—in spare time—20 minutes a day. Overcome "stage-fright," gain self-confi-Overcome "stage-fright," gain self-confidence, increase your salary, through ability to sway others by effective speech. Work Worders Wuh Words.

North American Institute, Dept. 1362 3601 Michigan Avenue, Chicago, Ill.

For Trained Auto Mechanics

Step into Big Pay. Earn \$35 to \$75 a week. I train you in only 8 weeks at largest schools of kind in world. New practical shop plan. Learn with real tools . . . on real equipment. Write today for Big Free Opportunity Book and Special Low Tuition Offer. Address school nearest you.

McSWEENY SCHOOLS, Dept. 6-14.



Follow This Man

Secret Service Operator No. 38 is on the job! Running down Counterfelt Gang, Tell-tale Engerprints in mur-dered girl's room. Thrill, Mystery. The Confidential Reports Free of Operator No. 38 mode to his chief. Write for it.

YOU can become a Figger Print Ex-pert at home, in spare time. Write for details if 17 or over. Institute of Applied Science 1920 Sunnyside Ave. Dept. 13-62 Chicago, III.

TRAIN FOR A FINE

Come to Washington, Qualify in 4 months for well-paid opportu-nities in Hotels, Cluba, Schools, Restaurants, Hospitals, Institu-tions, Learn on modern equip-

ment under expert instructors.
National Placement Service
FREE, Day Classes now forming. Send for FREE Book. LEWIS HOTEL TRAINING
SCHOOLS, Div. RLB-2793, Washington, D. C.

CIVIL SERVICE


Columbia Correspondence College, Washington, D. C.

New Way to Improve YOUR



A command of effective English gives you added advantages and better opportunities. Poor English handicaps you more than you will ever realise. You can improve your English through Sherwin Cody's 100% self-correcting invention. If you are ever embarrassed by mistakes in grammar, punctuation, or procuposition, this new free book "How Master Good English in 15 Minutes a Day" will prove a new you, Send for it need. It is free. Address

SHERWIN CODY SCHOOL OF ENGLISH



CYLINDRICALLY ground bar 1/4 in. Ain diameter and 15 in. long, used in connection with the dial indicator, serves well to test the alignment of lathe centers and any other such jobs around the shop.

To prevent distortion in bending small aluminum and copper tubing, it helps materially to close one end in the vise, fill with heavy oil, and close the other end.

It may cost as much as the price of a file to have a tool chromium plated, but it will last from five to six times longer, even on hard castings.

A surface milled with a tungsten-carbide cemented cutter will be 100 percent smoother than when ordinary tools are used. This result is due to the high speed obtainable while much less heat is conducted to the work.

When individual wrenches are loose because of wear, heat and close them up to size. This will save you much time and possibly some sore knuckles.

Discarded taps with centers make good grinding arbors in an emergency by grinding off the thread free-hand, then grinding to size on centers.

While the 118-deg, angle of a drill is recognized as standard, a 135-deg. angle will work better in drilling high-carbon alloy steel forgings and other hard materials.

Number drills ground to a spherical nose will serve as reamers to remove a few thousandths from a hole.

Lathe collets can be made to give added service by slitting them with a flexible rubber grinding wheel the length of the thread that has become worn, and pressing in a soft bushing with a 1/8-in, wall and about .015 in. larger than the hole in the

GASKET CORK IMPROVES TABLE-TENNIS BATS

Good table-tennis bats are expensive, and homemade ones of plywood with broomstick handles, even when faced with sandpaper, are not altogether satisfactory. An excellent solution is to buy a sheet of gasket cork at an auto supply store for facing the bats. I paid only 11 cents for a sheet of cork 18 by 30 in. Give the bats one good coat of shellac on both sides, and the cork pieces on one side only. When the shellac has dried just enough to be very sticky, apply the shellacked side of the cork to the bats. The cork is then trimmed with a razor blade and the edges are beveled, after which the edges are smoothed with sandpaper.-E.M.



ARE YOU JUST HOPING TO LAND IN A GOOD JOB?

HOPE without foundation is pretty futile in this competitive age! But hope plus training is a winning combination-and all over this country today, in all kinds of professions and trades, men are getting ahead-landing in good jobs-earning more moneybecause of serious and systematic study of International Correspondence Schools Courses. These courses are giving them the training they need to succeed! As for you, investigation will not put you under any obligation. Mail the coupon!

INTERNATIONAL CORRESPONDENCE SCHOOLS

"The Universal University" Box 7630-H, Scranton, Penna.
Without cost or obligation, please send me a copy of
your booklet, "Who Wins and Why," and full particulars
about the subject before which I have marked X:

TECHNICAL AND INC	DUSTRIAL COURSES
☐ Architect	☐ Bridge Engineer
Architectural Draftsman	Automobile Work
Building Estimating	Plumbing Steam Fitting
☐ Wood Millworking	☐ Heating ☐ Ventilation
Contractor and Builder	Air Conditioning
Structural Draftsman	Sanitary Engineer
Structural Engineer	Sheet Metal Worker
☐ Electrical Engineer	Steam Engineer
C Electric Lighting	Marine Engineer
Welding, Electric and Gas	Refrigeration
	R. R. Locomotives
	R. R. Section Foreman
Telephone Work	R. R. Bridge and Building
☐ Inventing and Patenting ☐ Mechanical Engineer	Foreman Air Brakes
	R. R. Signalman
Mechanical Draftsman	
Patternmaker Machinist	Pharmacy
Reading Shop Blueprints	Chemistry
Heat Treatment of Metals	Coal Mining Engineer
Civil Engineer	☐ Navigation ☐ Agriculture
Highway Engineering	Textile Overseer or Supt.
Surveying and Mapping	Cotton Manufacturing
Gas Engines Toolmaker	Woolen Manufacturing
Diesel Engines	Fruit Growing Radio
Aviation Engines	☐ Poultry Farming
BUSINESS TRAIL	NING COURSES
☐ Business Management	☐ Advertising
Industrial Management	☐ Business Correspondence
	Lettering Show Cards
☐ Traffic Management ☐ Cost Accountant ☐ Accountancy and	Stenography and Typing
Accountancy and	☐ English ☐ Signs
C.P.A. Coaching	Civil Service
☐ Bookkeeping	D Railway Mail Clerk
Secretarial Work	Mail Carrier
Spanish French	Grade School Subjects
Salesmanship	☐ High School Subjects
Wallpaper Decorating	College Preparatory
Salesmanship	First Year College
Service Station Salesmanship	
C their a new transmission relatives and the contract of the c	C an arrange of the south of

Street Address.....State......

Occupation.... Occupation.

If you reside in Canada, send this coupon to the
International Correspondence Schools Canadian, Limited,
Montreal, Canada,

are Finding Good Pay Jobs



LINCOLN graduates are in demand. A recent report from our employment department lists ten more of our graduates who have obtained good jobs among prominent concerns in the aviation industry.

These and many others have found profitable employment in aviation after completing their training in this world's best known school. This school is constantly in touch with the aviation industry, with a view of placing its graduates in trusted positions.

No grasse-work about your getting proper training at LINCOLN. Only modern high class training planes with Dept. of Comperce approval are used. Training pipen for government decise as Traini

Lincoln Airplane & Flying School 210-E Aircraft Bldg. Lincoln, Nebr.

COMPLETE PLANS



MAKE \$30 TO \$40 A WEEK

Our free plans show you how to build a successful business of your own sharpening lawnmowers on the IDEAL Lawnmower Sharpener. Positively no experience necessary. Most men average from \$30 to \$40 a week. J. B. Van Dien, Ridgewood, N. J., writes: "Some weeks I earned \$40 a week with my Ideal just as a side line." H. Greenlau. Fond du Lac, Wis., writes: "In May I sharpened over 200 mowers at \$1 each." Niles C. Bace, Rochester, N. Y., writes: "I have sharpened 785 mowers at \$1 each."

THE IDEAL LAWNMOWER SHARPENER



WHAT IS THIS STRANGE FORCE

The thinking mind?
You begin to LIVE when you learn to heed this inner mind, awakening your natural thought forces. For centuries the Rosicrucians have collected and guarded basic facts on successful living; truths which guide one's path through life. For free booklet, explaining how to acquire this knowledge, write Scribe: R. P. Q. THE ROSICRUCIANS, AMORC, San Jose, Cal.




Railway Postal Clerk START \$1900 a Year

Many Other Government John MEN-BOYS 18 to 50	Franklin Institute
	Dept. L268, Rochester, N. Y. entlemen: Rush to me without arge 32-page book with list of
the coupon Advise means more to hours, d	Government big paid positions, me regarding the salaries, luttes, vacation and send pointers o get a job.

STANDARD

Ship Model Kits

Designed to save your time



KIT Q

POR those readers who have advanced beyond our simplified ship models, we have six construction kits for larger and more elaborate models—the whaling ship Wanderer, a Spanish galleon, the U. S. battleship Texas, the Elizabethan galleon Revenge, Farragut's famous steam-and-sail flagship Hartford, and an 1812 privateer, the Swallow.


These are the finest of the many scale models Capt, E. Armitage Mc-Cann has designed for this magazine. Their value, when finished, is from twenty-five to several hundred dollars each, according to the workmanship. Each of them requires a number of different kinds of hardto-get materials. If you go out shopping for the individual items yourself, you will waste at least half a

day's time and will have to buy much larger quantities than you have any need for. Besides, you will probably have to take some substitutes that will be harder to work with and will not give as good results in the finished model.

The kits contain only the raw materials, but everything is of the best and is exactly suited to the particular model in which it is to be used. The strips of wood, for example, are cut to the correct width and thickness—in itself a considerable task. Wire,

rigging cord, brass, fiber, celluloid, chain, tubing, and the like are all of the right size and

Note in the following list that all but one



KIT G



The Historic Hartford-Kit L

of the standard ship model kits can be obtained with plain boards or blocks for the hull, or with them sawed out or shaped from our own master templates. Those who have jig saws or band saws can do the shaping themselves without difficulty, otherwise it is a distinct saving in time to have this work done for you, especially as the charge is a nominal one. In the case of the Swallow, which is the smallest ship model in this classification, all the kits contain sawed-out hull boards.

The easiest of our models to make are those designed by Theodore Gommi for the Popular Science Model-of-the-Month Club. They are beautiful little water-line models, made of balsa wood, and can be put together with no other tools than a pocketknife, some razor blades, and a pair of pliers. These

blades, and a pair of pliers. These kits contain all the raw materials, paints, blueprints, and instructions. This month's model is the *Hispaniola* of "Treasure Island" fame. The simplified ship model kits form a third

Be a McMess Man

No Time Like Now to Get in-Make \$35 to \$75 a week

It's notrick to make up to \$12
a day when you use your car as a McNess
"Store on Wheels." Farmers are buying
everything they can from McNess men.
Attractive business-getting prizes, also
money-saving deals to customers make
selling McNess dally necessities a snap.
This business is depression-proof.

We Supply Capital — Start Now!

DAY There's no better work anywhere—
pays well, permanent, need no experience to start and
we supply capital to help you get started quick. You
start making money first day. Write at once for MoNess Dealer Book—tells all—no obligation. (92)

FURST & THOMAS, 182 Adams St., Freeport, III.



Earn Cash*at* Home!

Grow fancy giant mushrooms in cellar, attic, barn. New, easy, odorless method. We show you how, furnish guaranteed materials and buy crops. Valuable big book and pictures free if you write quickly. (Est. 1908.)

UNITED MUSHROOM CO.

3848 Lincoln Ave., Dept. PS-2, Chicago

he TRUTH about VOICE

SENT FREE No Obligation to Buy

If you act quick!—we will send postpaid—for to days free reading—new Voice Book distioning startling VOICE FACTS that may save
hundreds of dollars to every man or woman
seeking a strong, rich voice for either singing or speaking. 30 days free reading—then,
send \$1.00. Otherwise, return it—then's sill
PROF. E. FEUCHTINGER Studio 13-62
305 North Michigan Avenue Chicago



UseYour

CAR

to Raise

Your

A BROAD, basic, intensive course for men of limited time, complete shone school year. Approved by educators, endorsed by industry. Modern buildings, 41 years' successful experience. Catalog on request.



DON'T COPY - LEARN TO ORIGINATE!

RAYE BURNS will teach you HOW to CREATE ORIGINAL CARTOONS at home that you can SELL! Course has 26 lessons and 600 illustrations.

Send name and address for free details, Outy....

RAYE BURNS SCHOOL, Dept. S-X, Box 2194, Cleveland, Ohio



spare time. Also earn while you learn. No experience necessary. New easy method. Nothing else like it. Send at once for free book, Opportunities in Modern Photography, and full particulars.

AMERICAN SCHOOL

AMERICAN SCHOOL OF PHOTOGRAPHY Dept. 1362, 3601 Michigan Ave. Chicago, U. S. A.

USED CORRESPONDENCE COURSES

AND EDUCATIONAL BOOKS OF ALL KINDS BOUGHT AND SOLD. IF YOU HAVE A USED HOME STUDY COURSE YOU WISH TO SELL FOR CASH OR IF YOU WISH TO BUY ONE ON ANY SUBJECT, WRITE FOR FREE DETAILS TO:


BYRN'S EDUCATIONAL SERVICE Dept. S-4, Box 2187, Cleveland, Ohio.

PHOTO PRINT FLATTENER Save Money—Make Money. Build It Yourself

of essional and Amateur Photographers, the flattens prints of any size up to end ling 7x9 inches. Can be constructed of wood or sheet metal or both. Easy to build with our plans. Self aligning bearings. Hair line adjustment for extra fine word, MAKES PHOTO PRINTS MORE SALABLE. We furnish electric motor at low cost if desired. Send for complete set of building plans and instructions today. Send ing plans and instructions today. Send anywhere postpaid for \$1.60 M.O., check or cash. Complete machine shipped anywhere in U.S. A. for \$32.50.

Box 224, Dayton, Ohio d Amateur Photograph

Takes the curl out of photo print ART EQUIPMENT CO.



the same general construction as our standard models, but are very much smaller and require much less work. In these kits the hulls are furnished roughly shaped.

STANDARD SHIP MODEL KITS

A. Whaling Ship Wanderer, 201/2-in	6.90*
AA. Same with hull lifts sawed	7.40*
D. Spanish galleon, 24-in	6.45*
DD Same with hull blocks shaped	6.95*
E. Battleship U.S.S. Texas, 3-ft	6.95*
EE. Same with hull lifts sawed	7.45*
G. Elizabethan galleon Revenge, 25-in.	6.75*
GG. Same with hull blocks shaped	7.25*
L. Farragut's flagship Hartford, a st	eam-
and-sail sloop-of-war, 331/2-in, hull	7.95*
LL. Same with hull lifts sawed	8.45*
Q. Privateer Swallow, 121/2-in, hull,	with
lifts sawed to shape	4.95*
MODEL-OF-THE-MONTH KITS	

MODEL-OF-THE-MONTH KITS
M. Aircraft carrier Saratoga, 18-in 1.00
N. Four U.S. destroyers, each 61/4-in75
O. Liner S. S. St. Louis, 11-in 1.00
P. Cup yacht Rainbow, 71/2-in75
R. U. S. cruiser Tuscaloosa, 1134-in 1.00
S. S. S. Savannah (first steamship to cross
Atlantic), 31/2-in., and S. S. Atlantic, 6-in.
(two models in one kit)
T. U.S.S. Brooklyn, armored cruiser in
Spanish American War, 8-in
U. Hispaniola, the ship in "Treasure Is-
land," 7-in

SIMPLIFIED SHIP MODEL KITS

1	THE PROPERTY AND ALLE	
H.	Liner S.S. Manhattan, 12-in Cruiser U.S.S. Indianapolis, 12-in Clipper ship Sea Witch, 13-in	1.50

FURNITURE KITS

No. 2. Solid mahogany tray-top table 23 in, high with a 15 in, diameter top, Ready to assemble, but without finishes..... 5.40*

No. 4. Solid mahogany book trough 221/2 in. long, 91/2 in. wide, and 243/4 in. high over all. Ready to assemble, with finishes..... 5.30*

No. 5. Solid rock maple hanging wall rack with one drawer, 191/2 in. wide, 331/4 in. high. Ready to assemble and stain included...... 5.75*

No. 6. Solid rock maple butterfly table, top 19 to 22 in., height 221/2 in. Ready to assemble and stain included...... 6.90*

Note: If you live west of the Mississippi River, add 50 cents to all prices marked with an asterisk (*) because of the heavy shipping charges. Otherwise all prices are postpaid anywhere in the United States. The kits marked with an asterisk will be sent C. O. D. upon request, but the purchaser will have to pay 28 cents additional upon delivery.

Popular Science Monthly, 381 Fourth Avenue, New York, N. Y. Please send me Kit

which I inclose \$.....(or send C. O. D. [])

Address

...State (Print name very clearly.).

Please remember that no kits can be sent C. O. D. except as noted above. This offer is made only in the United States.

Where Do You Go From Here?

You're like a million other men today-you're facing a big question.

The late depression turned business topsy-turvy and now the "New Deal"—the rebuild-

ing period—stares you in the face.
Where you are "going from here" is a question you want answered right if you expect to get

ahead—progress—grow instead of standing still.

Are the things that are happening today going to help or hinder you—what will they mean in your pay check? Where will they put you five—ten—twenty years from now?

How can you take full advantage of this time—this

How can you take full advantage of this time—this period of opportunity? We believe you will find the answer here—a suggestion—a recommendation the soundness of which can be proven to you as it has been

to thousands of other men.

The whole trend today—legislation—spirit—action—is to put men back to work, raise earning and spending power, give every man a fair chance to work out his

ing power, give every man a fair chance to work out his own salvation.

The road to success remains unchanged, but, bear this in mind, what it takes to win is radically different!

Different—because business men are older and wiser—because the crash of 1929 proved many old business methods were unsound.

No employer today would dare risk an important post in the hands of a man who had not learned the lesson of 1929. Why should he, when right at this moment he can pick and choose and get almost any man he wants at his own price?

Business organizations are rebuilding—reorganizing

man he wants at his own price?

Business organizations are rebuilding—reorganizing for the new conditions. Before it is over, every man and every method will be judged in the cold light of reason and experience—then dropped, remade or retained. This spells real opportunity for the man who can meet the test—but heaven help the man who still tries to meet today's problems from yesterday's standpoint! Out of the multitude still jobless there are sure to be many frantically eager to prove him wrong and take his place.

Some Men Have Found the Answer

Seeing these danger signs, many aggressive men and women are quietly training at home—are wisely building themselves for more efficient service to their

employers.
You naturally ask, "Has your training helped men withstand conditions of the last few years?"
Our answer is to point to a file of letters from thousands of our students reporting pay raises and promotions while business was at its lowest ebb—together with a myriad of others telling of greater success during these recent months of recovery.

Amazing evidence is ready for your investigation. We have assembled much of it in a booklet that is yours for the asking, along with a new and vitally interesting pamphlet on your business field.

This is a serious study of the possibilities and opportunities in that field. It is certain to contain an answer to vital questions bothering you today about your own work and earning power.

your own work and earning power.

Send for these booklets—coupon brings them free.
Be sure to check the LaSalle training that interests you most. We will tell you also how you can meet and take fullest advantage of today's situation. No cost or obligation cost or obligation



LASALLE EXTENSION UNIVERSITY Dept. 283-R CHICAGO

Please send me—without cost or obligation—full informa-tion about how I can, through your training, equip myself for the new problems and opportunities in the business field I have checked:

	Higher Accountancy
	Law: Degree of LL.B.
	Commercial Law
	Industrial Manage-
-	mant

Business English

☐ Business Management
☐ Traffic Management
☐ Personnel Management
☐ Business Correspondence dence □ Salesmanship

Name	
Position	

Address

Get a Good Pay Job in



I'LL PREPARE YOU QUICKLY

first to fly from North to South America, first to use a plane in exploration work. He is ready to prepare you at home in spare time for a good job in Aviation.


AT HOME IN YOUR SPARE TIME

Aviation is BOOMING! Right now ambitious men who know something about airplanes and Aviation are getting good jobs. There's the same chance open for you, provided you'll do what most of them did—back yourself with training. And don't think that to learn Aviation you must leave home or give up your job. I'll give you this training right at home in your spare time. Send for my free book right now. Mail coupon below.

Earn \$30.00 to \$75.00 a Week and Up

My practical, up-to-date training gives you all the ground work you need to get and keep a real job in this fascinating, fast growing industry. Many of my graduates who didn't know a thing about Aviation when they enrolled are holding down fine jobs right now—in the air and on the ground, Get the FACTS about my training and what I have done for others. Money back agreement protects you. Mail coupon below. My big FREE book is packed with interesting facts about your opportunities in Aviation. No obligation. ACT NOW.

MAIL NOW! Walter Hinton, President Aviation Institute of U. S.A., Inc. 200-18 1115 Connecticut Avenue, Washington, D. C. nd me without obligation free book, "Wings of Opportunity"



The Diesel is fast replacing old-type engines in locomotives — ships — industrial and commercial power plants — motor cars and trucks — aircraft — tractors. As a result, many old jobs have been greatly changed or actually wiped out.

New Jobs For Old

Every industrial change throws many good jobs into the discard—but it creates more and better jobs. The automobile rulned scores of industries based on providing horse transportation—but the motor industry employs even greater armies of workers. Radios supplianted talking machines—electric refrigerators wrecked the leeman—air conditioning is driving out old-fashioned heating and ventilating systems.

Diesel Engineering is the great opportunity of today. The field is developing with amazing rapidity—on land and water and in the air. Get in on the ground floor of this new and prosperous industry that will provide pienty of good jobs during your lifetime.

Is Your Job Safe? There is a growing scarcity of men trained to install, operate, and service Diesel engines. New Diesel Engineering Course—just released for home study by one of America's leading educational institutions—will give you, in a short time, thorough training in modern Diesel engine practice. All texts furnished. Send TODAY for Free Bulletin. No obligation.


American School Dept. D246, Drevel Avenue at 58th Street, Chicago, Ill.



Cards, Stationery, Advertising, labels, paper, circulars, tags, etc. Save money and time. Sold direct from factory only. Junior Press \$5.90, Job Press \$11, Power \$149. Do popular raised printing like engraving with any of our presses. Print for Others, Big Profits. Pays for itself in a short time. Easy rules sent, Write for free catalog of outfits and all details. The Kelsey Co... B-33, Meriden, Com.

HOW TO BUILD A LARGE BOBSLED

(Continued from page 67)



Rocker supports for the rear sled, how they are fastened and braced, and the foot rest

put on until the bobsled has been painted. After the rocker and rocker supports are in place, the supports must be braced with iron rod as shown. This brace is 20 in. long, flattened at one end for 31/2 in., bent at an angle of 45 deg., and, beginning 5 in. from the bend, flattened again for 3 in. At the 5-in. point, bend to 135 deg., and at the end of the flat, to 135 deg. again. Measure 5 in. from this last bend and flatten again for 31/2 in. and bend to 45 deg. Drill a 1/4-in, hole in the middle of each 31/2-in, flat and two holes in the 3-in, flat. Place this between the two rocker supports, and bolt to the supports and cross brace with 21/2 by 1/4 in. bolts.

The spruce seat should finish about 11/2 by 12 in. by 11 ft., with the rear end cut to a semicircle (or curved to some degree) and the front end square. The top half of the turn-table is placed 12 in. from the front end, but before it is bolted, the 10-in. pivot bolt is inserted. Bore a 1-in, hole in the center of the turntable deep enough to allow the head of the bolt to drop just below the surface. Using the same center, bore a 1/2-in. hole the rest of the way through.

With the bolt in place through both halves of the turntable, turn the nut up on the lower end until about 1/16 in. from the wood. Mark the place, remove the bolt, and with the nut up to the marked place, drill through nut and bolt for a cotter pin. Put the bolt through the top half of the turntable and bolt this half to the seat. It is then braced to the seat at the front with a piece of iron rod flattened at both ends and bent to make an angle of 45 deg. between seat and upright. The front end is holted to the seat. but the other end is put on with screws as the pivot bolt prevents bolting this end.


The footrest for the steersman is cut as shown and bolted to the front end of the seat on the underside. A piece of softwood about 1 by 11/2 by 18 in. is fastened to the underside of the seat between the turntable and the iron brace for holding two pulleys.

The steering gear will entail a trip to a machinist unless you happen to have a metal lathe, taps, and dies. The spool may be wood or metal, 3 in. long, 5 in. in diameter,

with a 34-in, hole through it for the shaft, If metal, it is fastened to the shaft with a key or set screw; if wood, with a pin or bolt. Be sure there are no projecting ends for the rope to catch on.

The shaft is about 12 in. long over all, with the lower end turned down to 1/2 in. in diameter for about 1/2 in. and threaded to receive a nut. The nut is put on, leaving a good 1/16 in, between it and the shoulder, and both nut and shaft are drilled for a cotter pin. The spool is placed on the shaft so that there will be about 3/4 in. of the shaft projecting below.

The steering gear support also serves as a brace for the turntable. It is made of 2-in. flat iron with three bends-the first 4 in. from one end, the second is 61/2 in. from the first, and the third is 51/2 in. from the second. The first bend is 90 deg.; the other two are each 135 deg. A 1/2-in. hole is drilled through the center of the 61/2-in. length, and the iron is cut off 3 in. beyond the last bend. Four screw holes are drilled and countersunk in the 4 in. surface, and a 1/4-in. hole for a bolt



Method of mounting the steering drum and pulleys, and layout for the turntable parts

is drilled in the 3 in. end. The 4-in. end is fastened to the rear of the turntable, and the other end bolted to the seat board.

A 3/4-in, hole for the shaft bored through the seat directly over the 1/2-in. hole in the support. This will be stronger if a short piece of the 2-in, iron is also drilled 3/4 in, and placed around the hole.

The seat is now fastened by inserting the pivot bolt in the lower half of the turntable and bolting the rear sled rocker to the plank. The rocker should be placed about 21/2 ft. from the extreme rear of the seat.

Bore a 1/4-in. hole through the toe end of each forward runner, just inside the irons, for the steering rope. To hook up the rope, tie a knot in one end and pull the rope through one of the 1/4-in. holes (from the outside towards the center) and pass it through the pulley on the opposite side. Continue on around behind the spool, taking one or two turns around the spool, and bring the end back through the other pulley and out through the remaining 1/4-in, hole. Pull the rope as tight as (Continued on page 105)

BOBSLED BUILDING

(Continued from page 104)


you can and tie a knot securely in the end. The entire sled should be given three coats of paint, preferably bright colors such as red, green, or blue. After the paint is dry, the runner irons are put on and polished with emery cloth and steel wool.

If running boards are desired, they can be made of softwood about 3/4 by 31/2 in. by 10 ft., and braces can be made by bending and flattening the ends of 1/2-in. round iron. The braces, four to a side, are bolted to the underside of the seat, and the running boards are bolted to the braces.

SHIELD PROTECTS EYES WHEN TURNING BRASS




O SAFEGUARD my eyes from chips when turning brass, I use a shield made as illustrated. Brass, tin, or other stiff sheet metal will serve for the frame. This is filled with celluloid from an old side curtain or with isinglass. Glass also may be used, although it is more likely to be broken. The shank of the shield is mounted in the tool post directly on top of the tool, and the screen is set quite close to the work. I have used such a shield for about thirty years, yet it has been regarded as a novelty in each shop in which I have worked.—Anton Heckel.



ENLARGEMENTS SOFTENED WITH SHEET OF GLASS

By Wabbling a sheet of glass between the lens of an enlarger and the enlarging easel, the amateur photographer can easily make soft-focus enlargements. The effect of the glass, which should be held 4 or 5 in. from the lens, is to give a result that resembles photos produced with the aid of a costly soft-focus lens,-Robert J. Blosser.



NEW KNOWLEDGE—a vast fund of it—has been created in every field of thought and action during the past eventful quarter-century. No one can hope to carry it all in mind, but everyone can have it at his fingertips for instant reference. The New Merriam-Webster, just completed, is the KEY to the NEW KNOWLEDGE in every Seience, every Art, every subject of practical or cultural interest. This great new book offers the largest amount of information ever put into one volume.

WEBSTER'S NEW INTERNATIONAL DICTIONARY Second Edition

The Greatest of the Famous Merriam-Websters For a hundred years, in successive editions, WEBSTER has been the foundation book. Now the greatest Webster of all has been completed—entirely remade and greatly enlarged to cover fully the vastly greater knowledge that is curs today. No other work in existence can compare with the New Merriam-Webster, It contains more subjects than any other hook ever published. It was made by the most authoritative Editorial Staff ever created.

William Allan Neilson, President of Smith College, Editor in Chief. 207 of the world's greatest specialists formed the staff of Special Editors.

• 600,000 Entries—122,000 not found in any other dictionary • Thousands of NEW WORDS • 12,000 terms illustrated • Magnificent plates in color and half tone • Thousands of encyclopedic articles • 35,000 Geographical entries • 13,000 Biographical entries • 200 valuable tables

• 3350 pages • New from cover to cover • Cost \$1,300,000.00.

At Bookstores or Write for Free Pamphlet

Let us send you an interest-ing and beautifully illus-trated pamphlet containing full information about the New Merriam-Webster, sam-ple pages, and specimen color plates. No cost or obli-gation, Just mail the coupon,

Please send me, without rost or obliga-

tion, your illustrated pamphlet describing WEBSTER'S NEW INTERNATIONAL DICTIONARY, Second Edition—The New Merriam-Webster. (P.S.M. 2-35)

Name Address ...

City..... State ...



WEBSTERS DICTIONARY

Acclaimed

as the SUPREME AUTHORITY!

"A work of which America should be proud."-William Lyon Phelps, Professor Emeritus of English, Yale. "I am overcome by its magnitude and completeness.

-Albert Bushnell Hart, Professor of Government

'It is the true abstract and

epitome of the progress of the last two decades."-Ray

Emeritus, Harvard.

Stannard Baker.

Gnow our famous Fancy White Queen Mushrooms. Exclusive new process. Bigger, better, quicker crops. More money for you! Enormous new de-mand, Illustrated book free. Write today!

ECTROTRIM

SHOCK-PROOF

AMERICAN MUSHROOM INDUSTRIES, LTD. 950 Wosleough Bldg., Teresta, Ber.

HERRIAM CO.

EARN up to \$25 A WEEK or More

Fits Vest Pocket!

Adds, subtracts, multiplies, and divides like \$300 machine—yet it costs only \$2.50. Weighs only 4 ounces. Not a toy—guaranteed workmanship. Perfectly accurate, lightning fast. Sells en sight to business men, storekeepers, homes—all who use figures.

Write at once for Free AGENTS Sample Offer and Mon-ey-Making Plan. 100% Profit ! C. M. Cleary, Bept. 11, 303 W. Monroe St., Chicago EXPERIMENTER

ELECTRIC FUN: with 110 volts! Make arc lights, furnaces, motors, obedient lights and window displays. Book of 200

STROBOSCOPE complete with 110 volt motor, neon lamp and book of 100 experi-

ments...... \$1.

Cutting & Sons 25 S St. Campbell, Calif.

with as many outlets as you need in any room at the cost per outlet. Electrotrim-the first and only nonmetallic surface extension wiring - guaranteed shock-proof, heat-proof, moisture-proof, flame-proof and approved by Underwriters Laboratories. ELECTROTRIM, INC. UNION CITY, IND.

-MAN IN EACH TOWN-

To Plate Auto Parts, Reflectors, Bathroom Fixtures, Refinish Beds, Mirrors, Chandeliers, by new method; no capital or experience required. Simple plan of manufacturing at home starts you in big money making business. Outfit furnished. Free particulars and proofs. GUNMETAL CO. Av Ave. F. Decatur, Ill.

PENNIES WANTED

Lincoln and Indian Head. We Buy.

We pay up to \$20.00 per coin. Other coins up to \$500.00. Send 10c for buying list and prices.

PUBLIX COIN CO., 7343 Cottage Grove, Chicago

U. S. Government Jobs RAILWAY POSTAL CLERKS MAIL CARRIERS

(City and Rural) Start \$1700—\$1900 Year-MEN-BOYS, 17 UP SHOULD MAIL COU-



Dept. L264, Rochester, N. Y. Sirs: Rush to me WITHOUT CHARGE FREE 32-page Book with list of U. S. Government posi-ions and full particulars telling how to get a steady 8, Government position,

Name..... Address.....



-that's what our graduate, Miss L. F. of Brighten, Cutario is making - selling ber work to Montreal stores!

\$3000 for W.R.Kof Newark, N. J. He writes that just two contracts brought him that nest sum!

\$3380 a Yearthat's what W. S. A. graduate H. K. K. of Michigan, is drawing as Art Director of a big engraving conDrawing board, paints, brushes and all materials you need to learn and earn come with very first lessons. Actual fun learning to draw this new way. Be an artist and make big money!

FREE BOOK

Our big Free Book describes latest developments and wonderful opportunities in this fascinating field and gives full details of this quick, easy method. Tells all about our students—their successes—what they say—actual reproductions of their work—and how many earned big money even while learning. Mail roupon below or postcard today. Slate uge.

[No saleyman will rail.]

eenl	(No ralesman will rall.)	-		į
Free Bo	ok shows how			
	chool of Art, Studio 132 , N. W., Washington, D. C.	: 5		
Please sen	d me, without obligation.	your	Free	

Book, "Art for Pleasure and Profit Name..... Age: State.

VE-IN-ONE TOOL




Combining 12 tools,
Accurate, economical, Made of German
Silver, also Brass,
Weighs 3 conces,
Fulded 6% inches
long, Fully extended 1 foot.

CRAFTSMEN, ARCHITECTS. ENGINEERS, MANUAL TRAINING SCHOOLS,

MECHANICS and others need it. Distributors wanted.

> Send 50c for Sample Tool



HUTCHISON MANUFACTURING CO. Nashville Tenn.

Always mention POPULAR SCIENCE MONTHLY when answering advertisements in this magazine.



REAL STEAM LOCOMOTIVE (WITH ELECTRIC HEATER)

S. E. No. I now available with Bemute Control Whistle, Com-

\$19.50 postpaid east of Rockies. Without Whistle \$14.50.
MODEL MAKERS: A real achievement to build your own locomotive and transformer. Write for price list of parts. Bloomfield, N. J.

STEAM ELECTRIC CO. FREE COURSE Make Big Money Molding Plaques, Novelties, etc. We teach you to make your own MOLDS, mold your NOVELTIES and paint them.

Sample MOLD only 25c. WRITE FOR DETAILS on our FREE COURSE IN MOLD MAKING. STEWART'S STUDIO, Dept. PS-2 2102 West 19th St., Chicago





ALCATRAZ—AMERICA'S DEVIL'S ISLAND

(Continued from page 21)

of incarceration. Nor can any prisoner receive mail directly. Each letter is copied by a guard to avoid the possibility of hidden writing or code messages filtering into the prison. When a felon is permitted to receive a visitor, he and his guest sit in separate rooms and talk through a perforated bullet-proof glass set in the center of a thick wall. The perforations are too small to permit the passage of any objects.

Suppose we follow a prisoner into the walled island. He arrives with several other notorious offenders in a Pullman car ferried across San Francisco bay on a barge. Secret service men stand guard within the car, at both ends and outside on the barge. The sixtyfive-foot prison launch, manned with sharpshooter guards and flanked by coast guard launches, parallels the barge as it approaches the island. Once it docks, the armed launches stand out a hundred yards, guns ready for

OUR towers, reached by high catwalks Four the prison wall, command a view of the entire island. As the guards keep sharp lookout, the prisoners ascend the inclined walk and enter the outside, solid steel door. Then through a bar door; next, another solid door containing a slotted opening through which the guard inspects them, and finally through a fourth door of solid steel. The outer door remains open during the day, but no two of the other three may be opened at any one time. When lock-up time arrives in the evening, the outer door swings closed and may not be opened except by the warden or his first deputy until morning.

After the usual receiving routine and issuance of clothing, the prisoner is led to his cell, a tiny room four feet wide and eight feet long. He finds himself on one of three tiers in the high-ceilinged square cell block. As he looks through the bars he notes that nowhere is a hiding place. He finds in his cell no tools which might be refashioned to aid in escape. Each cell contains a steel cot that folds against the wall, two smaller seatlike steel shelves, a narrow shelf containing three riveted hooks for clothing, a toilet, and a small basin. Aside from these conveniences, the prisoner is per-mitted two towels, tooth powder and brush, and a cup.

The barred cell doors are operated from twenty-four boxes. At both ends of the cell room are barred corridors patrolled by armed guards. There is no possible access from the corridors to the cell room and, like the prisoners, guards are locked in until relieved. On the ground floor and in the cell blocks, guards move unarmed among the prisoners. This helps prevent acquisition of firearms by prisoners.

While outlawed by society, the felons receive excellent care and treatment so long as they maintain prison peace. On the second floor are a surgery and dental laboratory, with federal doctors available. In the surgery are two barred one-bed wards for patients who cannot be trusted with another in the absence of a guard. At the opposite end of this floor are the assembly hall, with stage and piano. Next is the library. In the basement are the barber shop, showers, and storerooms.

ALTHOUGH the cell blocks occupy only a small part of the island, elaborate works have been set up outside to prevent escape. Surrounding the prison building is a twentyfoot wall. Whenever prisoners are led outside the walls for work in buildings at the opposite end of the island, they march between guards on the walls and within the guard towers, but they are still confined within a cyclone fence and barbed wire entanglements

spread along the rocks between the crest and the water line. Even the gates through which they pass are controlled from a high tower forty feet above their heads.

Although Alcatraz is considered to be the most nearly escape-proof prison ever devised, the radio transmitter, installed a few weeks ago by coast guard forces, flashes its daily call to the coast guard station at Point Bonita, six miles distant. Across those six miles one day may flash the warning that some public enemy has escaped. The warden maintains telephone lines to Forts Mason and McDowell and the Presidio at San Francisco, yet should a wholesale delivery attempt involve cutting the telephone cable, the prison operator, safe within his barred radio room, can send the equivalent of an S O S to KGPD, the San Francisco police department's station.

[JNTIL recently the army used Alcatraz as a disciplinary barracks. Though surrounded by water, several desperate prisoners have attempted escape in years gone by. The first escape occurred in 1862 when three prisoners from the California volunteers filed their chains, cut their way out with a hatchet, lowered themselves from the north battery by a rope, walked around the island to the dock, and fled in a confiscated boat. Several others forged pardons and walked out through the front door. In 1908 one man escaped by boat. Four years later two sawed their way out, but were found several days later, nearly starved, underneath one of the prison buildings. During the last twenty-five years, twenty-five military prisoners have escaped, but not one of these swam away.

No prison in history has been so well fortified and so well manned as the new Alcatraz. Not only can a powerful combination of military, naval, state, and federal forces be converged in a few minutes toward the prison, but the guards themselves are Uncle Sam's best. Warden Johnston visited prisons at Atlanta, Leavenworth, Lewisburg, and McNeil's island to hand-pick veterans who already had proved their calm judgment, bravery, and intelligence. Then he sent them to school at McNeil's island where they received special instruction in every phase of safe-guarding the world's toughest criminals. They are today skilled boxers and wrestlers, expert in use of fire arms and proficient in jiu jitsu.

Warden Johnston, gray haired and small of stature, knows his prisons and their inmates. He was thrust suddenly into the wardenship of Folsom Prison, which houses California's three-time losers and lifers, while chairman of the State Board of Control in 1912. Prisoners were in revolt, but in a short time Johnston abolished corporal punishment, improved the discipline, and attempted prison breaks and riots ceased.

The following year he was moved to San Quentin Prison where, until his tenure ceased in 1925, he sought to reform the inmates and give them work to do, thereby taking their minds from plot-hatching.

UPON him and his forty guards rests the re-sponsibility of keeping secure such notorious underworld characters as Al Capone, until his imprisonment the nation's "ace enemy"; George (Machine Gun) Kelly; Harold Fontaine, smuggler of guns for the Leavenworth break in December, 1931; Harvey J. Bailey and Albert Bates, who kidnaped Charles F. Urschel, Oklahoma oil man; Thomas Underwood, Charles Berta and Stanley Brown, who helped abduct Warden White of the Leavenworth prison in the break three years ago; W. D. May and O. D. Stevens, who slew three Texans and, for good measure, held up a train in 1933, making off with \$72,000.



GET READY for Prosperity. Aviation, automo-biling, electricity, machinery, building lines and other industries are now calling for draftsmen. Many new draftsmen will soon be needed. Be ready for Big Pay. Engineer Dobe will train you at your home by mail until you get that good job or will prepare you for better pay on the job you have. That's my written guarantee to you. All tools and drawing table sent at once if you enroll now.

"Success in Draftsmanship" This book explains "My Pay-Raising Plan". It tells you how I help you find a real opportunity in anyone of many big industries, NOW is the time to prepare

(School Est. 1900) for that job, TODAY—is the time to write for this free book! (No obligations). ENGINEER DOBE, Div. 33-92, Libertyville, III.



CHEMICALS

Laboratory

Apparatus and Glassware Send 3¢ for Catalog CP1

BIOLOGICAL SUPPLY COMPANY 1176 Mt. Hope Ave. Rochester, N. Y.



J. H. WINN MFG. CO., Dept. 2A, 124 West 23 St., New York



High School Course in 2 Years

You can complete your High School education at home — in g pears or less. Course meets all requirements for entrance to colege and leading professions. Standard H. S. texts supplied, Digloma awarded, Full credit for H. S. subjects already completed. Send for Free Bulletin TODAY. No obligation.

American School, Dept. H-246, Drexel at 58th, Chicag

CHEMICAL STUNTS WITH CHROMIUM, MANGANESE

(Continued from page 45)

and expose it to the light. Naturally, the compounding of the mixture and the drying as well as the application of the negative must be done in the dark.

After several hours of exposure, remove the negative and immerse the card in water. Strange as it may seem, the portions exposed to the light will remain black while those covered by the dark areas of the negative, or opaque cut-out figure, will disappear.

HE explanation is a simple one. On the portions exposed to the light, the glue is rendered insoluble by the ammonium bichromate and holds the lampblack particles while on the covered portions, no change takes place and the glue is readily dissolved.

Because of the amount of oxygen it contains, lead chromate also is valuable as a test material for organic substances such as starch, sugar, or coal. Mixed with an equal amount of coal and heated in a test tube, for instance, it proceeds to oxidize the carbon to form free carbon-dioxide gas. The presence of carbon dioxide can be shown by bubbling the escaping gases through lime water or barium hydroxide solution. A characteristic white precipitate will be formed.

Our first contact with the compounds of manganese came in our early experiments with oxygen (P. S. M., June '32, p. 64). In the preparation of oxygen, potassium chlorate was heated in the presence of manganese dioxide. Although the manganese dioxide did not enter into the actual reaction, it served to liberate the oxygen at a lower temperature.

The home chemist can again make good use of manganese dioxide to compound a mysterious mineral chameleon in the form of a chemical that changes its color as if by magic. First, of all, mix some manganese dioxide with solid potassium hydroxide (caustic potash) and a small amount of potassium nitrate and heat the brownish-black powder that results in a flat tin-can top held over your laboratory burner. When it appears dry, allow it to cool and finally stir it into a beaker of water. With each precipitation of the various oxides of manganese, the liquid will appear first green, then red, and finally blue.

POTASSIUM permanganate is not only one of the most colorful of the manganese compounds but it also claims the distinction of containing more available oxygen than any other substance. These characteristics give it a place among industry's useful chemicals. Its high oxygen content makes it valuable as a germicide while its color makes it useful as a stain for wood, animal, and vegetable matters as well as metals and cements.

Its large oxygen content also made potassium permanganate valuable in the World War. Based on the fact that strong glycerin takes fire if it is poured over potassium permanganate crystals in the presence of sulphuric acid, unique smoke alarms were arranged to warn soldiers of the approach of enemy troops. Thin glass tubes were filled with glycerin, sealed, and placed in a slightly larger glass tube containing powdered potassium permanganate. This tube in turn was inserted into a third tube containing five parts of sodium nitrate, two parts of sulphur, and one part of antimony sulphide.

In use, these bombs were hidden in the soil and grass at strategic positions. When tramped upon the three tubes were broken, the glycerin was ignited by the potassium permanganate, and this fired the antimony-sulphur mixture to produce quantities of smoke. In this way any activities of hostile soldiers was immediately made known.

CHEMISTRY

A CAREER OF SERVICE

AND PROFIT



No FIELD of human endeavor offers greater possibilities today than chemistry. All progress is dependent upon this fasci-nating science, And right at home, in space time. at home, in spare time, you can learn the fundamentals by study of the International Correspon-dence Schools modern course. Thousands recom-mend it to you. Send for an interesting booklet—

OFFERS DRAFTING OPPORTUNITY TO TRAINED MEN

Drafting is a fascinating pro-fession, and there is no limit to the progress you can make. Many leading draftsmen today started their careers by study of the I. C. S. Drafting Course. Let us send you complete information.



ELECTRICAL ENGINEERS ARE LEADERS IN MODERN PROGRESS



Just as certain as electricity is Just as certain as electricity is the power of the future, just as certain is the part electrical engi-neers will play in industrial prog-ress. Many leading electrical engineers today took their first forward step by mai ing a coupon to the I. C. S. at Scranton!

GOOD ENGLISH ESSENTIAL TO SUCCESS

People judge you by the way you speak, by the way you write. If poor English is your failing, all your other qualifications diminish because of it. In spare time, I. C. S. will teach you good English—a basic requirement to success in any field of endeavor. Ask for our free booklet.



LITERNATIONAL CORRESPONDENCE SCHOOLS

Box 7629-H, Scranton, Penna.

Without obligation, send me full information on subject checked below: trical Engineering

	rical English
Architecture Concrete Construction Mechanical Engineering	Agricul Poultry
Reading Shop Blueprints Civil Engineering	Radio
Aviation Engines Diesel Engines Gas Engine Operating	Show C Salesm
☐ Refrigeration ☐ Air Conditioning	Civil S

Highway Engineering
Agriculture
Poultry Farming
Radie
Accounting
Show Card Lettering
Salesmanship
Advertising
Civil Service
High School Subjects

600		
ame.		

Always mention POPULAR SCIENCE Monthly when answering advertisements in this magazine.


CHEMISTRY-SUPPLIES

Chemicals of Highest Quality ... for as little as 5c—and in glass containers! Our LABORATORY APPARATUS is unconditionally guaranteed. You can now equip a complete home laboratory at remarkably low cost. Save money—buy your chemicals and apparatus direct from our factory. For a short time only, we offer you our valuable catalogs A-C which regularly sell for 25c—SEND only 10c in stamps and get your copies NOW!

KEMKIT CHEMICAL CORP.

Brooklyn, N. Y. 135-A Johnson St.





roval. Just mail the coupon and we'll send you to of these remarkable auto books, just off the press. Whether you are amechanic, helperor ex-pert, auto owner or driver, if you want to know all about automobile mercianics, then take advantage of this FREE OFFER.

DON'T SEND A PENNY!

A better job—in the gigantic auto industry, BIGGER PAY—a chance to go into business for yourself and get a share of the huge profits are waiting for any man who tries to improve himself, Learn Auto Engineering with these wonder books a new way—without studying or memorizing. Simply use the JIFFY INDEX to look up the answer to any suito problem. Built by eleven great automobile engineers, and written in simple language 50 you can understand it. CAN YOU FIX IT?

6 Big Volum

If you send NOW we will include an extra volume No. 7 which covers all 1934car im-provements—knee action wheels, stream-lining, booster brakes, etc.

AMERICAN TECHNICAL SOCIETY Dept. A220, Drexel Ave., & 58th Street., Chicago, Ill.

I would like to see the new 6-volume edition of your AUTO BOOKS. I will pay the few cents delivery charges only, but if I choose to, I was return them express collect. If after 10 days use I prefer to keep them, I will send you \$2 and pay the balance at the rate of only \$3 a month, until \$24.80 is paid. I bease include free consulting memberahip and extra Vol. 7 as per your offer above.

Name,	 	 	 ***

Attach letter stating age, occupation and name and address of equipper and at least one business man as reference.

CAN SCIENCE RAISE THE DEAD?

(Continued from page 13)

taining one part epinephrine in 1,000. Five minutes after the man had collapsed, the solution was shot directly into the left ventricle of his heart. The effect was almost instantaneous. Within thirty seconds the man had begun to breathe and his heart had resumed beating.

Since then, such wonders have become commonplace. Hundreds of persons have been saved from death-men and women who had collapsed while undergoing operations, infants apparently stillborn, and persons seemingly shocked to death by electricity. The method employed has become standard practice in hospitals and has sometimes been put to surprising uses, as at Detroit not long ago.

ONE of a fleeing gang of bank robbers had been shot by police. The wounded man, apparently lifeless, was taken to a hospital and given a shot of adrenalin. He regained consciousness long enough to give police the names of his companions.

In no case, however, where a human being has been revived could physicians assert positively that the subject had actually died. This is not strange, because no one as yet can say just when a body dies. There is, it appears, no such thing as sudden death.

It is sometimes supposed that life ends abruptly, like an electric light switched off. Actually, death is a slow and gradual process, like the breaking up of a vast colonial empire. The capitals, the brain and heart, 'die first. Cells. elsewhere in the body, which may be compared to colonies, do not immediately expire; they are but doomed to eventual destruction. No more supplies in the form of oxygen arrive from the capitals. No reinforcements come to help them fight off destructive chemical changes and bacteria.

The cells themselves might, if nourished, continue not only to live but to multiply. Twenty years ago, scientists at the Rockefeller Institute placed a fragment of living tissue from the heart of a chicken in a culture solution. Today the fragment still lives. In England, another experimenter placed a minute particle of a frog's spinal marrow in a test tube of similar solution. The particle lived for fifty-eight hours and increased its size hundreds of times. More recently, English scientists have shown that living cells taken from animal skins and placed in suitable culture can be made to grow hair or wool inde-

It is difficult, therefore, to determine just when life ceases in the human body and death begins. The customary tests, short of opening an artery, are not infallible. Stoppage of the heart and cessation of breathing, although they always accompany death, are not always proofs of its occurrence.

An incident that took place in London shows how certain diseases and seizures, such as catalepsy and shocks, can leave a person so nearly dead that medical examination sometimes fails to detect the presence of life. A boy was picked up for dead in a park and hurried to a hospital. A certificate of death was issued and the body removed to a mortuary. After a time, the boy's mother arrived. She scoffed indignantly when attendants told her the boy was dead and, to their consternation, displayed three previous death certificates for him. Later the boy was revived and walked home with her.

EVEN persons in perfect health have been known to simulate death. In a celebrated exhibition at Lahore, India, a fakir named Harodas went voluntarily into a trance that convinced witnesses he was dead. He was sewn into a bag, placed in a deal box and buried in a grave several feet deep. Sentries stood guard over the grave for forty days. The fakir was

then exhumed, his eyes and mouth moistened with water. After a few moments he sat up and asked for food.

Under the necessity of discovering some means of detecting death with absolute certainty, many methods, some gruesome, have been evolved. One is the extremely sensitive instrument known as the electrocardiograph. When applied to the chest, this device indicates the slightest flutter of the heart. An electrical test was discovered about three years ago by Dr. George W. Crile, of Cleveland, Ohio. Body cells, he established, maintain an electric charge through chemical action. In death, this charge falls to zero. A French physician, Dr. Icard, injects a yellow dye into the veins of the person supposed to be dead. If the subject is in a trance, the feeble circulation that persists in the body carries the dye to the lining of the eye-lids, coloring it yellow.

BEFORE the development of these tests, people were periodically swept with panic at the thought of premature burial. A quarter of a century ago, Le Figaro, the Parisian newspaper, cited during its crusade for more stringent tests 400 cases of supposed premature interment. As late as 1907, an English writer collected evidence of 700 such cases.

The awe in which death was held by ancient peoples was inspired not by fear of revivification but by the mystery and inevitability of death itself. Hedged about by superstitions and religious taboos, primitive men had no desire to see the dead restored. They believed that to interfere with the dark processes of death was to court fearful evils, Even the intellectually advanced Greeks of the Homeric era held such a belief. Aesculapius, the mythical hero who was the world's first physician, became so skilled in postponing death that he dared once to revive a dead man. As punishment for his effrontery, Jove cut short his supposedly immortal life with a thunderbolt.

As fear of spirits waned, instances of alleged reanimation appeared among the Greeks and Hebrews. Empedocles, a Greek philosopher of the fifth century before Christ, is reputed to have revived a dead woman simply by bidding her to rise, and Apollonius of Tyana, a mystic who lived just before the Christian era, resuscitated a young girl in dramatic fashion as she was being borne to the funeral pyre. The Hebrew prophet Elisha raised the son of the Shunammite woman by breathing into his mouth and praying over him. In the New Testament, accounts of similar incidents are numerous.

URING the Middle Ages, men believed earnestly in the power of the Christian saints to restore life. St. Francis of Paula, in the fifteenth century, achieved the distinction, according to contemporary accounts, of twice raising the same man from the dead. In chopping down a tree, the man one day misjudged the angle of the tree's fall and was caught beneath its bole and crushed to death. St. Francis revived him. Determined not to run further risks of the kind, the man unluckily chose to become a steeplejack. He slipped from a steeple and crashed to the ground, killing himself a second time. Again St. Francis restored

In modern times, actual restoration of life has come to be regarded as an impossibility. Many scientists regard Dr. Cornish's intention to apply his methods to a man as fantastic and say he cannot succeed. Besides many legal and moral obstacles stand in the way of such an audacious undertaking. Yet results to date have been incredible. They have quieted many fears and have shed new light on some of the mysteries of death. Science seems determined, if not now then some day, to cheat the grave.

SCIENCE TURNS HOCKEY INTO BIG BUSINESS

(Continued from page 52)

minor leagues organized as "feeders" for the big-time circuits, professional hockey has en-

tered the realm of Big Business. Called "Sport's fastest growing boy," it promises to dot the country with rinks. For, with the latest systems of speedy refrigeration, ice hockey is possible in southern as well as in northern states. In fact, one active league on the West Coast has its center in Los Angeles, in Southern California.

George C. Funk, Boston ice engineer who built the first modern rinks in that and other large American cities, and James E. McNally, veteran superintendent of Madison Square Garden, are largely responsible for the ad-vance. It was McNally who devised the highspeed system of disposing of the ice after a game which has made hockey possible in

arenas like the Garden.

On a single week's schedule for such an auditorium there may be a prize fight, a flower show, a track meet, a symphony concert, a motorboat exhibit, and a pageant with hockey games sandwiched in between. The ice for the matches has to appear and disappear as though by magic.

EVEN before the last straggler has left the Garden on the night of a hockey game, McNally's magic begins to work. The brine, which has been running through the inch-anda-quarter pipes at a temperature of fifteen degrees F., is passed through a steam heater. Its temperature rises to seventy degrees and in a few minutes the lowest layer of the ice, next the concrete, is melted.

Motor-driven plows then head across the floor, ripping up strips of ice a yard wide and leaving them, as fragments, in long windrows behind. Other electric-powered machines follow and shove the windrows into piles. Then workmen shovel the ice down a trapdoor into a giant underground vat. Here, the fragments melt and the water flows away into the sew-

age system of the city.

To hasten the drying of the concrete, the scrapers are fitted with heavy rubber squeegees which drag behind and wipe up the moisture. In thirty nautes, the ice, which took three hours to freeze, has disappeared and the concrete is practically dry. In some instances, a hockey game is played in the afternoon and then the floor is cleared and a prize fight is held in the evening.

It is this rapid-fire appearance and disappearance of the ice that makes the indoor game practicable for large cities. The system behind it is engineering's gift to hockey, a gift that is making the exciting game of spills and thrills enjoyed by increasing thousands of

American fans,

DAUGHTER OF MME. CURIE CREATES A NEW ELEMENT

CREATION of an absolutely new radioactive element was reported recently to the International Conference on Physics at London by Mme. Irene Curie Joliot, daughter of the late Mme. Curie, and her husband Jean Frederic Joliot. The new element, called radionitrogen, as created by bombarding boron with alpha rays. After the bombardment, the transmuted boron emitted radium energy for fourteen

COPPER VASES KEEP FLOWERS FRESH LONGER

Cut flowers stay fresh longer in copper jars or vases, recent experiments have shown. Copper, minute quantities of which dissolve from the vase in the water, retards the growth of bacteria which cause flowers to decay, experimenters say in explanation.



COSTS NOTHING to get com-

5c MAKES \$2 MAT

Rush your name and address and we'll send complete description of simple hand machine that quickly slices old tire into uniform strips; show you how patented method forms strips into uniform, springy, long-wearing FABRIX Mats; how you can turn a 5c tire into a \$2 mat; how you can start on a reasonable investment and build a business so big, so fast, that it will take your breath away. Capable men, responsible men, big men, are the ones we want in this enterprise. If you're that kind don't delay a minute. Write, air mail or wire today. All information is free.

FABRIX, Inc.,

325 West Huron St., Dept. 62, Chicago, III.







MOULDING A MIGHTY ARM

GET A 16 INCH BICEP

I have taken
weaklings
whose arms
were scrawny
pletes of skin
and bone and
in a short time
developed them
into strong men
of powerful proportions with
bulging biceps
and brawny
forearms!

I will show you how to develop a pair of triceps shaped like a horseshoe and just as strong, and a pair of biceps that will show their double head formation. Wouldn't you like to have the sinewy cable-like muscles of the ure shown above? The forearm bellies with bulk, at supinator lifting muscle becomes a column of the wrist grown alive and writhes with cordy e you all my secrets of strength development illustrations are supinated as you like them.

RUSH THE COUPON TODAY

I will include a FREE COPY of "NERVES OF STEEL, MUSCLES LIKE IRON." Full of pictures of marvelous bodied men who tell you decisively how you can build symmetry and strength the Jowett Way!

BOOK WITH PHOTOS OF FAMOUS STRONG MEN



GEORGE F. JOWETT

JOWETT INSTITUTE Dept. 29 Pc, 422 Poplar St. Scranton, Pa.

George F. Jowett; Send, by return mail, prepaid, the courses checked below for which I am enclosing

ш	Mounting	- 11	20120	ny z	AFID.	4475
	Moulding		Might	y B	ick.	25c
	Moulding	a	Might	y G	rip.	25c
	Moulding		Might	y Cl	mest.	25c
п	Moulding	M	lighty	Legi	. 254	
М	Strong Ma	m	Stunts	Mad	e Ea	sy 25
М	All 6 Bo	nk	s for 5	1.00		
-		100				

ay Champions	Citta a stocker to the
Name	Age
Address	



Become an **Expert Accountant**

The Profession that Pays

The demand for skilled accountants-men who really know their business—is unceasing. Big corporations are in constant need of expert counsel in Auditing, Cost Accounting, Business Law, Organization, Management, Finance. Men who prove their qualifications in this important branch of business are rapidly promoted to responsible executive positions—given an opportunity to earn real salaries.

Send for This Book-It's Free

- Find Yourse	olf Through La	Salle!
LaSalle Extension	University	-
Dept. 283-HR	Chicago	ACCOVAGE
I should be glad to have	details of your	2-25
"Ten Years Promotion	in One," all	o for 3

without obligation. Higher Accountancy

	Modern Salesmanship
	Traffic Management
	Railway Station Memt
	Railway Accounting
	Law-Degree of LL.B.
	Commercial Law
	Industrial Management
ī	Factory Management
	Banking and Finance
	Personnel Management
	Modern Business
7	Correspondence [

Telegraphy Modern Foremanship C. P. A. Coaching **Business English** Commercial Spanish Effective Speaking

	☐ Credit and Collection ☐ Stenotypy—Stenography Correspondence ☐ Paper Salesman's Training
	Name
l	Present Position
ŀ	Address,



Positively the greatest bargain ever offered. A genuine full sized office model Underwood No. 5 for only \$33.50 (eash) or on easy terms. Has up-to-date improvements including standard 4-row keyboard, backspacer, automatic ribbon reverse, shiftlock key, 2-color ribbon, etc. The perfect all purpose typewriter. Completely rebuiltand FULLY GUARANTEED. Lowest Terms-10c a Day

Lears Teach Typewriting Complete (Home Study) Course of the Famous Van Sant Speed Typewriting System—fully illustrated, easily learned, given dur-ing this offer.

Money-Back Guarantee Send coupon for 10-day Trial—if you decide to keep it pay only \$3.00 a month until \$44.90 (term price) is paid. Limited offer—act at once.

Sen tria lect	RNATIONAL TYPEWRITER EXCHANGE West Monroe St., Chicago, III., Dept. 207 Underwood No. 5 CF. O. B., Chicago) at once for 10-day If I am not perfectly satisfied I can return it express col If I keep it I will pay \$3.00 a month until I have paid \$44.9 a price; in full.
Naz	eAge
Add	****
Toy	State

Inventions Wanted Patented or Unpatented

Our manufacturer-clients want better inventions to meet competition. What have you? Write

Chartered Institute of American Inventors 561A Barrister Building Washington, D. C. "World's Largest Organization of Inventors"

CRIME	SECRET SERVICE BOOK
SCHISHOUT T AND	FREE
PRINTS	For 30 Days Reading-No Money Down Actual Crime Cases - If You Act Quick!
	We will send you this stirring book on Crime Detection, Secret Service and Identification Work for 30 days free reading. Send no
DAY. Not sent	money. If you decide to keep it, then send me only \$1. If not, return it. WRITE TO- to boys under 17 years of age.
T. G. Cooke, Book D	ept. 13-62, 1920 Sunsyside Ave., Chicago, III.

HON writter Exami Patent your i Patent This i format obtain this F vention	N TO OB h by a F- ning Corps Office. If dea, you si at once. Y interesting tion you sh a patent or ree Book y o" form on	STAIN A Former Mem (1922-24) of you want heald take four first ste illustrated nould have no your idea ou will also which you of the which you of the four first steel and the first steel	patent, ber of the of the U.S. to profit by steps to apple p is to get if book contain It tells you in the quicks receive a areasily rec	y for a U. S. als Free Book. s valuable infully bow to st way. With Record of Inford your idea. rease will be
torney Corps will be MAIL	ally handle who is also of the U. strictly o COUPON ECORD O	ed only by o a Former S. Patent (onfidential. I TODAY for FINVENTIAL	a Registere Member of to Office. All co	d Patent At- he Examining minimunications TENT BOOK
REG	STER	ED PAT	ENT AT	ORNEYS ATENT OFFICE

HERE'S THE ANSWER

(Continued from page 59)

twenty-five to forty miles an hour while its whirling winds reach speeds of from 300 to 500 miles an hour.

Count 'Em And See

D. T., MEMPHIS, TENN. About three quintillion electrons flow through the average fifty-watt incandescent lamp every second it is lighted.

Sea Air and Ozone

J. L., BALTIMORE, MD. Although popular belief credits the bracing effect of a sea breeze to the ozone contained in the ocean air, science proves otherwise. Tests have shown that little ozone is contained in either land or sea air.

Sound Speedier In Water

T. T., SALT LAKE CITY, UTAH. Strange as it may seem, sound travels four times faster through water than it does through air. In water, sound waves cover 4,780 feet in one second, while in air, at normal temperature, they travel only 1,089 feet a second.

Clinkers Not Stoker's Fault

Q .- when clinkers form in a furnace, isn't it a sign that the fire is not being stoked properly?-K. D. C., Newark, N. J.

A .- NOT necessarily. Clinkers are merely fragments of ash that have been fused into lumps by the heat of the fire. Some kinds of coal leave an ash that is more fusible than that left by others.

Earth Like Onion

W. B. G., LOUISVILLE, KY. It has been estimated that the so-called "outer crust" of the earth is slightly more than twelve miles thick. This surface layer is one of four distinct shells enveloping the earth's 2,200-milediameter core.

Sulphuric Acid Popular

G. K. L., DOVER, N. J. Sulphuric acid rates next to water as the most-used liquid in the chemical industry.

Rocket Fuel

P. K., LOUISVILLE, KY. Gasoline and liquid oxygen form the fuel for most experimental rockets. The liquid oxygen is necessary to support the rapid combustion and the handling of it presents one of the major difficulties of rocket work. To keep it liquified, a tempera-ture of 183 degrees below zero Centigrade must be maintained, making it necessary to use special containers. Above this temperature, the liquid oxygen boils vigorously, giving off large quantities of oxygen gas,

How Old Is Coal?

F. D., JR., NEW YORK, N. Y. It is believed that coal was mined and used by the Chinese over 2,000 years ago. Even at the present time, the coal fields of China are probably the largest in the world.

Air Pressure on Everest

J. U., BOSTON, MASS. At the top of Mt. Everest, some 29,000 feet above the sea, the air pressure is about four pounds to the square inch or about one-third the pressure at sea level.

BOOKLET FREE PROMPTNESS ASSURED

T REFERENCES BEST RESULTS

Send drawing or model for examination. WATSON E. COLEMAN, Patent Lawyer 724 Ninth Street Washington, D. C.

UNPATENTED IDEAS CAN BE SOLD

I tell you how and help you make the sale. Free particulars. (Copyrighted)

Write W. T. Greene

921 Barrister Bldg.

Washington, D. C.

PATENTS—TRADE MARKS

All inventions submitted held confidential and given personal attention by members of the firm. Form, "Evidence of Conception" and instructions, "How to Establish Your Rights"—FREE!

LANCASTER, ALLWINE & ROMMEL PATENT LAW OFFICES
413 Bowen Building Washing

Let me act as your personal, confi-dential represen-tative in Washing-ton on all your patent problems. Delays of even a

Delays of even a few days in protecting your ideas, or the slightest cardess-ness in handling your patent papers, may easily be very costly. My personal service assures speedy action and strictest confidence. Send immediately for my free 72-page booklet, "How to Get Your Patent."

L. F. Randolph, 340 Victor Bldg., Washington, D. C.

Patented or Unpatented. In business over 30 years. Send drawing and description or model, or write for information. Complete facilities.

ADAM FISHER COMPANY

183-D Enright,

St. Louis, Mo.

FREE Booklet

Instructive and understandable. Limited Edition Write at once for your copy

C. JAMES COTTRELL, Patent Lawyer Former Examiner U. S. Patent Office

527 Fifth Avenue

New York City


Suite 510

Dept. B-2

INVENTIONS WANTED Patented or Unpatented

Any size, any material, for any purpose. If you have an idea for sale write to us first. A square deal assured. NOW IS THE TIME TO ACT. Write for information on the most unusual proposition ever made inventors by a reliable firm. YOUR OPPORTUNITY IS HERE. Take advantage of it NOW.

79 High Street, Torrington, Conn. Bosley Mfg. Co.,



Always mention Popular Science MONTHLY when answering advertisements in this magazine.



The Midget Slide Rule

equals a 12 in, straight allide rule in pre-cision. Has A. B. C. D. Cl., Log-Log., Binary, Add and Subtract scales. Gives Logs. Gives Trig. functions to Iminute from 0 to 90 degrees. The Engine-divide-edscales are on white contectal minum. Permanently accurate. The Midget is, unfouthtedly, the most versatile calcula-tor ever invented. Dis. 4 in. Price. with Fabrikold case and Instruction Book, \$2.00, cash or C. O. D. Money back if not satisfactory. Circulars free.

ADDRESS

DOES YOUR CAR NEED **NEW PISTON RINGS?**

(Continued from page 60)

sumption. It had no power. You could hear the blow-by. It had no compression, used lots of gas, and the spark plugs were always fouling. Still, the customer swore he never had to buy a quart of oil from one oil change to the next."

"How do you account for that?"

"Only one thing could cause it," Gus replied. "Gasoline was leaking down past the pistons just as fast as the oil was being burned, so it sort of struck a balance. After the first few hundred miles with new oil, that motor was being lubricated with a weak mixture of gas and oil, but the car owner didn't know that."

"YOU wouldn't think enough gasoline could get by the pistons to make that much difference," ventured Landon. Gus grinned. "You'd be surprised. Why,

I've seen cars that were much worse than that. One buggy passed so much gasoline that you just about had to bail the crankcase out to keep it from overflowing. You may not believe it, but the crankcase mixture would gain as much as a quart in a hundred miles."

"Well, one thing sure, if a car uses lots of oil it's a pretty good sign it can stand a ring

job, isn't it?" insisted Landon.

"Yes and no again. Stuck rings or rings with their gaps in line will run oil consumption up, to say nothing of what crankcase leaks will do. It's the same way with poor compression. Bad rings cause poor compression, but poor compression doesn't always mean that the rings are bad. A loose cylinder head, a bad gasket, worn valves, or wrong valve adjustment will kill compression just as fast as leaky rings.

"A few minutes ago you asked if fouled plugs meant worn rings. Sometimes they do, and sometimes they don't. Poor ignition or bad plugs will foul the points just as fast as oil leaking by the rings, and still I've seen plenty of oil-pumpers that never fouled a

plug.

Landon wagged his head. "Gosh, at that rate it's pretty hard to know when a car needs new rings and when it doesn't."

"Oh, it's not so bad. Only you can't count too much on any one sign. When your car really needs new rings, you'll know it. The first sign of trouble will be when she loses power and maybe develops a bad miss at low speed. About that time you'll notice that you have to buy more gas than you used too, and chances are your oil bill will start to go up. Then you'll notice that your exhaust smokes, not just when you start in cold weather or when you speed up after coasting down a hill, but all the time."

"Is there any sense in trying to use heavier oil to make up for worn rings?" asked

Landon.

"You can't make oil take the place of metal. The only thing a heavier oil will do is waste gas. Once the rings are worn nothing will do any good but a first-class ring job with new piston pins, a check-up on the connecting rods, new pistons and a cylinder re-finishing if they're needed, and a general tightening up of the bearings."

Y THIS time Gus had finished his work D on Landon's car and the owner sat idling the motor while Joe Clark pushed open the

garage doors.

"You know," Gus sighed as Landon piloted his car out through the driveway. "I've sort of changed my mind about that fellow. If more owners were on the lookout for worn rings we'd have lots less trouble trying to put pep back into cars with scored cylinder walls, burned pistons, and battered bearings. That would save everybody a lot of grief."



curing patent. Practically everything brought out here is the result of recent analysis of market

How To Commercialize Your Invention

How to arrange for partnership-organizing your own company—securing finances—arranging for royalties—types of contracts . . . information you should have right now if you wish to obtain prac-tical success for your invention.

How To Judge Marketability Of Invention

After reading this book you can judge to some extent the worth of your idea. Is it an improve-ment—is it novel enough to warrant patent pro-tection—is there a demand for it? A well known authority gives you his experienced judgment on these questions. You will learn from reliable sources many facts about patents that are vitally important to you RIGHT NOW!

Make These Tests

In this book you will be told how to apply tests to your invention. You will be shown what qualifications it must meet—both in respect to obtaining a patent, and in obtaining a market for it after-wards. You will be told the merit U. S. Patent Examiners will require your invention to haveand the demands the commercial market will make upon it afterwards if success is to be obtained.

INVENTION BLANK

This FREE Record of Invention Blank enables you to make in convenient form a sketch of your idea and have it witnessed in a manner of value to you should the occasion for evidence arise,

My Service To You

I have secured patents for inventors located in every state in the Union. My organization is a large and efficient one. My practice is confined entirely to Patents, Trade-marks, and Copyrights. I have had years of experience in Patent Matters. When you place your idea in my hands, I am in a position to proceed at once to secure protection for you. My fees are reasonable, and if you desire, I can arrange convenient terms of payment.

No Obligation - Mail Coupon Today

This 48-page book is doubly valuable and in-teresting because it is brand NEW! Every page is packed with latest information of interest to you as an inventor, and calculated to guide you in furtherance of the protection by patent of

your invention.

Get the very latest information—learn the things you don't know about getting a patent

and commercializing your invention.

Mail coupon for this New Free Book and
Record of Invention Blank TODAY!

REGISTERED PATENT ATTORNEY WASHINGTON, D.C. 88-K ADAMS BUILDING

the state of the



Want Some Money?

Here's a wonderful way to get it

Our beautifully illustrated book tells how. It tells all about our new methods of art decoration, art treatment and about our new methods of art decoration, art treatment and how anybody can learn without previous training or experience. It contains page after page of handsome color illustrations of what you can make and sell. You can make good FREE all supplies are sent by us with the instructions and many have made Our system is amazingly easy to learn and the profits are larger than in almost any other bos'ness. You can produce beautiful finished art objects almost from the beginning. You don't have to know how to draw yor have any experience.

for their own amusement.—Either way, pleasure or profit, it's the most delightful home work you can imagine. Write Now for your copy of this valuable book; it's FREE,



holds great rewards for trained men



The big opportunities in Radio will be enjoyed by trained men. The Interna-tional Correspondence Schools Radio Course, prepared by leading authorities and constantly revised, will help make you a trained man! A fascinating book — FREE.

AVIATION ENGINEERS leaders in modern progress



Aviation depends upon engines, and knowledge of aviation engines is a long step toward success in this rapidly growing industry. Many leading aviation engineers today took their first step by mailing a coupon to the I. C. S. at Scranton. Why don't

you follow their example?

INTERNATIONAL CORRESPONDENCE SCHOOLS

Box 7631-H. Scrunton, Penna.

Explain fully about your course in the subject marked X:

Chemistry
Invention
Refrigeration
Air Conditioning
Architecture Architecture

Accountancy
Advertising
Electrical Engineering
Drafting
Show Card Lettering

	TI Good	Fullitau
V«те		

INVENTORS RESEARCH INSTITUTE

For Service To Inventors

PROTECTION, DEVELOPMENT and SALE of and patents on an economical basis. De-tails gladly furnished on request.

Inventors Research Institute 737 Thirteenth Street, N. W. Washington, D. C.

I wish to apply for membership. Two dellars annual dues are enrissed. Send me:

Free "Record Form" of Invention.

Free outline of procedure in applying for a patent.

Free listing of my invention for sale.

Free estimate of costs of other services described in letter,


Address

TRAVEL



Many Other Government Jobs any Winter Examinations Expected

STOP Your Rupture Worries!



Heating Plant Trouble?
Undersized Boilers and Sluggish Circulation
CURED on existing and new Hot Water Heating

Plants by same method used for years on large systems, now available for your home. Quick to install. Saves fuel. For coal, oil or gas. Not a "gadget." Write to-day for details.

U. S. FOUNDRY & MACHINE CO., P. O. Box 123, Jersey City, N. J.





Start \$158.00 a Month

FRANKLIN INSTITUTE, Dept. L284 Rochester, N. Y.

Sirs: Rush to me without charge—copy of \$2-page book, "How to Get U. S. Government Johs." with list of positions and pointers telling how to get them.

Name

Address

HOW RADIO STARS HEAR THEMSELVES

(Continued from page 26)

sponsor after he had heard records made from broadcasts in the East. A story with a reverse twist comes from another studio. An advertising agency ordered records of a certain program. It wanted to play them for the sponsor to demonstrate how had the feature really

To any list of unusual recording orders must be added one that helped a young dramatist break into the New York radio market. He had submitted script after script and they all came back. Some of them, he thought, had not even been read. So he went to a recording studio, had one of his skits turned into a record and sent this to the broadcasting company. It was accepted almost at once,

A MONG the radio stars, the best customers for the recording laboratories are Gladys Swarthout, Rudy Vallee, Lawrence Tibbett, and Tom Howard. At one time, Jack Arthur was Number One customer. He was appearing on eighteen programs a week and had them all recorded.

Arrangers, the musical experts who prepare the scores for popular orchestras, are among the steadiest patrons of the laboratories. They have the programs recorded and then cut out their arrangements of the hit melodies to sell to other leaders. As there are thirty or forty of these crack arrangers in the game, their orders often keep the recording turntables spinning for hours at a time.

Ben Bernie is said to have originated another use for recorded orchestra programs. After every broadcast, for a time, he made it a practice to go over the records with his musicians, pointing out flaws in technique,

until he had them letter perfect.

Similar sessions are now being held by some leaders before they appear on the air. In fact, "B.B.," or before-broadcast, recording is one of the fastest developing features of the work at the present time. Artists are making and recording test broadcasts as part of the preparation for a program. Tom Howard, for example, will never appear on the air without making a record beforehand to see that everything is O.K.

Several months ago, a family of noted musicians and singers were ballyhooed for weeks before they made their debut on the radio. Thousands of dollars were spent in advertising them. Then, their program was a flat failure. The radio clipped the higher cycles of their music and failed to carry the very feature which gave it its distinctive character in the concert hall. A few dollars spent for B.B. records would have shown just what listeners would hear and would have avoided the loss and disappointment that resulted.

IN CONTRAST, take the preparation Joe Cook made for his first appearance on the air. He worked for days at a time making test broadcasts and studying the records. By the time he reached the mike, he knew exactly how his program would sound and had developed a radio technique best fitted to his type of humor. And his first broadcast was a smash success.

Sometimes, for test records, experts use cheap gelatine disks. The only recommendation for them, however, is their low cost, They are temporary makeshifts and are unsatisfactory either for filing or for prolonged

What is ahead for radio recording? It is still in the early stages of its development, But its sensational rise in recent months has been an outstanding event in the broadcasting world. Already, it has gone far in producing a revolution in microphone technique which promises to bring better programs to the air.

This One FQB5-XNR-F1D1

LARGEST BRIDGE RESTS ON SUNKEN SKYSCRAPERS

(Continued from page 23)

two traffic levels. To the eastward, traffic will pass over a short length of viaduct and next over a cantilever bridge. Beyond it will cross five successive truss spans and finally a concrete viaduct. From Rincon Hill in San Francisco to the east shore of the bay the bridge will be eight and one-quarter miles long. It will cost \$77,000,000.

The decks of the suspension bridges will be 214 feet above high water and the towers will rise into the air 505 feet. Towers of this height sway surprisingly in the wind and engineers have spent many days atop the towers peering down on large ruled squares of paper observing the movement. They have found that one tower will bend over three feet while loaded.

THE cables, far too heavy for any machine to lift, will be spun on the towers. Two cables will stretch from the anchorage on the San Francisco shore to the pile of concrete in mid-channel, whence another pair will reach to Yerba Buena. The method is much the same as that used by a spider in spinning his web. A shuttle wheel will carry a single loop of one-fifth-inch wire from one anchorage up over the towers and hook it into a steel eye in the anchorage opposite. The process will continue until the 17,464 wires in each cable

At each anchorage the wires will be separated into thirty-seven strands, each being fixed to an individual eye embedded in the concrete. The cables, as seen by a traveler on the bridge, will be twenty-eight and one-quarter inches in diameter, about twice as thick as the average telegraph pole.

Each shore anchorage, while not of the gigantic proportions of the central pier, contains enough concrete or rock to construct an Egyptian pyramid. The huge weight is nec-essary to withstand the terrific pull of the cables. Each cable will, it is estimated, exert a pull of 18,000 tons, a force sufficient to move a train of 250 loaded freight cars. Into the bridge will go enough steel and concrete to build all the large office buildings in downtown San Francisco. The timber used for false work and temporary shanties would raise enough dwellings to house a town of 15,000 population.

These figures refer only to the Bay Bridge. From the north side of San Francisco, another bridge is to cross the Golden Gate. Its central span, four-fifths of a mile between towers, will be the longest in the world.

IN ERECTING the south tower of this re-markable bridge, engineers were confronted by what seemed insuperable difficulties. Water at this point is 100 feet deep and the sevenmile-an-hour tide which sweeps in and out of the Gate sometimes rolls up waves twenty feet high. It was impossible to use ordinary methods of underwater construction and engineers had to resort to the unusually daring feat of sinking a "well" into water that is virtually open sea.

The well is an oval-shaped cofferdam, 750 feet wide along its longer axis. Built of steel sections bolted together, it rises from the bottom to a height fifteen feet above high water. Within the coffer dam, workmen pursue their tasks undisturbed by the rushing tides of the Golden Gate.

The cofferdam is located 1,100 feet from the southern shore of the Golden Gate, and is connected with the land by a construction pier over which workmen and materials can be transported directly to the work.

This pier and tower, when completed, will measure 846 feet from bedrock to the tip of the steel work, making it one of the world's tallest structures,

FREE ACTS

INVENTORS Write for these Books



INTERESTING INVENTIONS

An Early Revolver



er was patented in 1836 er was patented in 1836.
Samuel Colt, its originator, was known as the boy inventor. While still a lad he ran away to sea and whittled the first model of a repeating fire-arm out of wood during his leisure moments on shipboard. Colt was persevering. Three years later, in 1839, he had made improvements to produce the second revolver shown here. It was used in the Mexican War with excellent effect. Mexican War with excellent effect. By 1852, Colt had the largest fire-arms factory in the world. Colt died a very wealthy man.

"RECEIVED your book, 'Patent Protection'," writes an inventor, "and I am only sorry that I did not have the information contained therein some thirty years ago. I have been unfortunate enough through my ignorance to lose out in at least three major instances where understanding would have helped immeasurably."

Every inventor should realize one thing. Ignorance is dangerous, where Patent matters are concerned. The casiest way for an inventor to lose his rights, his possible profits, is to do nothing because he doesn't know WHAT TO DO. That is why inventors by the hundred have welcomed the book shown on the opposite page. It tells them WHAT TO DO. Its facts are valuable, often vital. They may be the means of saving money, saving time, and most important, saving later disappointment.

Can You Answer these Questions?

Can You Answer these Questions?

Can You Answer these Questions?

How the Patent Laws protect an inventor? What is the first simple step to take to establish a claim to an invention? What kind of a sketch or drawing is needed? When is a model needed? What can an inventor do to secure financial assistance? Why a Patent is necessary? What can be Patented? What a competent Patent Attorney can do for you? What will it cost? What is the preliminary search and why it is important?

These and other questions are answered in our 48-page book of facts, "Patent Protection." Also it shows interesting inventions, 115 mechanical movements, views of the U.S. Patent Office, and much more. We gladly send the book with our compliments to serious, interested men.

to serious, interested men.

How We Help Inventors For thirty-six years—more than a third of a century—it has been our business to help inventors. We have represented THOUSANDS of them in their dealings with the U. S. Patent Office. We answer questions. We study each device to bring out its best Patentable possibilities; we often dissuade inventors who might have gone about with inventions which could not possibly ahead with inventions which could not possibly have been protected. By carefully developed methods, we try to keep expense at a minimum. We arrange deferred payments when needed.

A New Book About Selling Inventions

There are two sides to every inventive success: There are two sides to every inventive success: The inventive side and the commercial side. A good invention, poorly handled, can prove a failure commercially. An ordinary invention, properly handled, can be made a money-maker. In a NEW special booklet, just published, we give you some suggestions on "When and How to Sell an Invention"; practical hints on the commercial side of inventing. We'll send this new booklet FREE along with "Patent Protection". Use the handy coupon. Do that now, while you have it in mind.

Washington, D. C.

Other Offices: 1640-C Comrav Bidg., Chicago: 1007-C Woo Sidu., New York: 514-C Empire B dg., Pittsburgh, 1010-C Bidg., San Francisco: 736-C Security Bidg., Los Angeles.

Kindly send me a FREE copy of your book, "Patent Protection", your special booklet of Suggestions on When and How to Sell an In

Name
Street and No.



MEN CONTENT WITH THEIR PRESENT INCOMES

If you're satisfied with what you're making - If you're content to just hold onto your present job - If you see no advantage in modernizing your training - Then -This coupon doesn't interest you! • BUT -If you'd like to follow the path to more money, already blazed by thousands of ambitious men, then this coupon may be the turning point in your earning career!

INTERNATIONAL CORRESPONDENCE SCHOOLS

"The Universal University" Box 7628-H, Scranton, Penna Without cost or obligation, please send me a copy of your booklet, "Who Wins and Why," and full particulars about the subject before which I have marked X:

Foreman D. R. R. Signalman
D Pharmacy
D Chemister

☐ Chemistry
☐ Coal Mining Engineer
☐ Navigation ☐ Agriculture
☐ Textile Overseer or Supt.
☐ Cotton Manufacturing
☐ Woolen Manufacturing
☐ Fruit Growing ☐ Radio
☐ Poultry Farming
☐ Name of Contracts
☐ Contracts
☐ Contracts

Architect
Architectural Draftsman
Building Estimating
Wood Millworking □ Holiding Estimating
□ Wood Millworking
□ Contractor and Builder
□ Structural Drafteman
□ Structural Engineer
□ Electrical Engineer
□ Electrical Engineer
□ Teleptone Work
□ Inventing and Patenting
□ Mechanical Engineer
□ Mechanical Drafteman
□ Patternmaker □ Machinist
□ Reading Shop Blueprints
□ Heat Treatment of Metals
□ Civil Engineer
□ Highway Engineering
□ Surveying and Mapping
□ Gas Engines
□ Diesel Enginee
□ Aviation Enginees
□ Aviation Enginees

Street Address State

Occupation ... If you reside in Canada, send this coupon to the International Carrespondence Schools Canadian, Limited, Montreal, Canada.



SOLVING SECRETS HIDDEN IN WOOD

(Continued from page 15)

stumps which are supposed to be the remnants of trees which, when still alive, marked a line of survey. If the surveyors had witnessed a point by means of a blazed pine tree, and the tree died later, by sending in part of the stump one might gain information as to whether the stump in dispute was really pine or not.

"Several years ago, some specimens were received which had been taken from the bottom of a railroad cut fifty feet deep. This wood, which, according to geologists, had been covered up by a glacier over 500,000 years ago, was still sound enough to be identified as spruce. It had been badly crushed, but the cell structure was still plainly visible under the microscope."

MUSEUMS sometimes send in fragments of old wood. Recently Miss Griffin received a sliver of wood from an Egyptian mummy case estimated to be 3,000 years old. The wood was identified as from the fig tree of Biblical fame. In another instance, a badly decayed piece of wood from an Indian canoe which had been recovered from Lake Minnetonka, in Minneapolis, was submitted. By cutting off the end of the piece with a sharp knife, Miss Griffin was able, with the use of a hand lens alone, to identify it as white oak. Because their structure in cross sections is so distinctive, oaks, elms, maples, and some other varieties can be identified without placing a section under a microscope.

A great deal of this work, however, requires the use of a high-powered microscope with which the shape, arrangement, and configuration of the cells of which wood is composed can be ascertained. The microscope frequently reveals decided differences in wood which could not be suspected from ordinary observation.

The number of wood specimens submitted to the Forest Products Laboratory for identification varies from day to day and from year to year, but there is hardly a day when the Laboratory does not receive a specimen of some sort or other. As an indication of the extensive use already made by the public of the wood identification section, the smallest number received in one year has been 1,000 specimens. In the month of September, 1918, when the testing of war materials was at its height, over 3,000 pieces were passed upon. This is the record month in the history of the office.

Often the wood technologist is called upon to settle disputes of a commercial nature. During the building of a railroad line, the railroad's contract called for white oak ties, with strict instructions for every red oak tie to be thrown out. Acting upon these instructions, and believing that they were detecting the forbidden red oak ties, the inspectors threw out almost every other tie. Finally, several of the rejected ties were sent to the Forest Products Laboratory. In a few days the reply came back that the specimens had been carefully examined, and that in each case they were of white oak.

ON one occasion a mail-order house re-quested examination of a large number of wooden articles, in order to be sure that these articles had been correctly described in its cat-

Small slivers of wood from various pieces of furniture are frequently sent in for identification. The best method of getting a sample without defacing the piece of furniture is to take a sliver of wood from under the hinge.

Pipe-smokers often want to make sure that their pipes are of real French briar, for certain woods, particularly mountain laurel, are

sometimes used in place of French briar which they closely resemble. Slide rules and other scales supposed to be made of boxwood are often submitted. These are sometimes made of species which are coarser grained or otherwise inferior to genuine Turkish boxwood. Wooden portions of airplanes which have had disastrous accidents are also submitted.

Landscape architects, in restoring old gardens, have often made use of the wood identification service. A piece of wood from an old tree found on land that had once been part of Washington's Mount Vernon estate was sent in, and found to be honey locust.

AST March the Laboratory received for identification four pieces of wood taken from the buildings which are duplicates of the famous Hooden Temple at Niji, Japan, built on the Wooded Isle in Jackson Park, Chicago, for the 1893 World's Columbian Exposition. These were being restored. All of the wood parts used in the original construction of these buildings had been fabricated and assembled in Japan, then carefully marked and shipped to Chicago, and reassembled in Jackson Park by the same workmen. The experts at the Forest Products Laboratory were able to state that the first three specimens were of a species of true fir, while the other specimen was of Japanese sugi wood.

Knute Reindahl, a noted violin maker living in Madison, Wis., made a violin which he later presented to Fritz Kreisler. He wanted to obtain more wood of the kind he had used for that violin, and on submitting some remnants of it to the Laboratory, learned that it was Sitka spruce-a species highly esteemed for fine structural uses, as in airplane construction, but not hitherto considered as suit-

able for violin making. Curiosity is often the motive that prompts people to send in wood specimens. A tree, growing on the tower of the courthouse in Greensburg, Indiana, has attracted so much attention that many people have sent in small branches that the wind has broken off. The tree, fifteen feet in height and with a trunk four inches thick, has been thriving in its strange location for the last thirty-five years, and is said to be unparalleled in the world. Supposed to be maple, it has been identified as poplar at the Forest Products

Laboratory. A stick which had the end braided into a whip was sent to the Laboratory, and was identified as wood from the Lacebark tree. This is a small tree or shrub growing chiefly on limestone rocks throughout the West Indies. The inner portion of the bark consists of many thin laminations which readily separate and are strikingly similar to fine lace.

EVEN fashion has an influence on the kinds of articles received for examination. Wooden heels for women's shoes are often received in Miss Griffin's mail. She explains that maple is considered the best wood for heel purposes, although birch is occasionally used. The requirements for wood used in shaped heels are extremely exacting, and sometimes the manufacturer has difficulty in shaping it. In such cases he sends the material in for identification, in order to determine whether he has actually received the kind of wood he ordered.

Both Koehler and Miss Griffin find that wood identification has a fascinating variety. Koehler's intensive research in wood usually keeps him so busy that he has little time for outside interests, but sometimes when his day's work at the Laboratory is over he returns to the fully equipped basement workshop in his home, where his hobby is-to make things of wood!

SAVE # 50% by BUYING YOUR RADIO Direct from MIDWEST LABORATORIES Thrill to Guaranteed World-Wide HIGH FIDELITY Performance with This Amazing 1935-36 MIDWES New ALL FIVE WAVE BANDS) ONLY RADIO COVERING 9 TO 2,400 METERS 12,000 MILE TUNING RANGE WORLD'S GREATEST RADIO VALUE Deluxe Auditorium - Type SPEAKER 1 1451 TUBES) ERMS BEFORE you buy any radio write for the new FREE 1935-36 Midwest "Fifteenth Anniversary" catalog and see for yourself the many reasons why 110,000 satisfied customers bought their radios direct from the Midwest Laboratories and saved

Only Midwest Gives You Multi-Function Dial

This dial was designed in keeping with the trend of the times, yet is not an airplane dial! It is a many-purpose dial that performs many functions. Now, Midwest guarantees that inexperienced persons can secure good foreign reception. Send for FREE miniature of actual rotating dial which clearly shows these outstanding advantages: 1. Dial calibrated in Kilocycles, Megacycles

Dial Calibrates
 and Meters;
 Call letters of American Broadcast Stations
 printed on dial and illuminated;
 Slow-Fast, Smooth-Action Tuning;
 Count Locator;

Simplified Tuning Guide Lights; Automatic Select-O-Band Indicator;

7. Illuminated Pointer Indicator;

Silent Shadow Tuning—Improvement on Meter Tuning;
9. Centralized Tuning.

New Style Consoles The Midwest 36page catalog pictures a complete line of beautiful, artistic de luxe console and chassis in four colors. Write

50 ADVANCED 1935 FEATURES

from 1/3 to 1/2. Why pay more than the direct-to-you laboratory price?

You, too, can make a positive saving of from 30% to 50% by buying this more economical way. Learn why Midwest outperforms sets cost-

ing up to \$200.00 and more. Never before so much radio for so little money! Midwest gives you triple protection with: One-Year Guarantee, Foreign Reception Guarantee, Money-Back Guarantee.

Many exclusive features include: Micro-Tenuator...Fidel-A-Stat... Separate Audio Generator...Ceramic Coil Forms, etc. Only Midwest covers a tuning range of 9 to 2400 meters (33 Megacycles to 125 KC)-enabling you to easily and successfully tune in even lowpowered foreign stations up to 12,000 miles away with crystalclear, loud-speaker reception.

All 5 Wave Bands enable you to enjoy today's finest High Fidelity American programs. In addition, you get Canadian, police, amateur, commercial, airplane and ship broadcasts and derive new delight and new excitement from un-

equalled world-wide broadcasts... England, France, Germany, Spain, Italy, Russia, Australia, etc. Send today for money-saving facts!

SENSATIONAL HIGH FIDELITY RECEPTION

This bigger, better, more powerful, clearertoned, super selective, 16-tube radio gives you absolute realism—assures you of life-like, crystal-clear tone—unlike anything you have ever experienced before. You will hear one more octave—overtones—that cannot be brought in with ordinary ra-dios. Now, hear every

instrument, every voice, every shade and inflection of speech.

ake advantage of the amazing 30day FREE trial offer. Send for FREE catalog.

Department Store Ex-ecutive Says Midwest Is Better Than Sets He Selis

Vineland, Ness Sco-tia, Can, — I have received many for-eign sta-tions in-



tions including
GSE,Londoc,EAQ,
Madrid, A friend, head of
a radio department in a
store, said he would rather
buy a Midwest than the
make he sells, Charles R,
Ingraham,

Thrills To Greetings Foreign Stations

Safford, Arizona-Arizona-It'sa real thrill to listen to my Mid-west, to west, to hear a voice from a far off land say: "This is



off and the say: "This and the Pracific, VK2 and the Pracific, VK2 and the Sydney, Australia," "We take you no Westminster Abbey etc. Franklin H.

O. Box 244.

DEAL DIRECT WITH LABORATORIS

Increasing costs are sure to result in higher radio prices soon. Buy before the big advance...NOW...while you can take advantage of Midwest's sensational values...no ean order four colors. Write for new FREE catalog today! Widwest catalog with as much certainty of satisfaction as if you were to select it in our great radio laboratories. You save 30% to great radio laboratories you save 30% to great radio laboratories you save 30% to great radio laborator

Cable Address Miraco. . . . All Codes

MAIL COUPON TODAY FOR			
OFFER AND NEW 1935			
MIDWEST RADIO CORP., Dept. 917, Cincinnati, Ohio. Without obligation on my part send	User-Agents Make Easy Extra Money		

Without	obligation	on my	part send	ı
me your	new FRE	E 1935	36 catalog.	٠
FREE	Miniature	Dial,	and com-	۰
plete det	tails of ye	our libe	eral 30-day	,
FREE tri	ial offer. Th	ila la NC	T an order	٠

Extra N Check H	
for	ere
Details	

Name	
Address	
Town	State


Check here if interested in a battery radio

A New Planet Finder You Can Make at Home

(Continued from page 55)

crosses the orbit of the earth, and mark the point with a pin. You now have the position of the earth in its orbit on May 1, 1935. It will be at 220 degrees.

Now note on the degree scale, at the bottom edge of the drum, the number which is directly under the Venus dot in the position it took on the zodiac after counting off 120



Why Mars "loops the loop." As the earth passes Mars, that planet appears to back up

days (twelve ten-day intervals) from its position on January 1st. Follow this same numbered degree line toward the sun, just as you did before, until it crosses the orbit of Venus. Mark this crossing with a pin. It will be at 136 degrees.

One more step and you will have the position of Venus which you seek. To find it, look straight down into the bottom of the cup, at the same time holding a ruler across the top. Move the ruler until it connects the points marked with the pins. Then follow the edge of the ruler with your eye, from the pin mark on the earth's path through the pin mark on the path of Venus, and beyond, until the ruler edge meets the edge of the transparent drum. While still sighting this point on the drum, bring the Venus ring around until the white Venus dot is in line with the point where the ruler meets the drum's edge. This shows you the place in the zodiac where you should look for Venus on May 1, 1935. It should be in the constellation Taurus a few degrees east of the bright star Aldebaran, which is the eye of the bull,

By counting off on a yearly calendar the correct number of days from January 1, 1935, and then moving each planet dot the equivalent number of ten-day intervals (or yearly intervals in the case of Jupiter) you can locate the *heliocentric* position of any planet at any time in the future. And when the heliocentric position is found, the *geocentric* position (the *apparent* position as seen against the constellations from the earth) is easily found, as already indicated, by making a line with pins and ruler.

If you carry out this operation with the planet Mars for each of the fourteen ten-day intervals from February 1, 1935, to May 19, 1935, and mark down the geocentric positions upon a chart of the constellation Virgo, or the Virgin (see one of the diagrams) you will note that the apparent position of Mars in the constellation travels westward instead of eastward during this entire eighty-one days. Then it becomes stationary, and moves forward until it has regained the point from which it "retrograded." This point will be regained in about sixty-three days. Accordingly, Mars spends 144 days, or four and

eight-tenths months in forming a backward and forward loop. The rest of our solar year it progresses steadily eastward among the zodiacal constellations.

A glance at the diagrams will explain the retrograde motion of Mars easily. Its orbit is outside that of the earth, and the ruddy planet takes two of the earth's years to traverse its circuit. Accordingly, the earth must catch up with and pass Mars once during each circuit of twelve months.

At these times, the same effect occurs which is seen when a railroad train in which you are riding passes a slower train moving in the same direction on a parallel track. As your train catches up with and passes the other, the slower train seems to stop, and

then to move backward across the landscape

behind it.

Think of Mars and the earth as trains on parallel tracks. As the earth catches up with and passes Mars, the latter seems to go slower and slower (relative to its background constellation of the zodiac) and eventually stops. At the centre of this motion the almanac describes the event in the words, "Mars in opposition," which simply means that Mars, the earth, and the sun are in line, with the sun and Mars in opposing positions.

But, as the faster-moving earth continues on its track, Mars apparently falls behind or "retrogrades" on its track. It seems to us to be moving backward among the stars along the ecliptic, or what we call the race track

of the planets.


The almanac records the beginning of this movement in the words: "Mars stationary," and its end, about eighty days later, again by the words: "Mars stationary." After this second stationary point is reached and passed, Mars again moves forward among the zodiacal constellations until the same situation occurs again as the earth again catches up with and passes its neighbor planet in their perpetual race.

This same loop is also formed by the path of Venus, except that in this case Venus is the faster train, and (because its orbit lies within the earth's) Venus gets in line with the sun and disappears for a time in his blaze of light. A moment's study of the diagram will make it clear how Venus, while getting into and out of line with the earth and sun, changes from an "evening star" (visible after sunset) to a "morning star" (visible before sunrise). It also explains why Venus is never seen more than forty-seven degrees from the sun.

During 1935, Venus will become stationary and begin its backward movement about August 16, and will retrograde for forty-three days. Then, on September 27, it will again become stationary and resume its direct motion for the rest of the year.


THE diagrams showing the retrogression of Mars and Venus indicate, in addition, the symbols and terms used in almanacs to indicate the different positions and motions of the planets.

These symbols form a sort of "astronomers'



Path of Mars in its loop from January 1 to July 10, 1935. The dots are ten-day intervals

shorthand"—a brief, convenient way of describing the activities of Old Sol's family throughout the year. This information is given in almanacs under the heading "Planetary Configurations," and it is interesting to be able to understand the symbols and visualize at once the cosmic happenings for which they stand. With this knowledge, you can avail yourself of the information to be found in almanacs and other sources.



How Venus changes from morning to evening star and why it is always seen near the sun

Mercury is here left out of consideration, because it moves so rapidly and is in view such a short time after sunset and before sunrise that many people never see it at all. However, if you wish to follow this "artful dodger" of the sky, any almanac will tell you when to watch. Look for it on the date opposite the words, "Greatest Elongation (East and West). "East" in this connection means (rather strangely) in the sunset sky; and "west" means in the sunrise sky.

Here are some of the other characteristics by which you will be able to recognize the

various planets:

Venus is brighter than any fixed star or other planet. Its color is dazzling white. It is never visible all night and never appears higher in the sky than forty-seven degrees from the setting or rising sun. It moves more rapidly along the zodiac than any other planet except Mercury.

Mars is of a distinctly reddish hue, and is very bright at and near "opposition." It may be seen at any point along the diurnal arc of the sky, and can be seen all night at its

opposition with the sun.

JUPITER is the brightest planet except Venus (or Mars during a close opposition). Its white color, however, always distinguishes it from Mars. It moves through only one constellation a year, and can be seen all night when in opposition with the sun.

Saturn is of a dull yellow color, and is never as bright as the other naked-eye planets. It moves through only one constellation in two years, and can be seen all night when in opposition with the sun.

Uranus and Neptune can be followed only if you have a telescope with which to ob-

serve them.

Venus and Mercury are "evening stars" from "superior conjunction" through "eastern elongation" to "inferior conjunction." They are "morning stars" from "inferior conjunction" through "western elongation" to "superior conjunction."

Mars, Jupiter, and Saturn, are "evening stars" from "opposition" through "eastern quadrature" to "conjunction." They are "morning stars" from "conjunction" through "western quadrature" to "opposition."





They Toste Better

American Tollacco Co